



# Glazing Line Machineries

email : [ashirvadind@hotmail.com](mailto:ashirvadind@hotmail.com)

# Our manufacturing range of Glaze Line Machineries



**Automatic Glaze Tiles  
Screen Printing Machine**



**Trolley Pump with  
Rectangular Tank**  
( Capacity : 150 Litre )




**Glaze Pump with Tank  
"8" Type**  
Suitable for high density glaze  
( Capacity : 150 Litre )




**Fixative Booth**



**Line Turning Device**  
For 90 Degree turning of glazing



**Water Scraping Device**  
Suitable for removing excess glaze from tile sides




**Glaze Pump**

**Ashirvad Industries**

Plot No. 1907, Phase II, G.I.D.C. Indl. Estate, Chhatral - 382729. Gujarat, INDIA.  
PHONE : (F) 02764 - 34017 (R) 02764 - 22158 TELE-FAX : (F) +91-2764-32498

e-mail : ashirvadind@hotmail.com

# Automatic Glaze Tiles Printing Machine



This Printing Machine is suitable for high production of double firing wall Tiles. Machines are most popular in various markets and allow high productions in the different sizes, adopting suitable corresponding kit. Machine can be used for double fired tiles at a speed around 80 Pcs. per minute for size upto 200 x 150 and at about 70 Pcs. per minute of 300 x 200 mm.

However this are indicative data and Can change according to actual body parameters & actual body parameters & Environmental Conidtions.

Chain index drive system assures a perfect synchronisation during the printing phase.

2 Nos. of photocells senses the inflow of tiles & controls printing cycle using highly reliable control circuit, is achieved by A.C. Inverter.

No. of such machines can be placed over Glaze line subsequently for multicolour Decoration over tiles.

**Model No.  
AI-10/30 INV**

## Technical Specifications :

1500 mm (Width) x 1375 mm (Depth) x 1225 mm (Height)  
Maximum Screen Size : 550 mm x 500 mm

### **Production Speed : Max. Printing Speed / Minute**

100 x 100 : 80 Pcs.  
150 x 150 : 75 Pcs.  
150 x 200 : 75 Pcs.  
200 x 300 : 60 Pcs.

Compressed Air Requirement : 2 CFM at 60 PSI

Power Requirement : 1.0 H.P. ( 0.75 KW ) max. 2 phase / 440 Volt

Approx. Weight : 225 Kg.

# Ashirvad Industries

**MANUFACTURER OF : SPECIAL PURPOSE MACHINERY FOR : CERAMIC GLAZED TILE PLANTS**

Plot No. 1907, Phase II, G.I.D.C. Indl. Estate, Chhatral - 382729. Gujarat, INDIA

PHONE : (F) 02764 - 34017 (R) 02764 - 22158 TELE-FAX (F) +91-2764-32498 e-mail : ashirvadind@hotmail.com



*Thank You*

## **Ashirvad Industries**

Plot No. 1907, Phase II, G.I.D.C. Indl. Estate, Chhatral - 382729. Gujarat, INDIA  
PHONE : (F) 02764 - 34017 (R) 02764 - 22158 TELE-FAX (F) +91-2764-32498  
e-mail : ashirvadind@hotmail.com