

Contents

1	Introduction.	3
2	Qualitative description of the technique.	7
3	Theory.	17
3.1	Scattered intensity and field power spectrum.	17
3.2	Scattering from a thin sample.	21
3.3	Image forming techniques	21
3.4	Misfocused microscopy and shadowgraph.	23
3.5	Scattering measurements by microscopy techniques	25
3.6	Gaussian field generated by the sum of many patterns.	26
3.7	Siegert relation for the near field speckles.	30
3.8	Vanishing of the $\langle EE \rangle$ correlations.	32
3.9	Homodyne near field speckles.	34
3.10	Heterodyne near field speckles.	37
3.11	Schlieren-like near field speckles.	38
3.12	Why using NFS instead of classical scattering measurement?	39
3.13	Why using NFS instead of classical microscopy?	40
3.14	Meaning of the light path correlation function.	42
4	The experimental system.	45
4.1	The optical system.	45
4.2	The light source.	45
4.3	The cell.	49
4.4	Objective, beam stop and blade.	51
4.5	CCD sensor.	52
4.6	The acquisition and elaboration system.	52
4.7	ONFS and ENFS setup for colloid measurements.	56
4.8	SNFS setup for non equilibrium fluctuation measurements.	57
5	ONFS data processing.	59
5.1	Effect of the stray light.	59
5.2	Correction for finite samples.	62
5.3	Data processing algorithm.	64

6	ENFS and SNFS data processing.	73
6.1	Subtraction of the stray light	73
6.2	Correction for finite samples.	74
6.3	ENFS data processing.	75
7	Performances of ONFS and ENFS on two colloidal samples.	83
7.1	The samples.	83
7.2	Measurements.	84
7.3	What is the main source of error?	84
8	Particle sizing with ENFS.	91
9	Non-equilibrium fluctuations in a free diffusion experiment studied with SNFS	99
9.1	Nonequilibrium fluctuations in free diffusion processes.	99
9.2	The cell.	101
9.3	Results.	104
A	Three dimensional intensity correlation function.	107
A.1	Evolution equation of the field correlation.	107
A.2	Gaussian speckles.	108
A.3	Determination of the sign of the field correlation function.	109
A.4	Longitudinal correlation.	110
B	Definitions	113

List of Figures

2.1	Formation of near field speckles	9
2.2	Measured intensity auto-correlations as a function of displacement r for two sets of randomly positioned pinholes, of $140\mu\text{m}$ and $300\mu\text{m}$ in diameter. For both the samples, measurements at three distances are reported, together with $ g(r) ^2$, calculated from the digitized images of the two samples.	12
2.3	Optical layout for ONFS. The main transmitted beam is blocked by a stop in the focal plane. Almost all the scattered light is sent to the CCD.	13
2.4	Optical layout for ENFS. The main transmitted beam is not blocked by the stop in the focal plane. Both the scattered and the transmitted beams are sent to the CCD.	14
2.5	Optical layout for SNFS. Part of the transmitted beam is blocked by a blade in the focal plane, along with half of the scattered light. Only one half of the scattered light is sent to the CCD, along with a part of the transmitted beam.	15
3.1	Relation between the wave vector of the near field and the transferred wave vector.	19
3.2	Relation between the coordinate q on a screen, in a far field experiment, and the transferred wave vector.	20
3.3	Relative error obtained neglecting the non linearity of the relation between the sample wave vector and the near field wave vector.	20
3.4	Example of the field generated by a particle of the colloid.	27
3.5	Example of the field generated by many particles of the colloid.	27
3.6	Description of the condition of non overlapping of the scattering regions.	34
3.7	Example of dark field image.	40
3.8	Example of Near Field Speckles image.	41
4.1	The experimental system.	46
4.2	Picture of the optical system	46
4.3	The optical system of SNFS	47
4.4	The LED laser.	48
4.5	The collimator.	50

4.6	Section of the microscope objective and the beam stop.	52
4.7	Picture of the microscope objective with the beam stop.	53
4.8	The Schlieren system.	54
4.9	Jai CV M50 camera.	56
4.10	The optical setup for the measurement of scattering from colloids some microns large with ENFS.	56
4.11	The optical setup for the measurement of scattering from colloids some microns large with ONFS.	57
4.12	The optical setup for the measurement of non equilibrium fluc- tuations with SNFS.	58
5.1	Near field intensity of the light scattered by a colloid of $5.2\mu\text{m}$. . .	64
5.2	Near field intensity of the light scattered by a colloid of $10.0\mu\text{m}$. . .	65
5.3	2-d $C_I(\Delta\vec{x})$ for $5.2\mu\text{m}$ colloid.	66
5.4	2-d $C_I(\Delta\vec{x})$ for $10.0\mu\text{m}$ colloid.	66
5.5	2-d $C_E(\Delta\vec{x})$ for $5.2\mu\text{m}$ colloid, not corrected.	67
5.6	2-d $C_E(\Delta\vec{x})$ for $10.0\mu\text{m}$ colloid, not corrected.	67
5.7	2-d $C_{\bar{I}}(\Delta\vec{x})$ for $5.2\mu\text{m}$ colloid.	68
5.8	2-d $C_{\bar{I}}(\Delta\vec{x})$ for $10.0\mu\text{m}$ colloid.	68
5.9	2-d $C_E(\Delta\vec{x})$ for $5.2\mu\text{m}$ colloid.	69
5.10	2-d $C_E(\Delta\vec{x})$ for $10.0\mu\text{m}$ colloid.	70
5.11	ONFS measurement of the scattered intensity of a $5.2\mu\text{m}$ colloid. . .	70
5.12	ONFS measurement of the scattered intensity of a $10.0\mu\text{m}$ colloid. . .	71
6.1	ENFS background image.	76
6.2	ENFS $10.0\mu\text{m}$ image.	77
6.3	ENFS $5.2\mu\text{m}$ image.	77
6.4	ENFS $10.0\mu\text{m}$ signal.	78
6.5	ENFS $5.2\mu\text{m}$ signal.	78
6.6	ENFS measurement of the field correlation function, for a $5.2\mu\text{m}$ colloid.	79
6.7	ENFS measurement of the field correlation function, for a $10.0\mu\text{m}$ colloid.	80
6.8	Correlation function of the shot and read noise.	80
6.9	ENFS measurement of the scattered intensity of a $10.0\mu\text{m}$ colloid. . .	81
6.10	ENFS measurement of the scattered intensity of a $5.2\mu\text{m}$ colloid. . .	82
7.1	ONFS measurement of the $10.0\mu\text{m}$ colloid.	84
7.2	ONFS measurement of the $5.2\mu\text{m}$ colloid.	85
7.3	ONFS measurements of the two colloids.	85
7.4	ENFS measurement of the $10.0\mu\text{m}$ colloid.	86
7.5	ENFS measurement of the $5.2\mu\text{m}$ colloid.	86
7.6	ENFS measurements of the two colloids.	87
7.7	ONFS simulations of the two colloids.	88
7.8	ENFS simulations of the two colloids.	89

8.1	Particle sizing: sample A, $5.2\mu\text{m}$ colloid	92
8.2	Particle sizing: sample B, $10.0\mu\text{m}$ colloid	92
8.3	Particle sizing: solution $1/2$ A + $1/2$ B	93
8.4	Particle sizing: solution $1/3$ A + $2/3$ B	93
8.5	Particle sizing: solution $2/3$ A + $1/3$ B	94
8.6	Diameter distribution of two monodispese colloids measured by ENFS	95
8.7	Diameter distribution of the mixtures measured by ENFS	96
9.1	Flowing Junction Cilindrical Cell	102
9.2	Flowing Junction Cylindrical Cell.	103
9.3	Measured power spectrum of non equilibrium fluctuations.	105
A.1	Effect of the phase.	110
A.2	Effect of the phase.	111

List of Tables

3.1	Evaluation of the two-point correlation function.	29
3.2	Evaluation of the four-point correlation function.	29
4.1	Data of the LED laser.	48
4.2	Specification of Jai CV M50C camera.	55
8.1	Measured ratio of sample A and B in the mixtures	94