

References

- [1] Abdelghani Maher and Michael I. Friswell "Sensor Validation for Structural Systems with Additive Sensor Faults" Structural Health Monitoring Volume 3 Pages 265-275 (2004).
- [2] Abe, M., Fujino, Y., Kajimura, M., Yanagihara, M., and Sato, M. "Monitoring of a Long Span Suspension Bridge by Ambient Vibration Measurement," Structural Health Monitoring, Pages 400-407 (2000).
- [3] Anthony E Ackerman, Chen Liang and Craig A Rogers "Dynamic transduction characterization of magnetostrictive actuators" Smart Material Structure Volume 5 Pages 115-120 (1996).
- [4] Adams, R.D., P. Cawley, C.J. Pye and B.J. Stone, , A Vibration Technique for Non-Destructively Assessing the Integrity of Structures, Journal of Mechanical Engineering Science, 20, Pages 93-100 (1978).
- [5] Adams Robert and James F. Doyle Multiple Force Identification for Complex Structures Experimental Mechanics, Volume 42, Number 1, Pages 25-36 (2002) "
- [6] Adams Douglas E and Charles R. Farrar "Classifying Linear and Nonlinear Structural Damage Using Frequency Domain ARX Models" Structural Health Monitoring, Volume 1, Number 2, Pages 185-201 (2002)
- [7] Adly A. A. and S. K. Abd-El-Hafiz, "Identification and testing of an efficient hop-field neural network magnetostriction model" Journal of Magnetism and Magnetic Materials Volume 263, Issue 3 , Pages 301-306 (2003).
- [8] Adly, A.A.; Abd-El-Hafiz, S.K. "Using neural networks in the identification of

- Preisach-type hysteresis models" IEEE Transactions on Magnetics Volume 34, Issue 3, Pages 629-635 (1998).
- [9] Adly, A.A.; Mayergoyz, I.D. "Magnetostriction simulation using anisotropic vector Preisach-type models." IEEE Transactions on Magnetics Volume 32, Issue 5 Part 2, Pages 4773-4775 (1996).
- [10] Adly, A. A.; S. K. Abd-El-Hafiz and I. D. Mayergoyz "Using neural networks in the identification of Preisach-type magnetostriction and field-temperature models" Journal of Applied Physics, Volume 85, Issue 8, Pages 5211-5213 (1999).
- [11] Adly A.A.; Mayergoyz I.D. and A. Bergqvist."Utilizing anisotropic Preisach-type models in the accurate simulation of magnetostriction" IEEE Trans. Magn. Volume 33 Number 5, Page 39-31 (1997).
- [12] Agneni, A., Crema, L.B., and Mastroddi, F. "Damage Detection from Truncated Frequency Response Functions," European COST F3 Conference on System Identification and Structural Health Monitoring, Madrid, Spain, Pages 137-146 (2000).
- [13] Ahmadian, H., Mottershead, J.E., and Friswell, M.I. "Substructure Modes for Damage Detection," Structural Damage Assessment Using Advanced Signal Processing Procedures, Proceedings of DAMAS '97, University of Sheffield, UK, Pages 257-268 (1997).
- [14] Aime J.C.; M. Brissaud and L. Laguerre, "Spatial analysis of torsional wave propagation in a cylindrical waveguide." Application to magnetostrictive generation. Journal Acoustic Society America Volume 109, Pages 51-58 (2001).
- [15] Anderson, James A, "A Simple Neural Network Generating an Interactive Memory" Mathematical Biosciences Volume 14 Pages 197-220 (1972)
- [16] Angeles Francisco J. Rivero, Eduardo Gomez Ramirez and Ruben Garrido "Non-linear Civil Structures Identification Using a Polynomial Artificial Neural Network" Lecture Notes in Computer Science Springer-Verlag GmbH Volume 3773/2005 Pages: 138 - 145 (2005)
- [17] Anjanappa, M., and Wu, Y. F. "Magnetostrictive particulate actuators: configuration, modeling and characterization" Smart Material and Structures, Volume 6, Pages 393-402 (1997).

- [18] Anjanappa M and Bi J "A theoretical and experimental study of magnetostrictive mini-actuators" *Smart Material Structure* Volume 3 Pages 83-91 (1994).
- [19] Anjanappa M and Bi J "Magnetostrictive mini actuators for Smart structures applications" *Smart Material Structure* Volume 3 Pages 383-390 (1994).
- [20] Ansari Farhad "Fiber optic health monitoring of civil structures using long gage and acoustic sensors"
- [21] Aoki Yoshio and O-Il Byon "Damage detection of CFRP pipes and shells by using localized flexibility method" *Advanced Composite Materials*; Volume 10, Numbers 2-3 Pages: 189 - 198
- [22] Arai K.I. and T. Honda. *Robotica* Volume 14, Page 477 (1996).
- [23] Armstrong W D "The non-linear deformation of magnetically dilute magnetostrictive particulate composites" *Materials Science and Engineering A*; Volume 285, Issues 1-2, 15, Pages 13-17 (2000).
- [24] Armstrong W.D. , *J. Applied Phys.* Volume 81 Pages 2321-3548 (1997).
- [25] Auweraer Herman Van der and Bart Peeters "International Research Projects on Structural Health Monitoring: An Overview" *Structural Health Monitoring*, Volume 2, Number 4, Pages 341-358 (2003)
- [26] Baker Wayne, Iain McKenzie and Rhys Jones "Development of life extension strategies for Australian military aircraft, using structural health monitoring of composite repairs and joints" *Composite Structures*, Volume 66, Issues 1-4, Pages 133-143 (2004).
- [27] Balageas Daniel L. "Structural health monitoring R&D at the European Research Establishments in Aeronautics (EREA)" *Aerospace Science and Technology*, Volume 6, Issue 3, Pages 159-170 (2002).
- [28] Bamnios G. and A. Trochides, Dynamic behavior of a cracked cantilever beam, *Applied Acoustics* 45, Pages 97-112 (1995).
- [29] Barbero, E.J. and Reddy, J.N. "Modeling of delamination in composite laminates using a layer-wise plate theory" *International Journal of Solids and Structures*, Volume 28, Pages 373-388 (1991).

- [30] Barke D. W., W. K. Chiu, and S. Fernando "In situ Damage Quantification in Bolts" Structural Health Monitoring Volume , Pages: 19-31 (2004).
- [31] Batra R.C., S. Aimmanee "Vibrations of thick isotropic plates with higher order shear and normal deformable Plate theories" Computers and Structures Volume 83 Pages 934-955 (2005).
- [32] Belytschko T. and Bindeman L.P. "Assumed strain stabilization of the 4-node quadrilateral with 1-point quadrature for nonlinear problems" Computer Methods Applied Mechanics Engineering, Volume 88, Pages 311-340 (1991).
- [33] Benabou A. , S. Clnet and F. Piriou "Comparison of Preisach and Jiles-Atherton models to take into account hysteresis phenomenon for finite element analysis" Journal of Magnetism and Magnetic Materials Volume 261, Issues 1-2, Pages 139-160 (2003).
- [34] Benbouzid Mohamed E. H.; Gilbert Reyne and Gerard Meunier; "Nonlinear finite element modelling of giant magnetostriction" IEEE transactions on magnetics, Volume 29, Number 6, Pages 2467-2469 (1993).
- [35] Benbouzid Mohamed E. H.; Gilbert Reyne and Gerard Meunier; "Nonlinear finite element modelling of giant magnetostriction" IEEE transactions on magnetics, Volume 29, Number 6, Pages 2467-2469 (1993).
- [36] Benbouzid Mohamed E. H; Lars Kvarnsjo and Goran Engdahl "Dynamic modelling of giant magnetostriction in terfenol-d rods by the finite element method" IEEE transactions on magnetics, Volume 31, Number 3, Pages 1821-1823 (1995).
- [37] Benbouzid Mohamed E. H.; Lars Kvarnsjo and Goran Engdahl; "Dynamic modelling of giant magnetostriction in terfenol-d rods by the finite element method." IEEE transactions on magnetics, Volume 31 Number 3 Pages 1821-1823 (1995).
- [38] Benbouzid Mohamed E. H.; Gilbert Reyne and Gerard Meunier; "Finite element modelling of magnetostrictive devices: Investigations for the design of the magnetic circuit." IEEE transactions on magnetics, Volume 31, Number 3, Pages 1813-1816 (1995).

- [39] Bernal, D. "Extracting Flexibility Matrices from State-Space Realizations," European COST F3 Conference on System Identification and Structural Health Monitoring, Madrid, Spain, Pages 127-135 (2000).
- [40] Berthelot J.M. , Analysis of the transverse cracking of cross-ply laminates: a generalised approach. *Journal of Composite Materials* Volume 31 18, Pages 1780-1805 (1997).
- [41] Bhalla Suresh and Chee Kiong Soh "High frequency piezoelectric signatures for diagnosis of seismic/blast induced structural damages" *NDT & E International*, Volume 37, Issue 1, Pages 23-33, (2004).
- [42] Bhalla Suresh , Y.W. Yang, J. Zhao and C.K. Soh "Structural health monitoring of underground facilities - Technological issues and challenges" *Tunnelling and Underground Space Technology*, Volume 20, Issue 5, Pages 487-500, (2005).
- [43] Boltezar M.; B. Stancar and A. Kuhelj, Identification of transverse crack location in flexural vibrations of free-free beams, *Journal of Sound and Vibration* 211, Pages 729-734 (1998).
- [44] Bonato, P., Ceravolo, R., De Stefano, A., and Molinari, F. "Modal Identification by Cross-Time-Frequency Estimators," *Damage Assessment of Structures, Proceedings of the International Conference on Damage Assessment of Structures (DAMAS 99)*, Dublin, Ireland, Pages 363-372 (1999).
- [45] Brian Culshaw "Smart Structures and materials", Artech house, Boston (1996).
- [46] Bray, D.E. and Roderick S.K., *Nondestructive Evaluation*, McGraw-Hill, New York, (1989).
- [47] Brennan M J, S J Elliott and R J Pinnington "A non-intrusive fluid-wave actuator and sensor pair for the active control of fluid-borne vibrations in a pipe" *Smart Material Structure* Volume 5 Pages 281-296 (1996).
- [48] Briggs John C and Ming-Kai Tse Impact force identification using extracted modal parameters and pattern matching *International Journal of Impact Engineering*. Volume 12, Issue 3, Pages 361-372 (1992).

- [49] Brown Rebecca L. and Douglas E. Adams "Equilibrium point damage prognosis models for structural health monitoring" *Journal of Sound and Vibration*, Volume 262, Issue 3, Pages 591-611 (2003).
- [50] Bukkapatnam S. T.S; J. M. Nichols; M. Seaver; S. T. Trickey and M. Hunter "A Wavelet-based, Distortion Energy Approach to Structural Health Monitoring" *Structural Health Monitoring* Volume 4, Pages 247-258 (2005).
- [51] Busby Henry R and David M. Trujillo Solution of an inverse dynamics problem using an eigenvalue reduction technique *Computers & Structures* Volume 25, Issue 1, Pages 109-117 (1987).
- [52] Butler, J.L, "Application manual for the design of Terfenol-D magnetostrictive transducers" Edge Technologies Inc., Ames Iowa, (1988).
- [53] Calkins, F.T.; Smith, R.C.; Flatau, A.B. "Energy-based hysteresis model for magnetostrictive transducers" *IEEE Transactions on Magnetics* Volume 36, Issue 2, Pages 429-439 (2000).
- [54] Peter Carden E and Paul Fanning "Vibration Based Condition Monitoring: A Review" *Structural Health Monitoring* Volume 3 Pages 355-377 (2004).
- [55] Carrasco, C., Osegueda, R., Ferregut, C., and Grygier, M. "Localization and Quantification of Damage in a Space Truss Model Using Modal Strain Energy," *Smart Systems for Bridges, Structures, and Highways*, Proceedings of SPIE, Volume 3043, Pages 181-192 (1997).
- [56] Carrion F J; J F Doyle and A Lozano "Structural health monitoring and damage detection using a sub-domain inverse method" *Smart Material Structure* Volume 12, Pages 776-784 (2003).
- [57] Cawley, P., and Adams, R.D. "The Location of Defects in Structures from Measurements of Natural Frequencies," *Journal of Strain Analysis*, Volume 14, Number 2, Pages 49-57 (1979).
- [58] Caccese Vincent, Richard Mewer and Senthil S. Vel "Detection of bolt load loss in hybrid composite/metal bolted connections" *Engineering Structures*, Volume 26, Issue 7, Pages 895-906 (2004).

- [59] Chakraborty Abir "Wave propagation in anisotropic & inhomogeneous structures" Department of Aerospace Engineering, Indian Institute of Science, Bangalore, July 2004 Thesis.
- [60] Chakraborty, Abir; Gopalakrishnan S "Wave propagation in inhomogeneous layered media: solution of forward and inverse problems" *Acta Mechanica*, Volume 169, Numbers 1-4 Pages: 153 - 185
- [61] Chakraborty Abir and Gopalakrishnan S Force identification in a FGM plate using truncated response American Institute of Aeronautics and Astronautics 44th AIAA/ASME/ASCE/AHS Structures, Structural Dynamics, and Materials Conference 7-10 April 2003, Norfolk, Virginia AIAA 2003-1590"
- [62] Chakraborty Abir, Mahapatra D R, Gopalakrishnan S. "Finite element analysis of free vibration and wave propagation in asymmetric composite beams with structural discontinuities." *Composite Structures*; Volume 55 Number 1 Pages 23-36 (2002).
- [63] Chakrabortya Abir, Gopalakrishnana S, J. N. Reddy; "A new beam finite element for the analysis of functionally graded materials" *International Journal of Mechanical Sciences* Volume 45 Pages 519-539 (2003).
- [64] Chakraborty, Abir; Gopalakrishnan, S. "Poisson's contraction effects in a deep laminated composite beam." *Mechanical Advances in Materials and Structures* 10(3), 205-225 (2003).
- [65] Chakraborty S and G R Tomlinson "An initial experimental investigation into the change in magnetic induction of a Terfenol-D rod due to external stress" *Smart Material Structure* 12 (2003) 763-768
- [66] Tommy H. T. Chan, L. Guo and Z. X. Li "Finite element modelling for fatigue stress analysis of large suspension bridges" *Journal of Sound and Vibration*, Volume 261, Issue 3, Pages 443-464 (2003).
- [67] Chan T. H. T, Li Z. X. and Ko J. M. "Fatigue analysis and life prediction of bridges with structural health monitoring data - Part II: application" *International Journal of Fatigue*, Volume 23, Issue 1, Pages 55-64 (2001).

- [68] Chan T H T, Yu L, Tam HY, Y Q Ni, S Y Liu, W H Chung and L K Cheng "Fiber Bragg grating sensors for structural health monitoring of Tsing Ma bridge: Background and experimental observation" *Engineering Structures*
- [69] Chan Tommy H. T, Ling Yu And S. S. Law Comparative studies on moving force identification from bridge strains in laboratory *Journal of Sound and Vibration* Volume 235, Issue 1, Pages 87-104 (2000).
- [70] Chang C. and C.T. Sun, "Determining transverse impact force on a composite laminate by signal deconvolution" *Experimental Mechanics* Volume 29, Pages 414-419 (1989).
- [71] Chase J. Geoffrey, Vincent Begoc and Luciana R. Barroso "Efficient structural health monitoring for a benchmark structure using adaptive RLS filters" *Computers & Structures*, Volume 83, Issues 8-9, Pages 639-647 (2005).
- [72] Chattopadhyay A, H. S. Kim and A. Ghoshal "Non-linear vibration analysis of smart composite structures with discrete delamination using a refined layerwise theory" *Journal of Sound and Vibration*, Volume 273, Issues 1-2, Pages 387-407 (2004).
- [73] Chelidze David "Identifying Multidimensional Damage in a Hierarchical Dynamical System" *Nonlinear Dynamics* Volume 37, Number 4 Pages: 307 - 322
- [74] Cheng L K "High-speed Dense Channel Fiber Bragg Grating Sensor Array For Structural Health Monitoring." 2005 International Conference on MEMS, NANO and Smart Systems Pages 364-365 (2005).
- [75] Chen Genda, Huimin Mu, David Pommerenke, and James L. Drewniak "Damage Detection of Reinforced Concrete Beams with Novel Distributed Crack/Strain Sensors" *Structural Health Monitoring* Volume 3 Pages 225-243 (2004).
- [76] Cheng K. W. E., Lee W. S, Tang C. Y. and Chan L. C. "Dynamic modelling of magnetic materials for high frequency applications" *Journal of Materials Processing Technology* Volume 139, Issues 1-3 , Pages 578-584 (2003).
- [77] Chinchalkar, S. "Determination of crack location in beams using natural frequencies", *Journal of Sound and Vibration*, Volume 247 Number 3 Pages 417-429 (2001).

- [78] Ching Jianye and James L. Beck "New Bayesian Model Updating Algorithm Applied to a Structural Health Monitoring Benchmark" Structural Health Monitoring Volume 3 Pages 313-332.(2004).
- [79] Cho Seung Hyun, Young Kyu Kim and Yoon Young Kim; "The optimal design and experimental verification of the bias magnet configuration of a magnetostrictive sensor for bending wave measurement" Sensors and Actuators A: Physical
- [80] Chock Jeffrey M.K. and Rakesh K. Kapania On load updating for finite element models AIAA 2002-1214 (2002).
- [81] Chock Jeffrey M.K. and Rakesh K. Kapania Finite element load updating for plates AIAA
- [82] Choi Keeyoung and Fu-Kuo Chang Identification of Impact Force and Location Using Distributed Sensors AIAA Journal 0001-1452 Volume 34 Number 1 Pages 136-142 (1996).
- [83] Choi, S., and Stubbs, N. "Nondestructive Damage Detection Algorithms for 2D Plates," Smart Systems for Bridges, Structures, and Highways, Proceedings of SPIE, Volume 3043, Pages 193-204 (1997).
- [84] Chondros, T.G. ; A.D. Dimarogonas and J. Yao, A continuous cracked beam vibration theory, Journal of Sound and Vibration 215, Pages 17-34 (1998).
- [85] Choudhary P. and T. Meydan; "A novel accelerometer design using the inverse magnetostrictive effect"; Sensors and Actuators A: Physical; Volume 59, Issues 1-3, Pages 51-55 (1997).
- [86] Christides S and Barr A.D.S, One-dimensional theory of cracked Bernoulli-Euler beams, International Journal of the Mechanical Sciences 26, Pages 639-648 (1984).
- [87] Christoforou Andreas P., Abdallah A. Elsharkawy and Lotfi H. Guedouar An inverse solution for low-velocity impact in composite plates Computers & Structures Volume 79, Issues 29-30 , Pages 2607-2619 (2001).
- [88] Chung Deborah D. L. "Composites get smart" Materials Today, Volume 5, Issue 1, Pages 30-35 (2002).

- [89] Churchland P.S and Sejnowski T.J, The Computational Brain, MIT Press (1992).
- [90] Coats, T.W. and Harris, C.E. "Experimental verification of a progressive damage model for IM7/5260 laminates subjected to tension-tension fatigue", Journal of Composite Materials, Volume 29 Number 3, Pages 280-305 (1995).
- [91] Collette S A, Sutton M A, P Miney, A P Reynolds, Xiaodong Li, P E Colavita, W A Scrivens, Y Luo, T Sudarshan, P Muzykov and M L Myrick "Development of patterns for nanoscale strain measurements: I. Fabrication of imprinted Au webs for polymeric materials" Nanotechnology Volume 15 Pages 1812-1817 (2004).
- [92] D'Cruz Jonathan, John D. C. Crisp and Thomas G. Ryallt Determining a Force Acting on a Plate -An Inverse Problem AIAA Journal 0001-1452 Volume. 29, Number 3 Pages 464-470 (1991).
- [93] Cullen J.R, K.B. Hathaway and A.E. Clark. Journal of Applied Physics, Volume 81, Pages 5417(1997).
- [94] Cusano A, Cutolo A, J. Nasser, M. Giordano and A. Calabro "Dynamic strain measurements by fibre Bragg grating sensor" Sensors and Actuators A: Physical, Volume 110, Issues 1-3, Pages 276-281 (2004).
- [95] Dapino Marcelo, J, Ralph C. Smith., Leann, E. Faidley. and Alison, B. Flatau, "A coupled structural-magnetic strain and stress model for magnetostrictive transducers" Journal of Intelligent Material Systems Structures, Volume 11, Pages 135-151 (2000).
- [96] Debruyne H, Clenet S and Piriou F "Characterisation and modelling of hysteresis phenomenon" Mathematics and Computers in Simulation Volume 46, Issues 3-4 , Pages 301-311 (1998).
- [97] DeWolf John T; Robert G; Michael Culmo "Monitoring Bridge Performance." Structural Health Monitoring, Volume 1, Number 2, Pages 129-138 (2002).
- [98] Dimitris Kouzoudis and Craig A Grimes "The frequency response of magnetoelastic sensors to stress and atmospheric pressure" Smart Material Structure, Volume 9, Pages 885-889 (2000).

- [99] Doebling, S.W., and C.R. Farrar "Using Statistical Analysis to Enhance Modal-Based Damage Identification," in Structural Damage Assessment Using Advanced Signal Processing Procedures, Proceedings of DAMAS '97, University of Sheffield, UK, Pages 199-210 (1997).
- [100] Doebling, S.W., C.R. Farrar, M.B. Prime, and D.W. Shevitz "Damage identification and Health Monitoring of Structural and Mechanical Systems from Changes in their Vibration Characteristics: A Literature Review," Los Alamos National Laboratory report LA-13070-MS (1996).
- [101] Doebling, S.W., C.R. Farrar, M.B. Prime, and D.W. Shevitz "A Review of Damage Identification Methods that Examine Changes in Dynamic Properties," Shock and Vibration Digest, Volume 30, Number 2, Pages 91-105 (1998).
- [102] Dong Guangming, Jin Chen, Xuanyang Lei, Zuogui Ning, Dongsheng Wang, Xiongxiang Wang "Global-Based Structure Damage Detection Using LVQ Neural Network and Bispectrum Analysis" Lecture Notes in Computer Science Springer-Verlag GmbH Volume 3498/2005 Page: 531.
- [103] Dong K and Wang X "Influences of large deformation and rotary inertia on wave propagation in piezoelectric cylindrically laminated shells in thermal environment" International Journal of Solids and Structures,
- [104] Doyle, J. F. , "Further developments in determining the dynamic contact law" Experimental Mechanics, Volume 24, Pages 265-270 (1984).
- [105] Doyle, J. F. , "Experimentally determining the contact Force during the transverse impact of an orthotropic plate" Journal of Sound and Vibration Volume 118, Number 3, Pages 441-448 (1987).
- [106] Doyle, J. F. Force Identification from Dynamic Responses of a Bimaterial Beam Experimental Mechanics, Volume 33, Number 1, Pages 64-69 (1993).
- [107] Doyle, J. F. A Wavelet Deconvolution Method for Impact Force Identification Experimental Mechanics, Volume 37, Number 4, Pages 403-408 (1997)"
- [108] Doyle, J. F. "Wave Propagation in structures" New York: Springer (1997).

- [109] Doyle, J. F. "A spectrally formulated finite element for longitudinal wave propagation" *International Journal Analytical Experimental Modal Analysis*, Volume 3, Pages 1-5 (1988).
- [110] Doyle J. F., Farris T. N. "A spectrally formulated finite element for flexural wave propagation in beams" *International Journal Analytical Experimental Modal Analysis*, Volume 5, Pages 13-23 (1990).
- [111] Doyle, J. F., Farris, T. N.: "A spectrally formulated finite element for wave propagation in 3-D frame structures." *International Journal Analytical Experimental Modal Analysis* Pages 223-237 (1990).
- [112] Dupr L. R, Van Keerb R and J. A. A. Melkebeeka "Evaluation of magnetostrictive effects in soft magnetic materials using the Preisach theory" *Journal of Magnetism and Magnetic Materials*, Volumes 254-255, Pages 121-123 (2003).
- [113] Dvorak G.J, N. Laws and M. Hejazi, Analysis of progressive matrix cracking in composite laminates I. Thermoelastic properties of a ply with cracks. *Journal of Composite Materials*, Volume 19, Pages 216-234 (1985).
- [114] Eisenberger, M.; "An exact higher order beam element" *Computer & Structures* Volume 81, Pages 147-152 (2003).
- [115] Epureanu Bogdan I and Shih-Hsun Yin "Identification of damage in an aeroelastic system based on attractor deformations" *Computers & Structures*, Volume 82, Issues 31-32, Pages 2743-2751 (2004).
- [116] Ettouney, M., Daddazio, R., Hapij, A., and Aly, A. "Health Monitoring of Complex Structures," *Smart Structures and Materials* (1999): *Industrial and Commercial Applications of Smart Structures Technologies*, Proceedings of SPIE, Volume 3326, Pages 368-379 (1998).
- [117] Faravelli L, and A.A. Pisano "A neural network approach to structure damage assessment" *IASTED International Conference on Intelligent Information Systems*, Pages 585 (1997).
- [118] Farhey Daniel N "Bridge Instrumentation and Monitoring for Structural Diagnostics" *Structural Health Monitoring*, Volume 4, Number 4, 301-318 (2005).

- [119] Fenn Ralph C, James R Downer, Dariusz A Bushko, Vijay Gondhalekar and Norman D Ham; "Terfenol-D driven flaps for helicopter vibration reduction" *Smart Material Structure*, Volume 5 Pages 49-57 (1996).
- [120] Fernandez-Saez J and C. Navarro, Fundamental frequency of cracked beams: an analytical approach, *Journal of Sound and Vibration* 256, Pages 17-31 (2002).
- [121] Fernandez-Saez J, L. Rubio and C. Navarro, Approximate calculation of the fundamental frequency for bending vibrations of cracked beams *Journal of Sound and Vibration* 225, Pages 345-352 (1999).
- [122] Flores Jhojan E. Rojas, Felipe A. Chegury Viana, Domingos A. Rade and Valder Steffen, Jr. Force Identification of Mechanical Systems by Using Particle Swarm Optimization 10th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference 30 August - 1 September 2004, Albany, New York (2004).
- [123] Franca L.P and A. Russo, "Unlocking with residual-free bubbles" *Computer Methods Applied Mechanics Engineering* Volume 142, Pages 361-364 (1997).
- [124] Friswell Michael; J E T Penny "Crack Modeling for Structural Health Monitoring." *Structural Health Monitoring*, Volume 1, Number 2, Pages 139-148 (2002)
- [125] Fujimoto Shin-etsu and Hideki Sekine "Identification of crack and disbond fronts in repaired aircraft structural panels with bonded FRP composite patches" *Composite Structures*
- [126] Fukunaga Hisao, Masaki Kameyama, Yoshiro Ogi "Damage identification of laminated composite structures based on dynamic residual forces" *Advanced Composite Materials*, Volume 10, Numbers 2-3 Pages: 209 - 218
- [127] Gadelrab, R.M. "The effect of delamination on the natural frequencies of a laminated composite beam", *Journal of Sound and Vibration*, Volume 197, Number 3, Pages 283-292 (1996).
- [128] Gandhi, M.V. and Jhompson, B.S. "Smart Materials and Systems" Chapman and Hall, London (1992).
- [129] Gehring G A, M D Cooke, I S Gregory, W J Karl and R Watts "Cantilever unified theory and optimization for sensors and actuators" *Smart Material Structure*, Volume 9, Pages 918-931 (2000).

- [130] Gex Dominique, Yves H. Berthelot and Christopher S. Lynch "Low frequency bending piezoelectric actuator with integrated ultrasonic NDE functionality" *NDT & E International*, Volume 38, Issue 8, Pages 627-633 (2005).
- [131] Gex Dominique, Yves H. Berthelot and Christopher S. Lynch "Low frequency bending piezoelectric actuator with integrated ultrasonic NDE functionality" *NDT & E International*, Volume 38, Issue 7, Pages 582-588 (2005).
- [132] Ghosh D. P. and Gopalakrishnan S., "Structural health monitoring in a composite beam using magnetostrictive material through a new FE formulation" *Proceedings of international conference on smart materials, structures and systems ISSS-SPIE 2002 December 12-14* (2002)
- [133] Ghoshal Anindya, Mannur J. Sundaresan, Mark J. Schulz and P. Frank Pai "Structural health monitoring techniques for wind turbine blades" *Journal of Wind Engineering and Industrial Aerodynamics*, Volume 85, Issue 3, 24 Pages 309-324 (2000).
- [134] Giurgiutiu Victor, Florin Jichi, Justin B Berman, and Jason M Kamphaus "Theoretical and experimental investigation of magnetostrictive composite beams" *Smart Material Structure*, Volume 10, Pages 934-945 (2001).
- [135] Giurgiutiu V, and Rogers, C. "The Electro-Mechanical (E/M) Impedance Method for Structural Health Monitoring and Non-Destructive Evaluation," *International Workshop on Structural Health Monitoring*, Stanford University, California, September 18-20, (1997).
- [136] Giurgiutiu, V., Redmond, J., Roach, D., and Rackow, K. "Active Sensors for Health Monitoring of Aging Aerospace Structures," *Smart Structures and Materials: Smart Structures and Integrated Systems*, *Proceedings of SPIE*, Volume 3985, Pages 294-305 (2000).
- [137] Giurgiutiu Victor and Andrei Zagrai "Damage Detection in Thin Plates and Aerospace Structures with the Electro-Mechanical Impedance Method" *Structural Health Monitoring*, Volume 4, Pages 99-118 (2005).
- [138] Giurgiutiu Victor; Andrei N Zagrai; JingJing Bao "Piezoelectric Wafer Embedded Active Sensors for Aging Aircraft Structural Health Monitoring" *Structural Health Monitoring*, Volume 1, Number 1, 41-61 (2002).

- [139] Gopalakrishnan S. "A deep rod finite element for structural dynamics and wave propagation problems" *International Journal of Numerical Methods in Engineering*; Volume 48, Pages 731-744 (2000).
- [140] Gopalakrishnan, S., Martin, M., Doyle, J. "A matrix methodology for spectral analysis of wave propagation in multiple connected timoshenko beam" *Journal of Sound and Vibration*, Volume 158, Pages 11-24 (1992).
- [141] Grimes C A, Ong K G, Loisel K, Stoyanov P G, Kouzoudis D, Liu Y, Tong C and Tefiku F "Magnetoelastic sensors for remote query environmental monitoring" *Smart Material Structure*, Volume 8, Pages 639-646 (1999).
- [142] Hall D and Flatau A "One-dimensional analytical constant parameter linear electromagnetic-magnetomechanical models of a cylindrical magnetostrictive terfenol-d transducer" *Proc. ICIM94: 2nd Int. Conf. on Intelligent Materials* (Williamsburg, VA, 1994) Pages 605-616 (1994)
- [143] Hamey Cole S, Wahyu Lestari, Pizhong Qiao, and Gangbing Song "Experimental Damage Identification of Carbon/Epoxy Composite Beams Using Curvature Mode Shapes" *Structural Health Monitoring*, Volume 3, Pages 333-353 (2004).
- [144] Han Jeongho, Chun-Gon Kim and Jung-Yub Kim "The propagation of lamb waves in a laminated composite plate with a variable stepped thickness" *Composite Structures*
- [145] Han Yong, Arun K. Misra, and Dan Mateescu, "A method for crack detection in structures using piezoelectric sensors and actuators" *2005 International Conference on MEMS, Nano and Smart Systems*, Pages 353-354 (2005).
- [146] Han Y.M and Hahn H.T, Ply cracking and property degradations of symmetric balanced laminates under general in-plane loading. *Composites Science and Technology* Volume 35, Pages 377-397 (1989).
- [147] Hashin Z, Analysis of cracked laminate: a variational approach. *Mechanics of Materials* Volume 4, Pages 121-136 (1985).
- [148] Hashin Z, Analysis of orthogonally cracked laminates under tension. *Transactions of the ASME: Journal of Applied Mechanics*, Volume 54, Pages 872-879 (1987).

- [149] Hattori S, T. Shimada and K. Matsubashi; "Highly accurate low frequency elastic wave measurement using magnetostrictive devices" NDT & E International; Volume 34, Issue 6, Pages 373-379 (2001).
- [150] Haykin Simon "Neural Networks : A Comprehensive foundation" Pearson Education Asia.
- [151] He J, Li Y Q, "Relocation of anti-resonances of a vibratory system by local structural changes" The International Journal of Analytical and Experimental Modal Analysis, Volume 10, Number 4, Pages 224-235 (1995).
- [152] Hearn, G. and R.B. Testa, Modal Analysis for Damage Detection in Structures, Journal of Structural Engineering, Volume 17, Number 10, Pages 3042-3063 (1991).
- [153] Hebb D.O, The Organization of Behavior, Wiley, New York (1949).
- [154] Herszberg I, Li H.C.H, Dharmawan F, A.P. Mouritz, M. Nguyen and J. Bayandor "Damage assessment and monitoring of composite ship joints" Composite Structures, Volume 67, Issue 2, Pages 205-216 (2005).
- [155] Highsmith A.L and Reifsnider K.L, Stiffness reduction mechanisms in composite laminates. ASTM STP 115, Pages 103-117 (1982).
- [156] Hison Cornelia, Giovanni Ausanio, Alberto C. Barone, Vincenzo Iannotti, Eufemia Pepe and Luciano Lanotte "Magnetoelastic sensor for real-time monitoring of elastic deformation and fracture alarm" Sensors and Actuators A: Physical, Volume 125, Issue 1, Pages 10-14 (2005).
- [157] Ho, Y.K., and Ewins, D.J. "Numerical Evaluation of the Damage Index," Structural Health Monitoring 2000, Stanford University, Palo Alto, California, Pages 995-1011 (2000).
- [158] Ho, Y.K., and Ewins, D.J. "On the Structural Damage Identification with Mode Shapes," European COST F3 Conference on System Identification and Structural Health Monitoring, Madrid, Spain, Pages 677-686 (2000).
- [159] Hollandsworth P. E and Busby H. R Impact force identification using the general inverse technique International Journal of Impact Engineering. Volume 8, Issue 4 , Pages 315-322 (1989).

- [160] Hopfield, J.J. "Neural Networks and Physical Systems with Emergent Collective Computational Abilities", Proceedings of the National Academy of Sciences, Volume 79, Pages 2554-2558 (1982).
- [161] Hristoforou E "Amorphous magnetostrictive wires used in delay lines for sensing applications" Journal of Magnetism and Magnetic Materials Volume 249, Issues 1-2 , Pages 387-392 (2002).
- [162] Hristoforou E, Chiriac H and J. N. Avaritsiotis "Thin film thickness sensor based on a new magnetostrictive delay line arrangement" Sensors and Actuators A: Physical Volume 76, Issues1-3 , Pages 156-161 (1999).
- [163] Huang H, J. Pan and P. G. McCormick Prediction of impact forces in a vibratory ball mill using an inverse technique International Journal of Impact Engineering Volume 19, Issue 2 , Pages 117-126 (1997).
- [164] Hunt S R and I G Hebden "Validation of the Eurofighter Typhoon structural health and usage monitoring system" Smart Material Structure, Volume 10, Pages 497-503 (2001).
- [165] Hurlebaus S and L. Gaul "Smart structure dynamics" Mechanical Systems and Signal Processing, Volume 20, Issue 2, Pages 255-281 (2006).
- [166] Inoue Hirotsugu, John J Harrigan and Stephen R Reid Review of inverse analysis for indirect measurement of impact force Applied Mechanics Review, Volume 54, Number 6, Pages 503-524 (2001).
- [167] Iwasaki Atsushi, Akira Todoroki, Yoshinobu Shimamura and Hideo Kobayashi "An unsupervised statistical damage detection method for structural health monitoring (applied to detection of delamination of a composite beam)" Smart Material Structure 13 Pages 80-85 (2004).
- [168] Jain Mahaveer K, Stefan Schmidt, Keat Ghee Ong, Casey Mungle and Craig A Grimes "Magnetoacoustic remote query temperature and humidity sensors" Smart Material Structure, Volume 9, Pages 502-510 (2000).
- [169] Jenkins, C. H., Kjerengtroen, L., and Oestensen, H. "Sensitivity of Parameter Changes in Structural Damage Detection," Shock and Vibration, Volume 4, Number 1, Pages 27-37 (1997).

- [170] Johnson Timothy J, Chulho Yang, Douglas E Adams and Sam Ciray "Embedded sensitivity functions for characterizing structural damage", Smart Material Structure, Volume 14 Pages 155-169 (2005).
- [171] Joule J.P; Ann. Elec. Magn. Chem. Volume 8 , Page 219 (1842).
- [172] Ju F.D, Akgun M, T.L. Paez, E.T. Wong, Diagnosis of fracture damage in simple structures, Bureau of Engineering Research, Report No. CE-62(82) AFOSR-993-1, University of New Mexico, Albuquerque, NM, (1982).
- [173] Kang D.H, Kim C.U and C.G. Kim "The embedment of fiber Bragg grating sensors into filament wound pressure tanks considering multiplexing" NDT & E International,
- [174] Kannan K S and A Dasgupta "A nonlinear Galerkin finite-element theory for modeling magnetostrictive smart structures" Smart Material Structure, Volume 6, 341-350 (1997).
- [175] Kao C. Y and Shih-Lin Hung "Detection of structural damage via free vibration responses generated by approximating artificial neural networks" Computers & Structures, Volume 81, Issues 28-29, Pages 2631-2644 (2003).
- [176] Kawiecki, G. "Modal Damping Measurements for Damage Detection," European COST F3 Conference on System Identification and Structural Health Monitoring, Madrid, Spain, Pages 651-658 (2000).
- [177] Kawiecki Grzegorz "Modal damping measurement for damage detection" Smart Material Structure, Volume 10, Pages 466-471 (2001).
- [178] Kessler, S.S., Spearing, S.M., Atala, M.J., Cesnik, C.E.S., and Soutis, C., Damage Detection in Composite Materials Using Frequency Response Methods, Composites Part B, Volume 33, (2002).
- [179] Kessler Seth S, S Mark Spearing and Constantinos Soutis "Damage detection in composite materials using Lamb wave methods", Smart Material Structure, Volume 11, Pages 269-278 (2002).
- [180] Khedir, A.A. and Reddy, J.N. "Free vibration of cross-ply laminated beams with arbitrary boundary conditions" International Journal of Engineering Science, Volume 32, Number 12, Pages 1971-1980 (1994).

- [181] Khedir, A.A. and Reddy, J.N. "An exact solution for the bending of thin and thick cross-ply laminated beams" *Composite Structures* Volume 37, Pages 195-203 (1997).
- [182] Khoo Lay Menn, P. Raju Mantena, and Prakash Jadhav "Structural Damage Assessment Using Vibration Modal Analysis" *Structural Health Monitoring*, Volume 3, Pages 177-194 (2004).
- [183] Kim Heung Soo, Anindya Ghoshal, Aditi Chattopadhyay, and William H. Prosser Development of Embedded Sensor Models in Composite Laminates for Structural Health Monitoring *Journal of Reinforced Plastics and Composites*, Volume 23, Pages 1207-1240 (2004).
- [184] Kim J.O, Wang Y and H.H. Bau, "The effect of an adjacent viscous fluid on the transmission of torsional stress waves in a submerged waveguide" *Journal Acoustic Society America*, Volume 89, Pages 1414-1422 (1991).
- [185] Ko J.M and Ni Y.Q "Technology developments in structural health monitoring of large-scale bridges" *Engineering Structures*, Volume 27, Issue 12, Pages 1715-1725 (2005).
- [186] Koh Y. L; Chiu W. K; N. Rajic; S. C. Galea "Detection of Disbond Growth in a Cyclically Loaded Bonded Composite Repair Patch Using Surface-mounted Piezoceramic Elements" *Structural Health Monitoring*, Volume 2, Number 4, Pages 327-339 (2003)
- [187] Koh S. J. A, M. Maalej, and S. T. Quek "Damage Quantification of Flexurally Loaded RC Slab Using Frequency Response Data" *Structural Health Monitoring*, Volume 3, Pages 293-311 (2004).
- [188] Kohonen, Teuvo "Correlation Matrix Memories" *IEEE Transaction on Computers*, C-21 Pages 353-359 (1972)
- [189] Kohonen, T. "Self-Organization and Associative Memory" Springer-Verlag, New York (1984).
- [190] Kondo K. "Dynamic behaviour of Terfenol-D" *Journal of Alloys and Compounds* Volume 258, Pages 56-60 (1997).

- [191] Kouchakzadeh, M.A. and Sekine, H.. "Compressive buckling analysis of rectangular composite laminates containing multiple delaminations", *Composite Structures*, Volume 50, Pages 249-255 (2000).
- [192] Krishna Murty, A. V., Anjanappa, M., Wang, Z. and Chen, X. "Sensing of delaminations in composite laminates using embedded magnetostrictive particle layers", *Journal of Intelligent Material Systems Structures*, Volume 10, Pages 825-835 (1999).
- [193] Ktena A, Fotiadis D. I, Spanos P. D, Berger A and Massalas C. V "Identification of 1D and 2D Preisach models for ferromagnets and shape memory alloys" *Physica B: Condensed Matter*, Volume 306, Issues 1-4, Pages 84-90 (2001).
- [194] Ktena A, Fotiadis D. I, Spanos P. D and C. V. Massalas "A Preisach model identification procedure and simulation of hysteresis in ferromagnets and shape-memory alloys" *Physica B: Condensed Matter*, Volume 306, Issues 1-4, Pages 84-90 (2001).
- [195] Kuang K. S. C, Quek S. T, Cantwell W. J "Use of polymer-based sensors for monitoring the static and dynamic response of a cantilever composite beam" *Journal of Materials Science*, Volume 39, Number 11, Pages 3839 - 3843
- [196] Kuhlemeyer, R. L., Lysmer, J.: "Finite element accuracy for wave propagation problems", *Journal of Soil Mechanics Foundations Div., ASCE* 99(SM5), Pages 421-427 (1973).
- [197] Kullaa Jyrki "Damage Detection Of The Z24 Bridge Using Control Charts" *Mechanical Systems and Signal Processing*, Volume 17, Issue 1, Pages 163-170 (2003).
- [198] Kumar D. S, D. Roy Mahapatra and S. Gopalakrishnan "A spectral finite element for wave propagation and structural diagnostic analysis of composite beam with transverse crack" *Finite Elements in Analysis and Design*, Volume 40, Issues 13-14, Pages 1729-1751 (2004).
- [199] Kumar D S, Roy Mahapatra D, Gopalakrishnan S. "On the estimation accuracy of dynamic fracture parameters in a transverse cracked composite beam from a simplified wave-based diagnostic model" *Structural Health Monitoring*.

- [200] Kwun H, Bartels K.A and C. Dynes, "Dispersion of longitudinal waves propagating in liquid-filled cylindrical shells" *Journal of Acoustic Society America*, Volume 105, Pages 2601-2611 (1999).
- [201] Kwun H, Bartels K.A and Hanley J.J, "Effects of tensile loading on the properties of elastic-wave propagation in a strand" *Journal of Acoustic Society America*, Volume 103, Pages 3370-3375 (1998).
- [202] Kwun H and Bartels K.A, "Experimental observation of elastic-wave dispersion in bounded solids of various configuration" *Journal Acoustic Society America*, Volume 99, Pages 962-968 (1996).
- [203] Kwun H and Bartels K.A, "Magnetostrictive sensor technology and its application" *Ultrasonics*, Volume 36, Pages 171-178 (1998).
- [204] Kwun H and Bartels K.A "Experimental observation of wave dispersion in cylinder shells via time-frequency analysis" *Journal Acoustic Society America*, Volume 97, Pages 3905-3907 (1995).
- [205] Kwun H and Teller C.M, "Magnetostrictive generation and detection of longitudinal, torsional, and flexural waves in a rod" *Journal Acoustic Society America*, Volume 96, Pages 1202-1204 (1994).
- [206] Lakshminarayana K. and Jebaraj, C. "Sensitivity analysis of local/global modal parameters for identification of a crack in a beam", *Journal of Sound and Vibration*, Volume 228, Number 5, 977-994 (1999).
- [207] Lallement G, Cogan S, "Reconciliation between measured and calculated dynamic behaviors: enlargement of knowledge space", *Proceedings of the 10th IMAC Conference*, San Diego, CA, 1992, Pages 487-493 (1992).
- [208] Lam, H.F., Ko, J.M. and Wong, C.W. "Localization of damaged structural connections based on experimental modal and sensitivity analysis", *Journal of Sound and Vibration*, Volume 210, Number 1, Pages 91-115 (1998).
- [209] Lanotte Luciano, Giovanni Ausanioa, Cornelia Hisona, Vincenzo Iannottia and Cesare Luponio "The potentiality of composite elastic magnets as novel materials for sensors and actuators" *Sensors and Actuators A: Physical*, Volume 106, Issues 1-3, Pages 56-60 (2003).

- [210] Lau Kin-tak, Libo Yuan, Li-min Zhou, Jingshen Wu and Chung-ho Woo "Strain monitoring in FRP laminates and concrete beams using FBG sensors" *Composite Structures*, Volume 51, Issue 1, Pages 9-20 (2001).
- [211] Law S. S and Fang Y. L Moving force identification: optimal state estimation approach *Journal of Sound and Vibration* Volume 239, Issue 2, Pages 233-254 (2001).
- [212] Lee, J., Gurdal, Z. and Griffin, Jr.H. "Layer-wise approach for the bifurcation problem in laminated composites with delaminations", *AIAA Journal*, Volume 31, Number 2, Pages 331-338 (1993).
- [213] Lee, J. "Free vibration analysis of delaminated composite beams", *Computers and Structures*, Volume 74, Pages 121-129 (2000).
- [214] Lee Eric W.M, H.F. Lam "ANN-Based Structural Damage Diagnosis Using Measured Vibration Data" *Lecture Notes in Computer Science Springer-Verlag GmbH* Volume 3215/2004 Page: 373 (2004).
- [215] Lee Jong Jae, Jong Won Lee, Jin Hak Yi, Chung Bang Yun and Hie Young Jung "Neural networks-based damage detection for bridges considering errors in baseline finite element models" *Journal of Sound and Vibration*, Volume 280, Issues 3-5, Pages 555 (2005).
- [216] Lee S.J, J.N. Reddy, F. Rostam-Abadi "Transient analysis of laminated composite plates with embedded smart-material layers" *Finite Elements in Analysis and Design*, Volume 40, Pages 463-483 (2004).
- [217] Lee J.W and Daniel I.M, Progressive cracking of cross-ply composite laminates. *Journal of Composite Materials* Volume 24, Pages 1225-1243 (1990).
- [218] Lee H.P and T.Y. Ng, Natural frequencies and modes for the flexural vibration of a cracked beam, *Applied Acoustics* 42, Pages 151-163 (1994).
- [219] Leng Jinsong and Anand Asundi "Structural health monitoring of smart composite materials by using EFPI and FBG sensors" *Sensors and Actuators A: Physical*, Volume 103, Issue 3, Pages 330-340 (2003).
- [220] Léonard, F., Lantaigne, J., Lalonde, S. and Turcotte, Y. "Free-vibration behaviour of a cracked cantilever beam and crack detection", *Mechanical Systems and Signal Processing*, Volume 15, Number 3, Pages 529-548 (2001).

- [221] Leong W H, Staszewski W J, B C Lee and F Scarpa "Structural health monitoring using scanning laser vibrometry: III. Lamb waves for fatigue crack detection" *Smart Material Structure*, Volume 14, Pages 1387-1395 (2005).
- [222] Lestari Wahyu and Pizhong Qiao "Damage detection of fiber-reinforced polymer honeycomb sandwich beams" *Composite Structures*, Volume 67, Issue 3, Pages 365-373 (2005).
- [223] Li Z. X, Chan T. H. T and J. M. Ko "Determination of effective stress range and its application on fatigue stress assessment of existing bridges" *International Journal of Solids and Structures*, Volume 39, Issue 9, Pages 2401-2417 (2002).
- [224] Li Z. X, Chan T. H. T and J. M. Ko "Evaluation of typhoon induced fatigue damage for Tsing Ma Bridge" *Engineering Structures*, Volume 24, Issue 8, Pages 1035-1047 (2002).
- [225] Li Z. X, Chan T. H. T and J. M. Ko "Fatigue analysis and life prediction of bridges with structural health monitoring data - Part I: methodology and strategy" *International Journal of Fatigue*, Volume 23, Issue 1, Pages 45-53 (2001).
- [226] Li Z. X, Chan T. H. T and R. Zheng "Statistical analysis of online strain response and its application in fatigue assessment of a long-span steel bridge" *Engineering Structures*, Volume 25, Issue 14, Pages 1731-1741 (2003).
- [227] Li Hong-Nan, Dong-Sheng Li and Gang-Bing Song "Recent applications of fiber optic sensors to health monitoring in civil engineering" *Engineering Structures*, Volume 26, Issue 11, Pages 1647-1657 (2004).
- [228] Lihua S, Boaqi T. "Identification of external force acting on a plate by using neural networks", In: Chang F-K, editor. *Proceedings of the International Workshop on Structural Health Monitoring*, Stanford University, Stanford, CA, 18-28 September, Pages 229-237 (1997).
- [229] Lim, T.W. and Kashangaki, T.A.L. "Structural damage detection of space truss structures using best achievable eigen vectors", *AIAA Journal*, Volume 32, Number 5, 1049-1057 (1994).
- [230] Lin "Location of Modeling Errors Using Modal Test Data," *AIAA Journal*, Volume 28, Pages 1650-1654 (1990).

- [231] Lin, C. "Unity Check Method for Structural Damage Detection," *Journal of Spacecraft and Rockets*, Volume 35, Number 4, Pages 577-579 (1998).
- [232] Lin Mark and Fu-Kuo Chang "Composite structures with built-in diagnostics" *Materials Today* Volume 2 Issue 2 (1999).
- [233] Lindgren E.A et al., *Journal of Applied Physics*, Volume 83, Pages 7282 (1998).
- [234] Ling Hang-Yin, Kin-Tak Lau and Li Cheng "Determination of dynamic strain profile and delamination detection of composite structures using embedded multiplexed fibre-optic sensors" *Composite Structures*, Volume 66, Issues 1-4, Pages 317-326 (2004).
- [235] Ling Zhao; Harry W. Shenton "Structural Damage Detection using Best Approximated Dead Load Redistribution" *Structural Health Monitoring*, Volume 4, Number 4, Pages 319-339 (2005)
- [236] Loewy, R.G. "Recent developments in smart structures with aeronautical applications" *Smart Materials and Structures*, Volume 6, Pages 11-42 (1997).
- [237] Lopes, V. Jr., Pereira, J.A., and Inman, D.J. "Structural FRF Acquisition via Electric Impedance Measurement Applied to Damage Location," *Proceedings of SPIE*, Volume 4062, Pages 1549-1555 (2000).
- [238] Luo, H. and Hanagud, S. "Dynamics of delaminated beams", *International Journal of Solids and Structures*, Volume 37, Pages 1501-1519 (2000).
- [239] Ma C. K, Chang J. M and D. C. Lin Input forces estimation of beam structures by an inverse method *Journal of Sound and Vibration*, Volume 259, Issue 2, Pages 387-407 (2003).
- [240] Ma Chih Kao and C. C. Chih Chergn Ho An inverse method for the estimation of input forces acting on non-linear structural systems *Journal of Sound and Vibration*, Volume 275, Issues 3-5, Pages 953-971 (2004).
- [241] Maalej M, Ahmed S.F.U, K.S.C. Kuang, and P. Paramasivam "Fiber Optic Sensing for Monitoring Corrosion-Induced Damage" *Structural Health Monitoring*, Volume 3, Pages 165-176 (2004).

- [242] Macdonald John H.G and Wendy E. Daniell "Variation of modal parameters of a cable-stayed bridge identified from ambient vibration measurements and FE modeling" *Engineering Structures*, Volume 27, Issue 13, Pages 1916-1930 (2005).
- [243] Maeck, J., and De Roeck, G. "Damage Detection on a Prestressed Concrete Bridge and RC Beams Using Dynamic System Identification," *Damage Assessment of Structures*, Proceedings of the International Conference on Damage Assessment of Structures (DAMAS 99), Dublin, Ireland, Pages 320-327 (1999).
- [244] Mahapatra, D Roy and Gopalakrishnan, S. "An active spectral element model for PID feedback control of wave propagation in composite beams", *Proc. 1st International Conference on Vibration Engineering and Technology of Machinery*, Bangalore, India, Oct 25-27 (2000).
- [245] Mahapatra D R , "Development of spectral finite element models for wave propagation studies, health monitoring and active control of waves in laminated composite structures", *Indian Institute of Science, Bangalore Ph.D. Thesis*, (2003).
- [246] Mahapatra D. P. Roy, S. Gopalakrishnan, B. Balachandran; "Active feedback control of multiple waves in helicopter gearbox support struts" *Smart materials and structures*, Volume 10, Pages 1046-1058 (2001).
- [247] Mahapatra D. Roy and S. Gopalakrishnan "Spectral finite element analysis of coupled wave propagation in composite beams with multiple delaminations and strip inclusions" *International Journal of Solids and Structures*, Volume 41, Issues 5-6, Pages 1173-1208 (2004).
- [248] Mahapatra, D. R., Gopalakrishnan, S. "A spectral finite element for analysis of axial-flexural-shear coupled wave propagation in laminated composite beams", *Composite Structures*, Volume 59, Number 1, Pages 67-88 (2003).
- [249] Mahapatra, D. R., Gopalakrishnan, S., Shankar, T. S. "Spectral-element-based solution for wave propagation analysis of multiply connected unsymmetric laminated composite beams" *Journal of Sound and Vibration*, Volume 237, Number 5, Pages 819-836 (2000).
- [250] Mahapatra, D. R., Gopalakrishnan, S.: "A spectral finite element for analysis of wave propagation in uniform composite tubes", *Journal of Sound and Vibration*, Volume 268, Number 3, Pages 429-463 (2003).

- [251] Majumdar, P.M. and Suryanarayan, S. "Flexural vibration of beams with delamination", *Journal of Sound and Vibration*, Volume 25, Number 3, Pages 441-461 (1988).
- [252] Mal Ajit, Fabrizio Ricci, Sauvik Banerjee, and Frank Shih "A Conceptual Structural Health Monitoring System based on Vibration and Wave Propagation" *Structural Health Monitoring*, Volume 4, Pages 283-293 (2005).
- [253] Manassis Christos, Dimitrios Bargiotas and Vassilios Karagiannis "Optimized distributed field sensor based on magnetostrictive delay lines" *Sensors and Actuators A: Physical*, Volume 106, Issues 1-3 , Pages 30-33 (2003).
- [254] Martin M. T and Doyle, J. F. Impact force identification from wave propagation responses *International Journal of Impact Engineering*, Volume 18, Issue 1, Pages 65-77 (1996).
- [255] Martin W. N, Jr., A. Ghoshal, M. J. Sundaresan, G. L. Leiby, P. R. Pratap, and M. J. Schulz "An Artificial Neural Receptor System for Structural Health Monitoring" *Structural Health Monitoring*, Volume 4, Pages 229-245 (2005).
- [256] Martin, M., Gopalakrishnan, S., Doyle, J. F. "Wave propagation in multiply connected deep waveguides", *Journal of Sound and Vibration*, Volume 174, Number 4, Pages 521-538 (1994).
- [257] Masri S.F, Nakamura M, Chassiakos A.G, T.K. Caughey, "Neural network approach to detection of changes in structural parameter", *Journal of Engineering Mechanics*, Volume 122, Number 4, Pages 350-360 (1996).
- [258] Mateucci C; *Ann. Chim. Phys.* Volume 53 , Pages 358 (1858).
- [259] Mattson Steven G and Sudhakar M. Pandit "Statistical moments of autoregressive model residuals for damage localization" *Mechanical Systems and Signal Processing*,
- [260] Maugin G. A, "Nonlinear electromechanical effects and applications" *World Scientific*, (1985)
- [261] Mayes, R.L., An Experimental Algorithm for Detecting Damage Applied to the I-40 Bridge over the Rio Grande, in *Proc. 13th International Modal Analysis Conference*, 219-225 (1995).

- [262] McAdam G, Newman P. J, McKenzie I, C. Davis, and B. R. W. Hinton "Fiber Optic Sensors for Detection of Corrosion within Aircraft." Structural Health Monitoring, Volume 4, Pages 47-56 (2005).
- [263] McCartney L.N, Theory of stress transfer in a [0/90/0] cross-ply laminate containing a parallel array of transverse cracks. Journal of Mechanics and Physics of Solids Volume 40 1, Pages 27-68 (1992).
- [264] McCartney L.N, The prediction of cracking in biaxially loaded cross-ply laminates having brittle matrices. Composites Volume 24 2, Pages 84-92 (1993).
- [265] McCulloch, W. S. and Pitts, W. H. . "A logical calculus of the ideas immanent in nervous activity" Bulletin of Mathematical Biophysics, Volume 5 Pages 115-133 (1943).
- [266] Mickens T, Schulz M, Sundaresan M, A. Ghoshal, A. S. Naser and R. Reichmeider "Structural Health Monitoring Of An Aircraft Joint" Mechanical Systems and Signal Processing, Volume 17, Issue 2, Pages 285-303 (2003).
- [267] Mikhail Prokopenko, Peter Wang, Andrew Scott, Vadim Gerasimov, Nigel Hoschke, Don Price "On Self-organising Diagnostics in Impact Sensing Networks" Lecture Notes in Computer Science Springer-Verlag GmbH, Volume 3684/2005 Page: 170 (2005).
- [268] Mitra Mira, Gopalakrishnan S, and Bhat M Seetharama; "A new super convergent thin walled composite beam element for analysis of box beam structures", International Journal of Solids and Structures, Volume 41, Pages 1491-1518 (2004).
- [269] Mitra Mira and Gopalakrishnan S "Extraction of wave characteristics from wavelet-based spectral finite element formulation" Mechanical Systems and Signal Processing,
- [270] Mitra Mira and Gopalakrishnan S "Wavelet based spectral finite element for analysis of coupled wave propagation in higher order composite beams" Composite Structures,
- [271] Mitra, Mira and Gopalakrishnan, S Spectrally formulated wavelet finite element for wave propagation and impact force identification in connected 1-D waveguides.

- International Journal of Solids and Structures, Volume 42, Number (16-17), Pages 4695-4721 (2005).
- [272] Modena, C., Sonda, D., and Zonta, D. "Damage Localization in Reinforced Concrete Structures by Using Damping Measurements," *Damage Assessment of Structures, Proceedings of the International Conference on Damage Assessment of Structures (DAMAS 99)*, Dublin, Ireland, Pages 132-141 (1999).
- [273] Moffett M B, Clark A E, Wun-Fogle M, Linberg J, Teter J P and McLaughlin E A "Characterization of terfenol-d for magnetostrictive transducers" *Journal of Acoustic Society America*, Volume 89, Pages 1448-1455.
- [274] Mooney M. A, P. B. Gorman, and J. N. Gonzalez "Vibration-based Health Monitoring of Earth Structures" *Structural Health Monitoring*, Volume 4, Pages 137-152 (2005).
- [275] Mottershead J.E, "On the zeros of structural frequency response functions and their application to model assessment and updating", *Proceedings of the 16th International Modal Analysis Conference*, Santa Barbara, CA, 1998, Pages 500-503 (1998).
- [276] Moyo P and Brownjohn J. M. W "Detection Of Anomalous Structural Behaviour Using Wavelet Analysis" *Mechanical Systems and Signal Processing*, Volume 16, Issues 2-3, Pages 429-445 (2002).
- [277] Moyo Pilate; James M W Brownjohn "Application of Box-Jenkins Models for Assessing the Effect of Unusual Events Recorded by Structural Health Monitoring Systems." *Structural Health Monitoring*, Volume 1, Number 2, Pages 149-160 (2002).
- [278] Moyo P, J.M.W. Brownjohn, R. Suresh and S.C. Tjin "Development of fiber Bragg grating sensors for monitoring civil infrastructure" *Engineering Structures*, Volume 27, Issue 12, Pages 1828-1834 (2005).
- [279] Mufti Aftab A "Structural Health Monitoring of Innovative Canadian Civil Engineering Structures." *Structural Health Monitoring*, Volume 1, Number 1, Pages 89-103 (2002).
- [280] Murayama Hideaki, Kazuro Kageyama, Toru Kamita, Hirotaka Igawa "Structural health monitoring of a full-scale composite structure with fiber-optic sensors" *Advanced Composite Materials*, Volume 11, Number 3 Pages 287-297.

- [281] Murayama R, "Driving mechanism on magnetostrictive type electromagnetic acoustic transducer for symmetrical vertical-mode Lamb wave and for shear horizontal-mode plate wave" *Ultrasonics*, Volume 34, Pages 729-736 (1996).
- [282] Murayama R, "Study of driving mechanism on electromagnetic acoustic transducer for Lamb wave using magnetostrictive effect and application in drawability evaluation of thin steel sheet." *Ultrasonics*, Volume 37, Pages 31-38 (1999).
- [283] Murthy M. V. V. S, D. Roy Mahapatra, K. Badarinarayana and S. Gopalakrishnan; "A refined higher order finite element for asymmetric composite beams" *Composite Structures*
- [284] Nag A, D Mahapatra, S Gopalakrishnan "Identification of Delamination in a Composite Beam Using a Damaged Spectral Element" *Structural Health Monitoring*, Volume 1, Number 1, Pages 105-125 (2002).
- [285] Nag A, D. Roy Mahapatra, S. Gopalakrishnan and T. S. Sankar "A spectral finite element with embedded delamination for modeling of wave scattering in composite beams" *Composites Science and Technology*, Volume 63, Issue 15, Pages 2187-2200 (2003).
- [286] Nakamura Yoshiya, Masanao Nakayama, Keiji Masuda, Kiyoshi Tanaka, Masashi Yasuda and Takafumi Fujita "Development of active six-degrees-of-freedom microvibration control system using giant magnetostrictive actuators" *Smart Material Structure*, Volume 9, Pages 175-185 (2000).
- [287] Narkis Y, Identification of crack location in vibrating simply supported beams, *Journal of Sound and Vibration* 172, Pages 549-558 (1994).
- [288] Natale C, Velardib F and Visonec C "Identification and compensation of Preisach hysteresis models for magnetostrictive actuators" *Physica B: Condensed Matter*, Volume 306, Issues 1-4 , Pages 161-165 (2001).
- [289] Nataraju Madhura, Douglas E. Adams, and Elias J. Rigas "Nonlinear Dynamical Effects and Observations in Modeling and Simulating Damage Evolution in a Cantilevered Beam" *Structural Health Monitoring*, Volume 4, Pages 259-282 (2005).

- [290] Ni Y.Q, X.G. Hua, K.Q. Fan and J.M. Ko "Correlating modal properties with temperature using long-term monitoring data and support vector machine technique" *Engineering Structures*, Volume 27, Issue 12, Pages 1762-1773 (2005).
- [291] Nicholson D. W, Alnefaie K. A "Modal moment index for damage detection in beam structures" *Acta Mechanica* Volume 144, Numbers 3-4 Pages 155 - 167
- [292] Nojavan Saeed and Fuh-Gwo Yuan "Damage imaging of reinforced concrete structures using electromagnetic migration algorithm" *International Journal of Solids and Structures*,
- [293] Nuismer R.J and Tan S.C, Constitutive relations of a cracked composite lamina. *Journal of Composite Materials* Volume 22, Pages 306-321 (1988).
- [294] Nyongesa Henry O, Andrew W. Otieno and Paul L. Rosin "Neural fuzzy analysis of delaminated composites from shearography imaging" *Composite Structures*, Volume 54, Issues 2-3, Pages 313-318 (2001).
- [295] Odeen S and Lundberg B Prediction of impact force by impulse response method *International Journal of Impact Engineering*, Volume 11, Issue 2, Pages 149-158 (1991).
- [296] Oduncu H, and Meydan T; "A novel method of monitoring biomechanical movements using the magnetoelastic effect"; *Journal of Magnetism and Magnetic Materials*; Volume 160, Pages 233-236 (1996).
- [297] Ogin S.L, Smith P.A and Beaumont P.W.R, Matrix cracking and stiffness reduction during the fatigue of a (0/90)s GFRP laminates. *Composites Science and Technology* Volume 22, Pages 23-31 (1985).
- [298] Omenzetter Piotr, James Mark William Brownjohn and Pilate Moyo "Identification of unusual events in multi-channel bridge monitoring data" *Mechanical Systems and Signal Processing*, Volume 18, Issue 2, Pages 409-430 (2004).
- [299] Onoe M, "Theory of ultrasonic delay lines for direct-current pulse transmission" *Journal Acoustic Society America*, Volume 34, Pages 1247-1254 (1962).
- [300] Pagano, N.J. "Interlaminar response of composite materials", *Composite Materials Series* 5, (1989).

- [301] Pan E, and Heyliger P. R "Exact solutions for magneto-electro-elastic laminates in cylindrical bending" International Journal of Solids and Structures, Volume 40, Issue 24 , Pages 6859-6876 (2003).
- [302] Pandey, A.K., and M. Biswas, Damage Detection in Structures Using Changes in Flexibility, Journal of Sound and Vibration, Volume 169, Number 1, Pages 3-17 (1994).
- [303] Pandey, A.K., M. Biswas, and M.M. Samman, Damage Detection from Changes in Curvature Mode Shapes, Journal of Sound and Vibration, Volume 145, Number 2, Pages 321-332 (1991).
- [304] Park G and Inman D. J "Smart bolts: an example of self-healing structures" Smart Materials Bulletin, Volume 2001, Issue 7, Pages 5-8 (2001).
- [305] Park Gyuhae; Hoon Sohn; Charles R. Farrar; Daniel J. Inman "Overview of Piezo-electric Impedance-Based Health Monitoring and Path Forward." The Shock and Vibration Digest, Volume 35, Number 6, Pages 451-463 (2003).
- [306] Parloo E, Verboven P, Guillaume P and M. Van Overmeire "Autonomous Structural Health Monitoring-Part Ii: Vibration-Based In-Operation Damage Assessment" Mechanical Systems and Signal Processing, Volume 16, Issue 4, Pages 659-675 (2002).
- [307] Pasquale M, Infortuna A, Martino L, Sasso C, Beatrice C and Lim S. H "Magnetic properties of TbFe thin films under applied stress;" Journal of Magnetism and Magnetic Materials; Volumes 215-216, Pages 769-771 (2000).
- [308] Patjawit Anun and Worsak Kanok-Nukulchai "Health monitoring of highway bridges based on a Global Flexibility Index" Engineering Structures, Volume 27, Issue 9, Pages 1385-1391 (2005).
- [309] Pelinescu I and Balachandran B "Analytical study of active control of wave transmission through cylindrical struts", Smart Material Structure, Volume 10, Pages 121-136 (2001).
- [310] Peyt M, "Introduction to Finite Element Analysis" Cambridge University Press, New York, (1990).

- [311] Pradhan S C, Ng T Y, Lam K Y and Reddy J N "Control of laminated composite plates using magnetostrictive layers", *Smart Material Structure*, Volume 10, Pages 657-667 (2001).
- [312] Mahadev Prasad S, Krishnan Balasubramaniam and C V Krishnamurthy "Structural health monitoring of composite structures using Lamb wave tomography", *Smart Material Structure*, Volume 13, Pages 73-79 (2004).
- [313] Pratap G. "The finite element method in structural mechanics" Kluwer Academic Publishers (1993).
- [314] Prathap G and Bhashyam G.R, "Reduced integration and the shear-flexible beam element" *International Journal Numerical Methods Engineering*, Volume 18, Pages 195-210 (1982).
- [315] Purekar, A.S. and Pines, D.J. "Detecting damage in non-uniform beams using the dereverberated transfer function response", *Smart Materials and Structures*, Volume 9, Pages 429-444 (2000).
- [316] Qian Wu, Liu G R, Chun Lu and Lam K Y "Active vibration control of composite laminated cylindrical shells via surface-bonded magnetostrictive layers", *Smart Material Structure*, Volume 12, Pages 889-897 (2003).
- [317] Qing Xinlin, Amrita Kumar, Chang Zhang, Ignacio F Gonzalez, Guangping Guo and Fu-Kuo Chang "A hybrid piezoelectric/fiber optic diagnostic system for structural health monitoring", *Smart Material Structure*, Volume 14, Pages 98-103 (2005).
- [318] Ragusa Carlo "An analytical method for the identification of the Preisach distribution function", *Journal of Magnetism and Magnetic Materials*, Volumes 254-255 , Pages 259-261 (2003).
- [319] Ramanujam Narayanan, Toshio Nakamura, Masataka Urago "Identification of embedded interlaminar flaw using inverse analysis" *International Journal of Fracture*; Volume 132, Number 2, Pages 153 - 173.
- [320] Ratcliffe, C.P. "Damage detection using a modified Laplacian operator on mode shape data", *Journal of Sound and Vibration*, Volume 204, Number 3, Pages 505-517 (1997).

- [321] Ratcliffe, C.P. and Bagaria, W.J. "Vibration Technique for Locating Delamination in a Composite Beam", *AIAA Journal*, Volume 36, Number 6, Pages 1074-1077 (1998).
- [322] Ratcliffe, C.P. "Determination of crack location in beams using natural frequencies", *Journal of Sound and Vibration*, Volume 247, Number 3, Pages 417-429 (2000).
- [323] Rayleigh Lord, *Philos. Mag.* Volume 23, Pages 225 (1887).
- [324] Reddy, J.N. "Mechanics of laminated composite plates", CRC Press, USA, (1997).
- [325] Reddy J.N, "On locking-free shear deformable beam finite elements." *Computer Methods Applied Mechanics Engineering*, Volume 149, Pages 113-132 (1997).
- [326] Reddy J N and Barbosa J I "On vibration suppression of magnetostrictive beams", *Smart Material Structure*, Volume 9, Pages 49-58 (2000).
- [327] Reich, G.W., and Park, K.C. "Experimental Applications of a Structural Health Monitoring Methodology," *Smart Structures and Materials : Smart Systems for Bridges, Structures, and Highways*, Proceedings of SPIE, Volume 3988, Newport Beach, California, Pages 143-153 (2000).
- [328] Rhim J, Lee S. W "A neural network approach for damage detection and identification of structures" *Computational Mechanics*; Volume 16, Number 6, Pages 437 - 443.
- [329] Ritdumrongkul Sopon, Masato Abe, Yozo Fujino and Takeshi Miyashita "Quantitative health monitoring of bolted joints using a piezoceramic actuator-sensor", *Smart Material Structure*, Volume 13, Pages 20-29 (2004).
- [330] Rizzi, S. A.; Doyle, J. F. "Force identification for impact of a layered system" *Computational aspects of Contact, impact and penetration*, Elmepress International, Pages 222-241 (1991).
- [331] Rosalie C, Chan A, Chiu W.K, S.C. Galea, F. Rose and N. Rajic "Structural health monitoring of composite structures using stress wave methods" *Composite Structures*, Volume 67, Issue 2, Pages 157-166 (2005).

- [332] Rosalie S. C, Vaughan M, A. Bremner and W. K. Chiu "Variation in the group velocity of Lamb waves as a tool for the detection of delamination in GLARE aluminium plate-like structures" *Composite Structures*, Volume 66, Issues 1-4, Pages 77-86 (2004).
- [333] Rosenblatt, Frank, "The Perceptron: A Probabilistic Model for Information Storage and Organization in the Brain" *Psychological Review*, Volume 65, Number 6, Pages 386-408 (1958).
- [334] Rumelhart, D.E., Hinton, G.E. and Williams, R.J., "Learning representations by back propagation error." *Nature*, Volume 323, Pages 533-536 (1986).
- [335] Saidha Eslavath; G. Narayana Naik; S. Gopalkrishnan "An Experimental Investigation of a Smart Laminated Composite Beam with a Magnetostrictive Patch for Health Monitoring Applications." *Structural Health Monitoring*, Volume 2, Number 4, 273-292 (2003)
- [336] Saito Akihiko, Ken-ichi Yamamoto and Kazunori Yamane; "Decrease of magnetization in positive magnetostrictive material due to tensile stress"; *Journal of Magnetism and Magnetic Materials*; Volume 112, Issues 1-3, Pages 17-19 (1992).
- [337] Sankar, B.V. and Zhu, H. "The effect of stitching on the low-velocity impact response of delaminated composite beams", *Composite Science and Technology*, Volume 60, Pages 2681-2691 (2000).
- [338] Schulz, M.J., Naser, A.S., Thyagarajan, S.K., Mickens, T., and Pai, P.F. "Structural Health Monitoring Using Frequency Response Functions and Sparse Measurements," *Proceedings of the International Modal Analysis Conference*, Pages 760-766 (1998).
- [339] Shen M and C. Pierre, Natural modes of Bernoulli-Euler beams with symmetric cracks, *Journal of Sound and Vibration* 138, Pages 115-134 (1990).
- [340] Shen M and C. Pierre, Free vibrations of beams with a single-edge crack, *Journal of Sound and Vibration* 170, Pages 237-259 (1994).
- [341] Smyth Andrew W, Sami F. Masri, Elias B. Kosmatopoulos, Anastassios G. Chasiakos and Thomas K. Caughey "Development of adaptive modeling techniques for

- non-linear hysteretic systems" International Journal of Non-Linear Mechanics, Volume 37, Issue 8, Pages 1435-1451 (2002).
- [342] Sodano Henry A, Gyuhae Park and Daniel J. Inman "An investigation into the performance of macro-fiber composites for sensing and structural vibration applications", Mechanical Systems and Signal Processing, Volume 18, Issue 3, Pages 683-697 (2004).
- [343] Stanbridge, A.B., Khan, A.Z., and Ewins, D.J. "Fault Identification in Vibrating Structures Using a Scanning Laser Doppler Vibrometer," Structural Health Monitoring, Current Status and Perspectives, Stanford University, Palo Alto, California, Pages 56-65 (1997).
- [344] Staszewski W. J "Intelligent signal processing for damage detection in composite materials" Composites Science and Technology, Volume 62, Issues 7-8, Pages 941-950 (2002).
- [345] Staszewski W J, B C Lee, L Mallet and F Scarpa "Structural health monitoring using scanning laser vibrometry: I. Lamb wave sensing" Smart Material Structure, Volume 13, Pages 251-260 (2004).
- [346] Stevens K.K, Force identification problems-an overview Proceedings of the 1987 SEM Spring Conference on Experimental Mechanics, Houston, TX, USA, Pages 14-19 (1987).
- [347] Stolarski H.K and Chiang M.Y.M, "Assumed strain formulation for triangular C^0 plate elements based on a weak form of the Kirchhoff constraints", International Journal of Numerical Methods Engineering, Volume 28, Pages 2323-2338 (1989).
- [348] Su Zhongqing and Lin Ye "A fast damage locating approach using digital damage fingerprints extracted from Lamb wave signals", Smart Material Structure, Volume 14, Pages 1047-1054 (2005).
- [349] Su Zhongqing and Lin Ye "Quantitative Damage Prediction for Composite Laminates Based on Wave Propagation and Artificial Neural Networks", Structural Health Monitoring, Volume-4, Pages 57-66 (2005).

- [350] Su Zhongqing and Lin Ye "Lamb wave-based quantitative identification of delamination in CF/EP composite structures using artificial neural algorithm" *Composite Structures*, Volume 66, Issues 1-4, Pages 627-637 (2004).
- [351] Su Zhongqing and Lin Ye "An intelligent signal processing and pattern recognition technique for defect identification using an active sensor network", *Smart Material Structure*, Volume 13, Pages 957-969 (2004).
- [352] Su Zhongqing, Lin Ye and Xiongzhu Bu "A damage identification technique for CF/EP composite laminates using distributed piezoelectric transducers" *Composite Structures*, Volume 57, Issues 1-4, Pages 465-471 (2002).
- [353] Subramanian P "Vibration suppression of symmetric laminated composite beams", *Smart Material Structure*, Volume 11, Pages 880-885 (2002).
- [354] Sun Weixiang, Jin Chen, Xing Wu, Fucai Li, Guicai Zhang, GM Dong "Early Loosening Fault Diagnosis of Clamping Support Based on Information Fusion" *Lecture Notes in Computer Science Springer-Verlag GmbH* Volume 3498/2005 Page: 603 (2005).
- [355] Sundaresan Mannur J; Anindya Ghoshal; Jia Li; Mark J. Schuz; P. Frank Pai; Jaycee H. Chung "Experimental Damage Detection on a Wing Panel Using Vibration Deflection Shapes."
- [356] Sundaresan M. J, P. F. Pai, A. Ghoshal, M. J. Schulz, F. Ferguson and J. H. Chung "Methods of distributed sensing for health monitoring of composite material structures" *Composites Part A: Applied Science and Manufacturing*, Volume 32, Issue 9, Pages 1357-1374 (2001).
- [357] Suresh Rupali, Swee Chuan Tjin and Nam Quoc Ngo "Application of a new fiber Bragg grating based shear force sensor for monitoring civil structural components", *Smart Material Structure*, Volume 14, Pages 982-988 (2005).
- [358] Szezewyk P, Hajela P, "Damage detection in structures based on feature-sensitive neural networks" *Journal of Computers in Civil Engineering, Transactions of American Society of Civil Engineering*, Volume 8, Number 2, Pages 163-178 (1994).

- [359] Taha M.M. Reda and J. Lucero "Damage identification for structural health monitoring using fuzzy pattern recognition" *Engineering Structures*, Volume 27, Issue 12, Pages 1774-1783 (2005).
- [360] Takeda Nobuo "Summary report of the structural health-monitoring project for smart composite structure systems" *Advanced Composite Materials*, Volume 10, Numbers 2-3, Pages 107 - 118
- [361] Takeda Nobuo "Structural health monitoring for smart composite structure systems in Japan" *Annales de Chimie Science des Matriaux*, Volume 25, Issue 7, Pages 545-549 (2000).
- [362] Takeda Nobuo "Characterization of microscopic damage in composite laminates and real-time monitoring by embedded optical fiber sensors" *International Journal of Fatigue*, Volume 24, Issues 2-4, Pages 281-289 (2002).
- [363] Talreja R, Transverse cracking and stiffness reduction in composite laminates. *Journal of Composite Materials* Volume 19, Pages 355-375 (1985).
- [364] Talreja R, Transverse cracking and stiffness reduction in cross-ply laminates of different matrix toughness. *Journal of Composite Materials* Volume 26 11, Pages 1644-1663 (1992).
- [365] Tennyson R C, Mufti A A, S Rizkalla, G Tadros and B Benmokrane "Structural health monitoring of innovative bridges in Canada with fiber optic sensors", *Smart Material Structure*, Volume 10, Pages 560-573 (2001).
- [366] Tessler Alexander and Jan L. Spangler "A least-squares variational method for full-field reconstruction of elastic deformations in shear-deformable plates and shells" *Computer Methods in Applied Mechanics and Engineering*, Volume 194, Issues 2-5, Pages 327-339 (2005).
- [367] Todoroki Akira, Takeuchi Yusuke, Yoshinobu Shimamura, Atushi Iwasaki, and Tsuneya Sugiya "Fracture Monitoring System of Sewer Pipe with Composite Fracture Sensors Via the Internet", *Structural Health Monitoring*, Volume 3, Pages 5-17 (2004).

- [368] Topole, K. "Damage Evaluation via Flexibility Formulation," Smart Systems for Bridges, Structures, and Highways, Proceedings of SPIE, Volume 3043, Pages 145-154 (1997).
- [369] Toupin Richard A; "The elastic Dielectric", Journal of Rational Mechanics and Analysis, Volume 5, Number 6, Pages 849-915 (1956).
- [370] Toyama N, Noda J and Okabe T "Quantitative damage detection in cross-ply laminates using Lamb wave method" Composites Science and Technology, Volume 63, Issue 10, Pages 1473-1479 (2003).
- [371] Tracy, J.J. and Pardoen, G.C. "Effect of delamination on the natural frequencies of composite laminates", Journal of Composite Materials, Volume 23, Pages 1200-1215 (1989).
- [372] Trendafilova, I. "Damage Detection in Structures from Dynamic Response Measurements. An Inverse Problem Perspective," Modeling and Simulation Based Engineering, Technical Science Press, Pages 515-520 (1998).
- [373] Tsai C.Z, Wu E and B.H. Luo , "Forward and inverse analysis for impact on sandwich panels" AIAA Journal, Volume 36, Number 11, Pages 2130-2136 (1998).
- [374] Tsuda H, Toyama N, and Takatsubo J "Damage detection of CFRP using fiber Bragg gratings" Journal of Materials Science; Volume 39, Number 6, Pages 2211-2214.
- [375] Tzannes N.S, "Joule and Wiedemann effects the simultaneous generation of longitudinal and torsional stress pulses in magnetostrictive materials" IEEE Trans. Son. Ultrason. SU-13, Page 3341 (1966).
- [376] Uhl Tadeusz "Identification of modal parameters for nonstationary mechanical systems" Archive of Applied Mechanics; Volume 74, Numbers 11-12 Pages 878 - 889
- [377] Vanlanduit S, Verboven P and Guillaume P "On-line detection of fatigue cracks using an automatic mode tracking technique" Journal of Sound and Vibration, Volume 266, Issue 4, Pages 805-814 (2003).
- [378] Verboven P, Guillaume P, Cauberghe B, E. Parloo and S. Vanlanduit "Frequency-domain generalized total least-squares identification for modal analysis" Journal of Sound and Vibration, Volume 278, Issues 1-2, Pages 21-38 (2004).

- [379] Verboven P, Parloo E, P. Guillaume and M. Van Overmeire "Autonomous Structural Health Monitoring-Part I: Modal Parameter Estimation and Tracking" *Mechanical Systems and Signal Processing*, Volume 16, Issue 4, Pages 637-657 (2002).
- [380] Verijenko Belinda and Verijenko Viktor "Smart composite panels with embedded peak strain sensors" *Composite Structures*, Volume 62, Issues 3-4, Pages 461-465 (2003).
- [381] Vill, W. "Theorie et Applications de la Notion de Signal Analytique," *Cables et Transmission*, Volume 2a, Pages 61-74 (1947). (Translated into English by I. Selin, RAND Corp. Report T-92, Santa Monica, California, August, 1958.)
- [382] Villery E, "Change of magnetization by tension and by electric current" *Ann. Phys. Chem.* Volume 126, Pages 87-122 (1865).
- [383] Visone C, and Serpico C; "Hysteresis operators for the modeling of magnetostrictive materials" *Physica B: Condensed Matter*; Volume 306, Issues 1-4, Pages 78-83 (2001).
- [384] Wakiwaka H, Aoki K, H. Yamada, T. Yoshikawa, H. Kamata and M. Igarashi; "Maximum output of a low frequency sound source using giant magnetostrictive material" *Journal of Alloys and Compounds*; Volume 258, Pages 87-92 (1997).
- [385] Wang Chun H and Fu-Kuo Chang "Scattering of plate waves by a cylindrical inhomogeneity" *Journal of Sound and Vibration*, Volume 282, Issues 1-2, Pages 429-451 (2005).
- [386] Chun H Wang, James T Rose and Fu-Kuo Chang "A synthetic time-reversal imaging method for structural health monitoring", *Smart Material Structure*, Volume 13, Pages 415-423 (2004).
- [387] Kaihong Wang; Daniel J. Inman; Charles R. Farrar "Crack-induced Changes in Divergence and Flutter of Cantilevered Composite Panels" *Structural Health Monitoring*, Volume 4, Number 4, 377-392 (2005)
- [388] Wang Lei and Yuan F. G. "Damage Identification in a Composite Plate using Prestack Reverse-time Migration Technique" *Structural Health Monitoring*, Volume 4, Pages 195-211 (2005).

- [389] Wang, W. and A. Zhang, Sensitivity Analysis in Fault Vibration Diagnosis of Structures, in Proc. of 5th International Modal Analysis Conference, Pages 496-501 (1987).
- [390] Wang, X.D. ; Huang G.L."Evaluation of Cracks in Elastic Media using Surface Signals" International Journal of Mechanics and Materials in Design; Volume 1, Number 4, Pages 383-398
- [391] Wang, X.D.; Huang G.L. "Study of elastic wave propagation induced by piezoelectric actuators for crack identification" International Journal of Fracture; Volume 126, Number 3, Pages 287-306
- [392] Watkins, A.N.; Ingram, J.L.; Jordan, J.D.; Wincheski, R.A. ; Smits, J.M. and Williams P.A."Single Wall Carbon Nanotube-Based Structural Health Monitoring Sensing Materials" (Chapter 4: Nano Devices and Systems) Technical Proceedings of the 2004 NSTI Nanotechnology Conference and Trade Show, Nanotech, Volume 3 (2004).
- [393] West, W.M., Illustration of the Use of Modal Assurance Criterion to Detect Structural Changes in an Orbiter Test Specimen, in Proc. Air Force Conference on Aircraft Structural Integrity, Pages 1-6 (1984).
- [394] Wetherhold Robert C. and Victor H. Guerrero; Effect of substrate anisotropy on magnetic state and stress state in magnetostrictive multilayers; Journal of Magnetism and Magnetic Materials; Volume 262, Issue 2, Pages 218-229 (2003).
- [395] Widrow, B. and Hoff, M. E. "Adaptive switching circuits." In IRE WESCON, pages 96-104 (1960).
- [396] Williams, E.J., and Messina, A. "Applications of the Multiple Damage Location Assurance Criterion," Proceedings of the International Conference on Damage Assessment of Structures (DAMAS 99), Dublin, Ireland, Pages 256-264 (1999).
- [397] Williams, R.C. "Theory of magnetostrictive delay lines for pulse and continuous wave transmission." IEEE Trans. Ultrason. Eng. UE-7, Page 1638 (1959).
- [398] Williams, T.O. "A generalized multilength scale nonlinear composite plate theory with delamination", International Journal of Solids and Structures, Volume 36, Pages 3015-3050 (1999).

- [399] Worden K. "Cost Action F3 On Structural Dynamics: Benchmarks For Working Group 2-Structural Health Monitoring" *Mechanical Systems and Signal Processing*, Volume 17, Issue 1, Pages 73-75 (2003).
- [400] Worden K. and Dulieu Barton J. M."An Overview of Intelligent Fault Detection in Systems and Structures" *Structural Health Monitoring*, Volume 3, Pages 85-98 (2004).
- [401] Worden, K.; Manson, G.; and Allman, D. "Experimental Validation Of A Structural Health Monitoring Methodology: Part I. Novelty Detection On A Laboratory Structure", *Journal of Sound and Vibration*, Volume 259, Issue 2, Pages 323-343 (2003).
- [402] Worden, K. ; Manson, G. and Allman, D. "Experimental Validation Of A Structural Health Monitoring Methodology: Part II. Novelty Detection On A Gnat Aircraft" *Journal Of Sound and Vibration*, Volume 259, Issue 2, Pages 345-363 (2003).
- [403] Worden, K., Manson, G., Wardle, R., Staszewski, W., and Allman, D. (1999) "Experimental Validation of Two Structural Health Monitoring Methods," *Structural Health Monitoring*, Stanford University, Palo Alto, California, Pages 784-799 (2000).
- [404] Wu, E.; Tsai, T.D.; and Yen,C.S. "Two methods for determining impact-force history on elastic plates", *Experimental Mechanics*, Volume 35, Pages 11-18 (1995).
- [405] Wu Enboa, Jung-Cheng Yeh and Ching-Shih Yen Identification of Impact Forces at Multiple Locations on Laminated Plates *AIAA Journal* , 0001-1452, Volume 32, Number 12, Pages 2433-2439 (1994).
- [406] Wu Enboa, Jung-Cheng Yeh and Ching-Shih Yen Impact on composite laminated plates: An inverse method *International Journal of Impact Engineering*, Volume 15, Issue 4, Pages 417-433 (1994).
- [407] Wu S., Ghaboussi J., Garrett Jr. J.H., "Use of neural networks in detection of structural damage", *Computers & Structures*, Volume 42, Number 4, Pages 649-659 (1992).
- [408] Xu Bin "Time Domain Substructural Post-earthquake Damage Diagnosis Methodology with Neural Networks" *Lecture Notes in Computer Science Springer-Verlag GmbH* Volume 3611/2005, Page: 520

- [409] Xu L.Y. Influence of stacking sequence on the transverse matrix cracking in continuous fiber crossply laminates. *Journal of Composite Materials* Volume 29 10, Pages 1337-1358 (1995).
- [410] Xu Ying; Christopher K. Y. Leung; Zhenglin Yang; Pin Tong; Stephen K. L. Lee " A New Fiber Optic Based Method for Delamination Detection in Composites." *Structural Health Monitoring*, Volume 2, Number 3, 205-223 (2003).
- [411] Yan A.M., Kerschen G., Boe P. De and Golinval J.C. "Structural damage diagnosis under varying environmental conditions-Part I: A linear analysis" *Mechanical Systems and Signal Processing*, Volume 19, Issue 4, Pages 847-864 (2005).
- [412] Yan A.M. , Kerschen G., Boe P. De and Golinval J.C. "Structural damage diagnosis under varying environmental conditions-part II: local PCA for non-linear cases" *Mechanical Systems and Signal Processing*, Volume 19, Issue 4, Pages 865-880 (2005).
- [413] Yang Ching Yu Solution of an inverse vibration problem using a linear least-squares error method *Applied Mathematical Modeling* Volume 20, Issue 10 , Pages 785-788 (1996).
- [414] Yang S. and Yuan F.G. "Transient wave propagation of isotropic plates using a higher-order plate theory" *International Journal of Solids and Structures*, Volume 42, Issue 14, Pages 4115-4153 (2005).
- [415] Yan Y.J. and Yam L.H., "Online detection of crack damage in composite plates using embedded piezoelectric actuators/sensors and wavelet analysis", *Composite Structure*, Volume 58, Pages 29-38 (2002).
- [416] Ye Lin, Ye Lu, Zhongqing Su and Guang Meng "Functionalized composite structures for new generation airframes: a review" *Composites Science and Technology*, Volume 65, Issue 9, Pages 1436-1446 (2005).
- [417] Yua Yunhe, Zenngchu Xiaob, Nagi G. Naganathana and Rao V. Dukkipati Dynamic Preisach modelling of hysteresis for the piezoceramic actuator system *Mechanism and Machine Theory* Volume 37, Issue 1, Pages 75-89 (2002).
- [418] Yuan Shenfang , Lei Wang and Ge Peng "Neural network method based on a new damage signature for structural health monitoring" *Thin-Walled Structures*, Volume 43, Issue 4, Pages 553-563 (2005).

- [419] Yun C.B., Yi J.H. , Bahng E.Y., "Joint damage assessment of framed structures using a neural networks technique", *Engineering Structures*, Volume 23, Pages 425-435 (2001).
- [420] Zak, A., Krawczuk, M., and Ostachowicz, W. "Vibration of a Laminated Composite Plate with Closing Delamination", *Structural Damage Assessment Using Advanced Signal Processing Procedures*, Proceedings of DAMAS 99, University College, Dublin, Ireland, Pages 17-26 (1999).
- [421] Zang C., Friswell M. I., and Imregun M. "Structural Damage Detection using Independent Component Analysis" *Structural Health Monitoring*, Volume 3, Pages 69-83 (2004).
- [422] Zhang C. and Zhu T., "On inter-relationships of elastic moduli and strains in cross-ply laminated composites. *Composites Sciences and Technology* Volume 56 2, Pages 135-146 (1996).
- [423] Zhang J., Fan J. and Soutis C., "Analysis of multiple matrix cracking in [0/90]_s composites laminates Part 1: in-plane stiffness properties. *Composites* Volume 23 5, Pages 291-298 (1992).
- [424] Zhang J., Fan J. and Soutis C., "Analysis of multiple matrix cracking in [0_m/90_n]_s composite laminates Part 2: development of transverse ply cracks. *Composites* Volume 23 5, Pages 299-304 (1992).
- [425] Zhang, L., Quiong, W., and Link, M. "A Structural Damage Identification Approach Based on Element Modal Strain Energy," *Proceedings of ISMA23, Noise and Vibration Engineering*, Leuven, Belgium (1998).
- [426] Zheng Huiming, Ming Lib and Zeng He "Active and passive magnetic constrained damping treatment" *International Journal of Solids and Structures* Volume 40, Issue 24 , Pages 6767-6779 (2003).
- [427] Zienkiewicz O.C., Taylor R.L. and Too J.M., "Reduced integration technique in general analysis of plates and shells", *International Journal for Numerical Methods in Engineering*, Volume 3, Pages 275-290 (1971).
- [428] Zingoni Alphose "Structural health monitoring, damage detection and long-term performance" *Engineering Structures*, Volume 27, Issue 12, Pages 1713-1714 (2005).

- [429] Zonta, D., Modena, C., and Bursi, O.S. "Analysis of Dispersive Phenomena in Damaged Structures," European COST F3 Conference on System Identification and Structural Health Monitoring, Madrid, Spain, Pages 801-810 (2000).
- [430] Zou, Y., Tong, L. and Steven, G.P. "Vibration-based model-dependent damage (delamination) identification and health monitoring for composite structures - a review", Journal of Sound and Vibration, Volume 230, Number 2, Pages 357-378 2000.