

## References

- A.E. Andreikiv and V.V. Panasiuk, Elastic equilibrium of a body weakened by a set of circular cracks situated along a plane. *Soviet Physics – Doklady*, Vol. 16, 1971, pp. 255-256.
- H. Bateman, A. Erdélyi, (Ed.), *Higher Transcendental Functions*. (3 Vols.). New York: McGraw-Hill, 1955.
- E. Beltrami, Sulla teoria delle funzioni potenziali simmetriche. *Mem. Accad. Sci. Inst. Bologna*, Ser. 4, Vol. 2, 1881, pp. 461-480.
- H.A. Bethe, Theory of diffraction by small holes. *Physical Reviews*, Vol. 66, 1944, pp. 163-182.
- N.M. Borodachev and L.A. Galin, Contact problem for a stamp with narrow rectangular base. *Journal of Applied Mathematics and Mechanics (PMM)*, Vol. 38, 1974, pp. 108-113.
- I.W. Busbridge, Dual integral equations. *London Mathematical Society. Proceedings.*, Ser. 2, Vol. 44, 1938, pp. 115-129.
- W.T. Chen, Some aspects of a flat elliptical crack under shear stress. *Journal of Mathematics and Physics*, Vol. 45, 1966, p.213-223.
- G.P. Cherepanov, *Mechanics of Brittle Fracture*. Nauka, Moscow, 1974 (in Russian). English translation: McGraw-Hill, 1979.
- S.B. Cohn, The electric polarizability of apertures of arbitrary shape. *Proc. of the IRE*, Vol. 40, 1952, pp. 1069-1071.
- W.D. Collins, Some coplanar punch and crack problems in three-dimensional elastostatics. *Proc. Roy. Soc., Series A*, Vol. 274, 1963, pp. 507-528.
- W.D. Collins, Some axially symmetric stress distributions in elastic solids containing penny-shaped cracks. I. Cracks in an infinite solid and a thick plate. *Proc. Roy. Soc., Series A*, Vol. 266, 1962, pp. 359-386.
- E.T. Copson, On the problem of the electrified disk. *Edinburgh Mathematical Society. Proceedings.*, Ser. 2, Vol. 8, 1947, pp. 14-19.
- H.A. Elliott, Three-dimensional stress distributions in hexagonal aeolotropic crystals. *Proc. Cambridge Phil. Soc.*, Vol. 44, 1948, pp. 522-533.

- H.A. Elliott, Axial symmetric stress distributions in aeolotropic hexagonal crystals. The problem of the plane and related problems. *Proc. Cambridge Phil. Soc.*, Vol. 45, 1949, pp. 621-630.
- V.I. Fabrikant, Close interaction of coplanar circular cracks under shear loading. *Computational Mechanics*, Vol. 4, 1989, pp. 181-197.
- V.I. Fabrikant, Potential of several arbitrarily located discs. *Journal of the Australian Mathematical Society, Series B*, Vol. 29, 1988a, pp. 342-351.
- V.I. Fabrikant, Green's functions for a penny-shaped crack under normal loading. *Engineering Fracture Mechanics*, Vol. 30, 1988b, pp. 87-104.
- V.I. Fabrikant, Sound penetration through an arbitrarily shaped aperture in a soft screen: Analytical approach. *Journal of Sound and Vibration*, Vol. 121, 1988d, pp. 1-12.
- V.I. Fabrikant, Penny-shaped crack revisited: Closed form solutions. *Philosophical Magazine A*, Vol. 56, 1987a, pp. 191-207.
- V.I. Fabrikant, Flat crack of arbitrary shape in an elastic space. *Philosophical Magazine A*, Vol. 56, 1987b, pp. 175-189.
- V.I. Fabrikant, Electrical polarizability of small apertures: Analytical approach. *International Journal of Electronics*, Vol. 62, 1987c, pp. 533-545.
- V.I. Fabrikant, Mixed problems of Potential Theory in spherical coordinates. *Zeitschrift für Angewandte Mathematik und Mechanik*, Vol. 67, 1987d, pp. 507-518.
- V.I. Fabrikant, Electrostatic problem of several arbitrarily charged unequal coaxial discs. *Journal of Computational and Applied Mathematics*, Vol. 18, 1987e, pp. 129-147.
- V.I. Fabrikant, The stress intensity factor for an external elliptical crack. *International Journal of Solids and Structures*, Vol. 23, 1987f, pp. 465-467.
- V.I. Fabrikant, Close interaction of coplanar circular cracks in an elastic medium. *Acta Mechanica*, Vol. 67, 1987g, pp. 39-59.
- V.I. Fabrikant, Frictionless elastic contact problem for a curved rigid punch of arbitrary shape. *Acta Mechanica*, Vol. 67, 1987h, pp. 1-25.

- V.I. Fabrikant, Closed form solution to some mixed boundary value problems for a charged sphere. *Journal of the Australian Mathematical Society, Series B*, Vol. 28, 1987i, pp. 296-309.
- V.I. Fabrikant, Magnetic polarizability of small apertures: Analytical approach. *Journal of Physics A: Mathematical and General*, Vol. 20, 1987j, pp. 323-338.
- V.I. Fabrikant, Diffusion through perforated membranes. *Journal of Applied Physics*, Vol. 61, 1987k, pp. 813-816.
- V.I. Fabrikant, Flat punch of arbitrary shape on an elastic half-space. *International Journal of Engineering Science*, Vol. 24, 1986a, pp. 1731-1740.
- V.I. Fabrikant, Sound transmission through an arbitrarily shaped aperture in a rigid screen: Analytical approach. *Journal of Sound and Vibration*, Vol. 111, 1986b, pp. 489-498.
- V.I. Fabrikant, Inclined flat punch of arbitrary shape on an elastic half-space. *ASME Journal of Applied Mechanics*, Vol. 53, 1986c, pp. 798-806.
- V.I. Fabrikant, Sound penetration through an arbitrarily shaped aperture in a rigid screen: Analytical determination of the quadratic terms in low-frequency expansion. *Journal of the Acoustical Society of America*, Vol. 50, 1986d, pp. 1438-1446.
- V.I. Fabrikant, Computer evaluation of singular integrals and their applications. *International Journal for Numerical Methods in Engineering*, Vol. 23, 1986e, pp. 1439-1453.
- V.I. Fabrikant, Exact solutions to some external mixed problems in potential theory. *Aplikace Matematiky*, Vol. 31, 1986f, pp. 224-246.
- V.I. Fabrikant, Inverse crack problem in elasticity. *Acta Mechanica*, Vol. 61, 1986g, pp. 29-36.
- V.I. Fabrikant, A new approach to some problems in Potential Theory. *Zeitschrift für Angewandte Mathematik und Mechanik*, Vol. 66, 1986h, pp. 363-368.
- V.I. Fabrikant, Several elliptical punches on an elastic half-space. *ASME Journal of Applied Mechanics*, Vol. 53, 1986i, pp. 390-394.
- V.I. Fabrikant, Four types of exact solutions to the problem of an axisymmetric punch bonded to a transversely isotropic half-space. *International Journal of Engineering Science*, Vol. 24, 1986j, pp. 785-801.

- V.I. Fabrikant, On the capacity of flat laminae. *Electromagnetics*, Vol. 6, 1986k, pp. 117-128.
- V.I. Fabrikant, On the potential flow through membranes. *Zeitschrift für Angewandte Mathematik und Physik*, Vol. 36, 1985a, pp. 616-623.
- V.I. Fabrikant, External crack in non-homogeneous elasticity. *Engineering Fracture Mechanics*, Vol. 22, #5, pp. 855-858, 1985b.
- V.I. Fabrikant, Closed form solution of one integral equation. *Trans. of Academy of Sciences of ArmSSR, Mekhanika*, No. 2, pp. 16-19, 1976, (in Russian).
- V.I. Fabrikant, Interior fundamental mixed problem for a transversely Isotropic Half-Space. *Mekhanika Tverdogo Tela*, No. 1, pp. 27-33, 1975, (in Russian). English translation: *Mechanics of Solids*, Vol. 10, pp. 22-26.
- V.I. Fabrikant, The three-dimensional contact problem for a rough die. *Prikladnaia Mekhanika*, Vol. 10, No. 7, pp. 106-109, 1974a, (in Russian). English translation: *Soviet Applied Mechanics*, pp. 772-774.
- V.I. Fabrikant, Exact Solution of the exterior fundamental mixed problem. *Prikladnaia Matematika i Mekhanika*, Vol. 38, No. 3, pp. 534-538, 1974b, (in Russian). English translation: *Journal of Applied Mathematics and Mechanics*, pp. 494-499.
- V.I. Fabrikant, Exterior axisymmetric mixed problem for a transversely isotropic half-space. *Prikladnaia Matematika i Mekhanika*, Vol. 36, pp. 947-951, 1972, (in Russian). English translation: *Journal of Applied Mathematics and Mechanics*, pp. 897-901.
- V.I. Fabrikant, Axially symmetric problem of a stamp on a transversely isotropic half-space. *Mekhanika Tverdogo Tela*, No. 6, pp. 141-146, 1971a, (in Russian). English translation: *Mechanics of Solids*, pp. 121-125.
- V.I. Fabrikant, Solution of a non-axisymmetric boundary-value problem with circular line of division of boundary conditions for a transversely-isotropic half-space. *Trans. of Academy of Sciences of UzSSR, Series of Technical Sciences*, No. 3, pp. 93-96, 1971b, (in Russian).
- V.I. Fabrikant, One non-axisymmetric mixed problem for a transversely isotropic half-space. *Prikladnaia Mekhanika*, Vol. 7, No 3, pp. 36-40, 1971c, (in Russian). English translation: *Soviet Applied Mechanics*, pp. 264-267.

V.I. Fabrikant, Effect of shearing force and tilting moment on a cylindrical punch attached to a transversely isotropic half-space. [Prikladnaia Matematika i Mekhanika], Vol. 35, No. 1, pp. 178-182, 1971d, (in Russian). English translation: *Journal of Applied Mathematics and Mechanics*, pp. 147-151.

V.I. Fabrikant, Closed form solution of a two-dimensional integral equation. *Izvestiia Vysshikh Uchebnykh Zavedenii, Matematika*, No. 2, pp. 102-104, 1971e, (in Russian).

V.I. Fabrikant, Effect of concentrated force on a transversely isotropic elastic body. *Izvestiia Vysshikh Uchebnykh Zavedenii, Mashinostroenie* No. 3, 1970, pp. 9-12 (in Russian).

R.F. Fikhmanas and P.Sh. Fridberg, Theory of diffraction at small apertures. Computation of upper and lower boundaries of the polarizability coefficients. *Radio Eng. Electron Phys.* Vol. 18, 1973, pp. 824-829.

W.S. Fu and L.M. Keer, Coplanar circular cracks under shear loading. *International Journal of Engineering Science*, Vol. 7, 1969, pp. 361-372.

L.A. Galin, *Contact Problems in the Theory of Elasticity* (in Russian), Gostekhteorizdat, 1953. Translated by H. Moss, Dept. of Math., North Carolina State College, Raleigh, 1961.

I.S. Gradshtein and I.M. Ryzhik, *Tables of Integrals, Series and Products*. Moscow, 1963. English translation: Academic Press Inc., New York, 1965.

E.W. Hobson, On Green's Function for a Circular Disc, with applications to Electrostatic Problems. *Trans. Cambr. Phil. Soc.*, Vol. 18, 1900, pp. 277-291.

G.W.O. Howe, The capacity of rectangular plates and a suggested formula for the capacity of aeriels. *The Radio Review*, Vol. 1, Oct. 1919 – June 1920, pp. 710-714.

N.I. Ioakimidis, Upper bounds for the stress intensity factors along the boundaries of interacting coplanar cracks in three-dimensional elasticity. *Engineering Fracture Mechanics*, Vol. 16, 1982, pp. 821-826.

J.J. Kalker, On elastic line contact. *ASME Journal of Applied Mechanics*, Vol. 39, 1972, pp. 1125-1132.

A.A. Kapshivyi and G.F. Masliuk, The solution of the mixed axisymmetric problem from the theory of elasticity for a half-space by the method of

- $p$ -analytic functions. *Prikladnaia Mekhanika*, Vol. 3, No. 7, 1967, pp. 21-27, English translation: *Soviet Applied Mechanics*, pp. 13-16.
- M.K. Kassir and G. Sih, Three-dimensional stresses around elliptical cracks in transversely isotropic solids. *Engineering Fracture Mechanics*, Vol. 1, 1968, pp. 327-345.
- M.K. Kassir and G. Sih, *Three-dimensional Crack Problems*, Noordhoff International Publishing, Leyden, 1975.
- I. Kobayashi, Das electrostatische Potential um zwei auf derselben Ebene liegende und sich nicht schneidende gleichgroße Kreisscheiben. *Sc. Rep. Tôhoku Imp. Univ.*, Vol. 27, 1939, pp. 365-391.
- M.Ia. Leonov, General problem of a circular punch pressed against an elastic half-space. *Prikladnaia Matematika i Mekhanika*, Vol. 17, 1953, pp. 87-98 (in Russian).
- A.I. Lur'e, *Three-Dimensional Problems of the Theory of Elasticity*. Moscow: 1955. English translation, J.R.M. Radok (Ed.). New York: Interscience, 1964.
- E.N. Mastrojannis and T. Mura, On the problem of two coplanar cracks inside an infinite isotropic elastic solid. *International Journal for Numerical Methods in Engineering*, Vol. 19, 1983, pp. 27-35.
- F. De Meulenaere and J. Van Bladel, Polarizability of some small apertures. *IEEE Trans. on Antennas and Propagation*, Vol. **AP-25**, 1977, pp. 198-205.
- R.D. Mindlin, Compliance of elastic bodies in contact. *Journal of Applied Mechanics.*, 1949, Vol. 16, pp. 259-268.
- V.I. Mossakovskii, The fundamental mixed problem of the theory of elasticity for a half-space with a circular line separating the boundary conditions. *Prikladnaia Matematika i Mekhanika*, Vol. 18, 1954, pp. 187-196. (in Russian).
- V.I. Mossakovskii, Relationship between the force and settlement for a plane stamp of nearly circular cross-section. *Gidraeromekhanika i Teoriia Uprugosti*, No. 14, Izd. Dnepropetrovsk. Univ., 1972 (in Russian).
- V.I. Mossakovskii, N.E. Kachalovskaia, and S.S. Golikova, *Contact Problems of the Mathematical Theory of Elasticity*, "Naukova Dumka", Kiev, 1985 (in Russian).
- N.I. Muskhelishvili, *Singular Integral Equations*. (in Russian). Second ed., Moscow 1946. English Translation, J.R.M. Radok (Ed.). Groningen: Noordhoff, 1953.

B. Noble, The numerical solution of the singular integral equation for the charge distribution on a flat rectangular lamina. *Sympos. Numerical Treatment of Ordinary Differential Equations, Integral and Integrodifferential Equations*. (Proc. Rome Sympos. 20-24 September 1960) Birkhauser, Berlin-Stuttgart, 1960.

E.E. Okon and R.F. Harrington, The polarizabilities of electrically small apertures of arbitrary shape. *IEEE Trans. on Electromagnetic Compatibility*, Vol. **EMC-23**, 1981, pp.359-366.

E.E. Okon and R.F. Harrington, The capacitance of discs of arbitrary shape. *Tech. Rep. No.10, Contract No. N00014-76-C-0225*. US Dep. Navy, Office of Naval Research, Rep. No. TR-79-3, April, 1970.

V.V. Panasiuk, M.M. Stadnik, and V.P. Silovaniuk, *Stress Concentration in Three-dimensional Bodies with Thin Inclusions*. "Naukova Dumka", Kiev, 1986 (in Russian).

G.Pólya and G.Szegő, *Isoperimetric Inequalities in Mathematical Physics*. Princeton University Press, 1951.

G.Ia. Popov, Axisymmetric contact problem for an elastic inhomogeneous half-space in the presence of cohesion. *Prikladnaia Matematika i Mekhanika.*, Vol. 37, 1973, pp. 1109-1116, English Translation: *Journal of Applied Mathematics and Mechanics*, pp. 1052-1059.

N.A. Rostovtsev, An integral equation encountered in the problem of a rigid foundation bearing on nonhomogeneous soil. *Prikladnaia Matematika i Mekhanika*, Vol. 25, 1961, pp. 164-168, English Translation: *Journal of Applied Mathematics and Mechanics*, pp. 238-246.

N.A. Rostovtsev, On certain solutions of an integral equation of the theory of linearly deformable foundation. *Prikladnaia Matematika i Mekhanika*, Vol. 28, 1964, pp. 111-127, English Translation: *Journal of Applied Mathematics and Mechanics*, pp. 127-145.

V.L. Rvachev and V.S. Protsenko, *Contact Problems of the Theory of Elasticity for Non-classical Domains*. Kiev, "Naukova Dumka", 1977 (in Russian).

G.C. Sih and H. Liebowitz, Mathematical theories of brittle fracture. *Fracture*, Vol. 2. Academic Press, New York, 1968.

R. De Smedt, Low-frequency Penetration through Apertures: Results for the Integral Equations. *Laboratorium voor Electromagnetisme en Acustica, Internal report 79-9*, University of Ghent, 1979.

- I.N. Sneddon, *Fourier Transforms*. McGraw-Hill, New York, 1951.
- I.N. Sneddon, A note on the problem of the penny-shaped crack. *Proc. Cambridge Philos. Soc.*, Vol. 61, 1965, pp. 609-611.
- I.N. Sneddon, *Mixed Boundary Value Problems in Potential Theory*. Amsterdam: North Holland, 1966.
- L. Solomon, Upon the geometrical punch-penetration rigidity. *Lincei-Rend. Sc. fis. mat. e nat.*, Vol. 36, 1964a, pp. 832-835.
- L. Solomon, Une solution approchée du problème du poinçon rigide à base plane bornée convexe non elliptique. *Compt. Rend. Acad. Sc. Paris*, Vol. 258, 1964b, pp. 64-66.
- Ia.S. Ufliand, The contact problem of the theory of elasticity for a die, circular in its plane, in the presence of adhesion. *Prikladnaia Matematika i Mekhanika*, Vol. 20, 1956, pp. 578-587, (in Russian).
- Ia.S. Ufliand, *Integral Transforms in the Theory of Elasticity*. Second edition: Nauka, Leningrad, 1967. English translation of the first edition: *Survey of Articles on the Application of Integral Transforms in the Theory of Elasticity*. North Carolina State University, Applied Mathematics Research Group, File No. PSR-24/6, 1965.
- Ia.S. Ufliand, *Method of Dual Equations in Mathematical Physics*. Academy of Sciences of the USSR, "Nauka", Leningrad, 1977 (in Russian).
- J. Weaver, Three-dimensional crack analysis. *International Journal of Solids and Structures*, Vol. 13, 1977, pp. 321-330.
- H. Weber, Ueber die Besselschen Functionen und ihre Anwendung auf die Theorie der elektrischen Strome. *Journal für die reine und angewandte Mathematik*, Vol. 75, 1873, pp. 75-105.
- R.A. Westmann, Asymmetric mixed boundary-value problem of the elastic half-space. *ASME Journal of Applied Mechanics.*, Vol. 32, 1965, pp. 411-417.
- J.R. Willis, The distribution of stress in anisotropic elastic body containing an exterior crack. *International Journal of Engineering Science*, 1970, Vol. 8, No. 7, pp. 559-574.

## Subject Index

The page numbering in this Index is approximate because present edition of the book does not conserve the pages from original publication.

- Abel operator, 27-30, 42, 61, 65, 82, 92, 94, 183, 287
- Abel integral, 168
- Abel generalized integral equation, 182-187
- Annulus, uniform pressure distributed over, 90
- Approach, 2, 5, 6, 36, 182, 268, 280, 303, 350, 379, 402, 407, 413
- Axisymmetric
  - pressure, 5
  - problems
    - internal mixed-mixed, 148-176
    - external mixed-mixed, 176-182
    - crack, 227, 239
- Bessel functions, 4,5
  - integrals of, 253-256, 348 349
- Bonded contact, 7, 145, 148-176
  - asymmetric punch problem, 187-193
  - concentrated load, influence of, 200-206
  - flexible punches, 434
  - non-homogeneous half-space, 186
  - two-dimensional problems, 447
- Boundary conditions, 3, 27, 39, 44, 50-59, 80, 91, 105, 111, 131, 145, 188, 239, 337, 406, 412, 422, 433
- Boundary value problems,
  - see also Axisymmetric problems
  - internal mixed of type I, 80-91
  - internal mixed of type II, 105-111
  - external mixed of type I, 91-101
  - external mixed of type II, 111-131
- Boussinesq problem, 422
  - see also Concentrated load, point force solutions
- Circular
  - crack, 7, 83, 85, 89, 90, 109, 237, 285-319
  - disk, 1, 3-4, 38
  - punch, 2, 7, 26, 88, 145, 148, 163, 172-176, 186-193, 341-350, 418, 432, 445-448
  - sector, 277, 360, 382-383
  - segment, 276, 359, 376
- Complex
  - conjugate, 38
  - constants, 114
  - functions, 107
  - stress intensity factor, 120
  - stresses, 74
  - tangential displacements, 72
- Compliance, 411
- Concentrated load
  - outside a crack, 237-239
  - outside a punch, 175, 200, 211, 349, 433
  - point force solutions, 75-80
- Contact, adhesive
  - see Bonded contact
- Contact problems
  - see also Boundary value problems

- for a circular punch, 341-350
  - for a flat punch of general shape, 350-383
  - for a flexible punch under shifting load, 406-412
  - for a general curved punch, 383-406
  - for a rough punch, 445-448
  - for a smooth punch, 337-341
  - interaction between punches, 422-445
  - Reissner-Sagoci problem, 412-422
- Contact, torsional
- see Contact problems, Reissner-Sagoci problem
- Contour, 269, 279, 352, 360
- Crack problems,
- see also Boundary value problems,
- asymptotic behavior of stresses and displacements near the crack rim, 262-268
- circular sector shape, 277
- circular segment shape, 276
- close interaction of pressurized coplanar circular cracks, 285-304
- close interaction of coplanar circular cracks under shear loading, 304-319
- concentrated load outside a circular crack, 237-239
- cross-shaped, 278
- flat crack of general shape, 268-284
- flat crack under arbitrary normal loading, 227-234
- general crack under uniform shear, 284-285
- hexagon-shaped, 273
- penny-shaped crack under uniform pressure, 252-257
- penny-shaped crack under uniform shear loading, 257-262
- plane crack under arbitrary shear loading, 239-252
- point force loading of a penny-shaped crack, 234-237
- rectangular, 274, 281, 285
- rhomboidal, 275
- Deformation, energy of, 318
- Dirac delta-function, 109
- Dirichlet
  - conditions, 7
  - problem, 17
- Displacement
  - complex tangential, 72
  - normal, 2, 7
  - outside a penny-shaped crack, 255, 258-260
  - polynomial, 3
  - under a bonded punch, 148-176
  - under a circular punch, 341-346
  - under a point load, 75-80
- Dual integral equations, 3-4
- Elastic constants, 71, 73, 75, 241, 319, 418
- Elastic half-space, 2, 7, 8, 26
- see also Elastic constants
  - non-homogeneous, 81
  - transversely isotropic, 71, 77
- Electrical capacity, 362
- Electrical charge distribution, 358
- Electrical polarizability, 272
- Electrified disk, 1
- Elliptic integrals, 134, 377, 409, 417, 439
- Elliptic punch, see Punch elliptic
- Equilibrium
  - conditions, 191
  - equations, 72
- Force
  - see also Concentrated load;
  - complex tangential, 76
  - friction, 8, 191
  - normal, 148

- resultant, 83, 134, 153
  - shearing, 187, 191
  - unit, 305
- Fourier series, 7, 9, 17, 37, 81, 105, 112, 193, 284
- Fracture, see Crack problems
- Fredholm integral equations, 304
- Friction
  - coefficient, 445
  - forces 8, 191
- Function
  - see also Bessel functions
  - complex stress, 152-172
  - Green's, 1, 6, 234, 245, 340
  - hypergeometric, 36
  - potential, 5, 26, 232, 339
- Green's functions see functions, Green's
- Half-space see also Elastic half-space; Axisymmetric problem; Bonded contact; Boundary value problems; Contact problems
  - Boussinesq problem, 75-80
  - loading over annulus, 173-174
  - non-homogeneous, 186
  - torsion of, 412-422
  - transversely isotropic, 71
- Harmonic function, 3, 7, 30, 41, 44, 73, 228, 239
- Inclusion problem, 131-144, 302
- Indentation,
  - see Bonded contact; Boundary value problems; Contact problems
- Integral equations
  - see also Dual integral equations
  - approximate solutions for general domains, 341-411
  - for a bonded punch problem, 193, 206
  - for a half-space under shear loading, 105, 111
  - for a rough punch, 446
  - for a smooth punch problem, 338
  - for mixed boundary value problems of potential theory, 27, 40
  - for non-homogeneous half-space, 80, 91
  - set of, 406-444
- Integral representation
  - for the reciprocal of the distance between two points, 9-17
  - involving inverse cube of the distance, 19-25, 101-105
  - of more general type, 60-70
- Integro-differential equation, 229, 241, 257
- Isotropic medium, 238, 255, 259-260, 344-345
- Jacobi polynomial expansion, 182
- Kernel of the integral equation, 302, 407
  - singular part of, 198, 209
  - degenerate part of, 202, 211
- Klein-Gordon equation, 17
- Laplace
  - equation, 29
  - operator, 3, 41, 134, 286
- $\mathcal{L}$ -operator, 17-19
- Loading,
  - axisymmetric, 5
  - distributed over annulus, 90
  - point force, 200-206
  - shear, 239-252
  - uniform, 252-257
- Magnetic polarizability, 369-383
- Mehler-Fok transform, 200
- Moment
  - complex, 135
  - inertia, 366, 382
  - linear, 365

- linear of fourth order, 387
  - tilting, 83, 94, 187-193, 367
- Neumann boundary conditions, 7, 32
- Normal stress, 71
- Penetration, see Indentation
- Poisson
  - coefficient, 75, 166, 171, 318
  - operator, 17
- Polynomial
  - displacements, 3, 408
  - kernel, 198, 209
  - loading, 6, 231, 232, 268, 307
  - profile, 8
- Punch
  - see also Contact problems
  - arbitrary planform, 350-421
  - bonded, 148-176, 187-193
  - circular, 341-350
  - circular sector base, 360, 382-383
  - circular segment base, 359, 376
  - cross-shaped, 378, 397, 405, 421
  - curved, 383-406
  - elliptical, 409, 417, 426-433, 438-445
  - inclined, 346-350, 362-383
  - interaction between, 422-445
  - polygonal base, 355, 369, 391, 418
  - rectangular, 358, 372, 380, 394, 403, 410, 419
  - rigid roller, 398-402
  - rhomboidal, 359, 374, 380, 395
  - rough, 445-448
  - settlement, 89, 165, 172, 341, 350, 357, 400
  - smooth, 337-341
  - triangular base, 356, 371
- Rectangle, see Punch, rectangular;
- Crack problems, rectangular
- Reissner-Sagoci problem, 412-422
- Rhombus, see Punch, rhomboidal;
- Crack problems, rhomboidal
- Saint-Venant theory
  - of bending, 382
  - of torsion, 419
- Separation in contact problems, 373, 377
- Shear modulus, 238
- Shear stress, 136, 304, 407, 420
- Singular integral, 153
- Singular integral equation, 152, 198
- Sphere, 15, 39
- Spherical bowl, 1
- Spherical coordinates, 262
- Spheroidal inclusions, 302
- Strain energy, 318
- Stress
  - complex, 74
  - components of in cylindrical polar coordinates, 345-346
  - function, 152-172
  - intensity factor, 86, 90, 97, 120, 143, 237, 251, 263-267, 289, 309
  - intensity function, 86, 91, 97
  - normal, 71
- Stress-strain relations, 71
- Surface
  - displacements, 165
  - quadratic, 383
  - tractions, 164
- Toroidal coordinates, 1, 15
- Traction, see Stress
- Transforms, see under particular name
- Transversely isotropic material, 71-74
- Uniform
  - electrical charge distribution, 38
  - pressure, 90, 180, 252, 268, 290
  - shear tractions, 130, 257, 284, 307

tangential displacements, 406,  
433

Work, 85, 95, 426, 438

Variational approach, 280, 379, 402