


SOWA TOOLING SOLUTIONS

Pricing in Effect from October 1 to December 31 2008



- Manufactured from graded cast iron, these vises have a precision ground base and vise bed for smooth lateral movement of the movable jaw.



UNIGRIP DRILL PRESS VISE

Model No.	Width of Jaws	Opening (In.)	Depth of Jaws	Code No.	List Price \$	SPECIAL \$
DPV/UG-75	3	2-3/4	1-3/16	370-925	78.00	46.80
DPV/UG-100	4	3-1/2	1-3/16	370-930	97.90	58.74
DPV/UG-125	5	4-15/32	1-3/8	370-935	135.60	81.36



0-4" .0001" MICROMETER SET

- .0001" graduation
- Ratchet and lock nut
- Complete with standards (2" and up)
- Carbide faces
- Fitted wood case

SALE PRICE \$81.96


Code No 200-094



6" GS Vise Guard !

1/4" thick chip guard
Code # 327-315

SALE PRICE \$66.00



1/2" PRECISION KEYLESS DRILL CHUCK

- 1/32-1/2 capacity
- Jacobs Taper 6 mount

SALE PRICE \$79.00

Reg List \$132.30

Code No 326-850

Kennedy

Model 297

7 Drawer – Plenty of drawer space to keep tools handy.

- Includes side handle, four 5" casters, cylinder lock, 2 keys



Width (in)	Depth (in)	Height (in)	Weight (lb)	Colour	Code No.	SALE \$
29	20	35	146	Brown	609-690	803.76

Model 526

8 Drawer – Felt lined drawers and tool compartment. Self storing drop front panel and rugged side handles

- 6 drawer dividers



Width (in)	Depth (in)	Height (in)	Weight (lb)	Colour	Code No.	SALE \$
26-3/4	8-1/2	13-5/8	36	Brown	609-602	327.76

Model 52611

11 Drawer – Drawers and top compartment felt lined. Front panel covers drawers.

- 3 drawer dividers
- Side handles



Width (in)	Depth (in)	Height (in)	Weight (lb)	Colour	Code No.	SALE \$
26-3/4	8-1/2	18	47	Brown	609-615	414.80

Model MC-28

2 Drawer Chest Base – Fits under model 526 and 52611 machinists' chests.

- Also fits any 27" or 29" roller cabinet
- Has wool felt lined top drawer and side handles



Width (in)	Depth (in)	Height (in)	Weight (lb)	Colour	Code No.	SALE \$
28-1/8	9-5/8	7-13/16	23	Brown	609-605	161.84

Distributed by:



SOWA
INDEXABLE CUTTING TOOLS

CALL TODAY FOR YOUR MAX MILL DEEP HOLE DRILLING BROCHURE CODE # MAX1007



BENZ CAT 50 FIXED RIGHT ANGLE HEAD 893-387 Reg. List \$6,672.00

**1 ONLY
CLEARANCE PRICE
\$4,003.00**


Shank size: CAT 50
Ratio: 1 : 1
Collet output: ER 20
Speed max.: 4000 RPM
Torque: 15 Nm (11 ft/lb)
Weight: 14 lbs

SHAPER AND MILLING MACHINE VISE WITH SWIVEL BASE



- Extra heavy duty design
- Designed for heavy milling or planing operations
- Rectangular 90° swivel base has four clamping bolts
- Workpiece is always centred to the middle of the vise
- 2 6" Movable jaws, liners are case hardened and heat treated to Rockwell C hardness 55-60°

**SALE PRICE
\$374.90**





Jaw Width	Jaw Height	Max. Opening	Height	Weight lbs	Code No.	Reg. List \$
6"	2	5	6.65	74	401-020	499.90



4" Horizontal and Vertical Rotary Table (HV)

- This HV Type Rotary Table is so designed as to permit machining operations at a higher dimension than that of RT Type Rotary tables
- The base can be used in a vertical position to enable to carry out centre work



Model	Table OD		Height		Base Dim.		T-Slot Width	Bolt Slots	Centre Sleeve	Weight (kg/lb)	Worm Gear	Table Code No.	Reg. List \$
	A1	D	H	H1	A	B							
HV-4	70	110	80	85	145	115	11	12	MT-2	7.5	90:1	326-498	388.40
	2.76	4.33	3.15	3.35	5.71	4.53	0.43	0.47	MT-2	16.50	90:1		

**SALE PRICE
\$291.30**

BISON 8" PLAIN BACK POWER CHUCK

Features:

- Repeatability +/- 0.0005"
- Body and parts manufactured of high grade alloy steel
- Mating surfaces of body, wedge and jaws are case hardened (58HRC) and ground
- Master jaws secured against throw-off
- Direct lubrication of master jaws

Standard Accessories:

- Hard Top Jaws
 - Chuck Mounting Bolts
 - T-Nuts with Jaw Mounting Bolts
 - Draw Tube Nut - Blank & Wrench
- Standard Serration: 1.5mm x 60°



Code # 899-925

Reg. List \$2,575


Sale Price \$1,931.25



PRECISION HEAVY DUTY LIVE CENTRES

Features

- Japanese Bearings
- The rotating spindle is extended right through the tapered shank
- Two specially designed adjustable needle-roller bearings carry all radial loads
- A heavy duty ball thrust bearing takes all axial thrust
- Complete protection of bearings from the ingress of coolant, dirt or swarf is provided by the built-in oil-seal, which also prevents loss of lubricant



Morse Taper	Centre Point Angle	Body Dia. (in)	Body Dia. (in)	Body Length (in)	Max. Weight of Work Piece	Code No.	SPECIAL \$
1	60°	5/8	1-3/8	4-3/8	200 lb	320-105	45.00
2	60°	7/8	1-1/2	5	600 lb	320-110	55.43
3	60°	1-1/8	1-7/8	6-1/4	900 lb	320-115	69.53
4	60°	1-1/2	2-3/16	7-1/2	1800 lb	320-120	86.93
5	60°	1-3/4	2-3/4	9-1/2	3000 lb	320-125	118.58
6	60°	2-3/8	3-1/2	12-3/4	7500 lb	320-130	211.65



SAVE 10%

ROHM PRIMA KEY TYPE

- Offers unlimited application in metalworking, on wood or in plastics.
- Well proven on portable electric drills, air drills, bench drill or in drill presses, lathes, turret lathes, automatic machinery, etc.
- Prima heavy duty industrial design




ROHM PRIMA KEY TYPE

Rohm Id. Nr.	Capacity (Inches)	Chuck Mount	O.D. Key mm	O.D. mm	Opened Length (mm)	Closed Length (mm)	Code No.	SALE \$
072818	1/32-1/2	JT6	S3	52	67.5	86	390-165	85.14
072827	1/32-5/8	JT3	S3	56.5	79	98	390-200	116.28
072833	3/16-3/4	JT3	S4	65	82.5	103.5	390-230	183.24

ROHM KEYLESS CHUCKS ROHM KEYLESS CHUCKS

SUPRA

- Standard Keyless Drill Chuck
- Suited for general drilling work
- Self tightening without a key
- Keyless tapered nose design



SPIRO

- High accuracy • Long service life
- Automatic retightening, easy opening
- Suited for use on precision work on drill presses, jig bores & other high precision production equipment
- Keyless tapered nose design

SUPRA STANDARD KEYLESS


Rohm Id. Nr.	Capacity (Inches)	Mount	Code No.	SALE \$
871054	1/32-1/2	JT6	391-040	134.01
871066	1/8-5/8	JT6	391-075	155.79

SPIRO HIGH PRECISION KEYLESS

Rohm Id. Nr.	Capacity (Inches)	Mount	Code No.	Price \$
019945	1/32-1/2	JT2	390-750	258.84
019961	1/8-5/8	JT6	390-770	298.17

ROHM BALL BEARING DRILL CHUCKS

- Bodies and jaws hardened and ground
- One piece gear/scroll ring eliminates loss of clamping torque
- Dependable and accurate performance
- Ease of operation • Extended life



ROHM BALL BEARING KEY TYPE

Rohm Id. Nr.	Capacity (In.)	Chuck Mount	O.D. Key	O.D. (In.)	Opened Length (In.)	Closed Length (In.)	Code No.	SALE \$
215000	1/32-1/2	JT3	S10	2.24	3.11	3.86	390-245	153.54
215001	1/32-5/8	JT3	S10	2.44	3.15	3.94	390-250	180.99
215002	3/16-3/4	JT4	S13	2.80	3.82	4.65	390-255	243.99




SOWA TOOL IS THE EXCLUSIVE MASTER DISTRIBUTOR FOR ROHM PRODUCTS

LIVE CENTRES FACE DRIVERS

LATHE CHUCKS

POWER CHUCKS



DRILL CHUCKS




CALL TODAY FOR MORE INFORMATION OR VISIT www.sowatool.com

KINIK CERAMIC GRINDING WHEELS

SAVE 25%

- HIGH PERFORMANCE CERAMIC ALUMINUM OXIDE
- UP TO 5X LONGER LIFE THAN WHITE ALUMINUM OXIDE WHEELS
- SUPERIOR STOCK REMOVAL RATES, LONG WHEEL LIFE REDUCING GRINDING COSTS
- MAXIMUM RESULTS FOR:
 - TOOL SHARPENING
 - HSS & TOOL STEEL <68 HRC





KINIK CERAMIC SURFACE GRINDING WHEELS

Dimensions	Structure CSKG 46K	SALE \$	Structure CSKG 60K	SALE \$	Structure CSKG 80K	SALE \$	Structure CSKG 100K	SALE \$
6x1/4x1-1/4	635-040	11.59	635-041	11.59	635-042	11.59	*	
6x1/2x1-1/4	635-044	13.50	635-046	13.50	635-052	13.50	*	
7x1/4x1-1/4	635-047	15.53	635-048	15.53	635-049	15.53	*	
7x1/2x1-1/4	635-055	16.35	635-050	16.35	635-053	16.35	635-056	16.35
8x1/4x1-1/4	635-057	18.60	635-061	18.60	635-062	18.60	*	
8x1/2x1-1/4	635-064	22.65	635-065	21.30	635-066	22.65	*	
8x3/4x1-1/4	635-067	27.83	635-068	27.83	635-091	27.83	635-092	31.88
8x3/4x2	635-093	27.83	635-094	27.83	635-096	27.83	*	
8x1x1-1/4	635-069	31.88	635-071	31.88	*	*	*	
8x1x2	635-097	31.88	635-098	31.88	*	*	*	
10x3/4x3	635-101	42.30	635-102	42.30	*	*	*	
10x1x3	635-072	46.20	635-073	46.20	635-104	46.20	*	
12x3/4x3	635-074	63.45	*	*	*	*	*	
12x1x3	635-076	66.38	635-077	66.38	*	*	*	
12x1x5	*	*	*	*	*	*	*	
12x1-1/2x5	635-082	86.55	635-105	86.55	*	*	*	
14x1x5	*	*	*	*	635-109	86.55	*	
14x1-1/2x5	635-086	109.65	*	*	*	*	*	
14x2x5	635-110	143.10	635-111	143.10	*	*	*	
RECESSED 2A BOTH SIDES								
12x2x3 2A 6x3/8	635-106	143.10	635-107	118.95	*	*	*	
12x2x5 2A 7-1/4x1/2	635-108	109.46	*	*	*	*	*	
14x2x5 2A 8x3/8 K	635-088	150.08	635-089	150.08	*	*	*	
14x2x5 2A 8x3/8 H	635-070	194.03	*	*	*	*	*	

* Non Stock Standard



KINIK CERAMIC STRAIGHT CUP WHEELS

D	B	d	a	c	r	s	CSKG60J	SALE \$	CSKG60K	SALE \$
4	2	20mm	1-9/16	3-1/2	3/16	1/4	635-075	21.15	*	
5	2-1/2	1-1/4	2	4-5/16	1/4	5/16	*		635-080	34.58





KINIK CERAMIC SHAPE B SAUCER TYPE

D	B	d	a	b	c	e	s	CSKG60K	SALE \$
6	5/8	1-1/4	1/4	1/8	5-3/8	2	5/16	635-095	19.28



KINIK CERAMIC SHAPE E FLARING CUP

D	T	H	W	E	J	K	CSKG60K	SALE \$
4	2	1-1/4	6 mm	1/2	3	2-1/2	635-085	24.60
5	2	1-1/4	8 mm	1/2	4	3	635-090	34.58





SURFACE GRINDING WHEELS



WA
White Aluminum Oxide

SAVE 25%



PA
Pink Aluminum Oxide

KINIK SURFACE GRINDING WHEELS										
Dimensions	Structure		SALE \$	SALE \$	SALE \$	SALE \$	SALE \$	SALE \$	SALE \$	SALE \$
	WA46J	WA60J								
6x1/4x1-1/4	635-280	635-282	8.70	8.70	635-284	8.70				
6x1/2x1-1/4	635-288	635-290	9.90	9.90	635-292	9.90				
7x1/4x1-1/4	635-296	635-298	12.38	12.38	635-300	12.38				
7x1/2x1-1/4	635-306	635-308	13.58	13.58	635-310	13.58	635-812	14.25		
8x1/4x1-1/4	635-314	635-316	16.05	16.05	635-318	16.05				
8x1/2x1-1/4	635-324	635-326	17.18	17.18	635-328	17.18	635-820	18.53	635-822	18.53
8x3/4x1-1/4	635-334	635-336	20.33	20.33	635-338	20.33	635-824	21.45		
8x1x1-1/4	635-344	635-346	24.60	24.60	635-348	24.60				
8x3/4x2	635-352	635-354	20.33	20.33	635-356	20.33				
8x1x2	635-360	635-362	24.60	24.60			635-836	26.40	635-838	26.40
10x1/2x3	635-364	635-366	28.50	28.50						
10x3/4x3	635-368	635-370	33.68	33.68	635-372	33.68				
10x1x3	635-376	635-378	36.75	36.75	635-379	36.75	635-848	40.58		
12x3/4x3	635-380		50.25							
12x1x3	635-386	635-388	51.83	51.83						
12x1x5	635-390	635-392	51.83	51.83						
12x1-1/2x5	635-394	635-396	64.13	64.13						
14x1x5	635-402	635-404	69.00	69.00	635-406	69.00				
14x1-1/2x5	635-408	635-410	97.65	97.65						
14x2x5	635-411	635-414	128.18	128.18						
RECESSED 2A BOTH SIDES										
12x2x3	635-398	635-399	116.48	116.48						
2A 6x3/8										
12x2x5	635-400		113.03							
2A 7-1/4x1/2										
14x2x5	635-412	635-418	153.83	153.83			635-880	168.68		
2A 8x3/8										

THE LARGEST INVENTORY OF CNC & CONVENTIONAL TOOLING IN CANADA

40 TAPER TOOLING BALANCED TO 20,000 RPM

50 TAPER TOOLING BALANCED TO 15,000 RPM

Call today for your Catalogue

MEETING TODAY'S DEMAND OF INCREASED SPEED AND SPINDLE LIFE

HS HASSAY SAVAGE

Hassay Savage will make your broaching easy...

Go to : www.hassay-savage.com to view Instructional Videos

Call Today for Your New Catalogue

TAPER SHANK DRILLS



**QUALITY
IMPORT**



SALE

HSS TAPER SHANK DRILLS

Flute Dia.	Dec. Equiv.	Flute Length	Overall Length	Taper Shank	Code No. Import	List Price \$
12	.5000	4-3/8	8-1/4	2	106-002	6.80
3364	.5156	4-5/8	8-1/2	2	106-004	7.40
1732	.5312	4-5/8	8-1/2	2	106-006	7.40
3564	.5469	4-7/8	8-3/4	2	106-008	7.40
916	.5625	4-7/8	8-3/4	2	106-010	8.30
3764	.5781	4-7/8	8-3/4	2	106-012	8.30
1932	.5938	4-7/8	8-3/4	2	106-014	8.30
3964	.6094	4-7/8	8-3/4	2	106-016	8.30
58	.6250	4-7/8	8-3/4	2	106-018	9.50
4164	.6406	5-1/8	9	2	106-020	10.10
2132	.6562	5-1/8	9	2	106-022	10.10
4364	.6719	5-3/8	9-1/4	2	106-024	10.70
1116	.6875	5-3/8	9-1/4	2	106-026	10.70
4564	.7031	5-5/8	9-1/2	2	106-028	10.70
2332	.7188	5-5/8	9-1/2	2	106-030	11.90
4764	.7344	5-7/8	9-3/4	2	106-032	11.90
34	.7500	5-7/8	9-3/4	2	106-034	12.50
4964	.7656	6	9-7/8	2	106-036	12.50
2532	.7812	6	9-7/8	2	106-038	12.50
5164	.7969	6-1/8	10-3/4	3	106-040	14.80
1316	.8125	6-1/8	10-3/4	3	106-042	14.80
5364	.8281	6-1/8	10-3/4	3	106-044	17.10
2732	.8438	6-1/8	10-3/4	3	106-046	17.10
5564	.8594	6-1/8	10-3/4	3	106-048	17.10
78	.8750	6-1/8	10-3/4	3	106-050	17.80
5764	.8906	6-1/8	10-3/4	3	106-052	17.80
2932	.9062	6-1/8	10-3/4	3	106-054	17.80
5964	.9219	6-1/8	10-3/4	3	106-056	20.10
1516	.9375	6-1/8	10-3/4	3	106-058	20.10
6164	.9531	6-3/8	11	3	106-060	20.10
3132	.9688	6-3/8	11	3	106-062	20.10
6364	.9844	6-3/8	11	3	106-064	22.90
1	1.0000	6-3/8	11	3	106-066	22.90
1-1/64	1.0156	6-1/2	11-1/8	3	106-067	44.80
1-1/32	1.0312	6-1/2	11-1/8	3	106-068	28.90
1-3/64	1.0469	6-5/8	11-1/4	3	106-069	47.60
1-1/16	1.0625	6-5/8	11-1/4	3	106-070	28.90
1-5/64	1.0781	6-7/8	12-1/2	4	106-071	54.90
1-3/32	1.0938	6-7/8	12-1/2	4	106-072	52.40
1-7/64	1.1094	7-1/8	12-3/4	4	106-073	57.10
1-1/8	1.1250	7-1/8	12-3/4	4	106-074	31.20
1-9/64	1.1406	7-1/4	12-7/8	4	106-075	60.70
1-5/32	1.1562	7-1/4	12-7/8	4	106-076	35.80
1-11/64	1.1719	7-3/8	13	4	106-077	61.20
1-3/16	1.1875	7-3/8	13	4	106-078	42.30
1-13/64	1.2031	7-1/2	13-1/8	4	106-079	58.60
1-7/32	1.2188	7-1/2	13-1/8	4	106-080	64.60
1-15/64	1.2344	7-7/8	13-1/2	4	106-081	71.50
1-1/4	1.2500	7-7/8	13-1/2	4	106-082	51.60
1-17/64	1.2656	8-1/2	14-1/8	4	106-083	81.10
1-9/32	1.2812	8-1/2	14-1/8	4	106-084	79.80
1-19/64	1.2969	8-5/8	14-1/4	4	106-085	86.70
1-5/16	1.3125	8-5/8	14-1/4	4	106-086	59.10
1-21/64	1.3281	8-3/4	14-3/8	4	106-087	90.80
1-11/32	1.3438	8-3/4	14-3/8	4	106-088	86.70
1-23/64	1.3594	8-7/8	14-1/2	4	106-089	92.00
1-3/8	1.3750	8-7/8	14-1/2	4	106-090	63.30
1-25/64	1.3906	9	14-5/8	4	106-091	95.20
1-13/32	1.4062	9	14-5/8	4	106-092	95.20
1-27/64	1.4219	9-1/8	14-3/4	4	106-093	97.60
1-7/16	1.4375	9-1/8	14-3/4	4	106-094	75.60
1-29/64	1.4531	9-1/4	14-7/8	4	106-095	103.10
1-15/32	1.4688	9-1/4	14-7/8	4	106-096	101.70
1-31/64	1.4844	9-3/8	15	4	106-097	105.80
1-1/2	1.5000	9-3/8	15	4	106-098	87.30
1-33/64	1.5156	9-3/8	16-3/8	5	106-099	129.60
1-17/32	1.5312	9-3/8	16-3/8	5	106-100	129.60
1-35/64	1.5469	9-5/8	16-5/8	5	106-101	136.20
1-9/16	1.5625	9-5/8	16-5/8	5	106-102	90.40

HSS TAPER SHANK DRILLS

Flute Dia.	Dec. Equiv.	Flute Length	Overall Length	Taper Shank	Code No. Import	List Price \$
1-37/64	1.5781	9-7/8	16-7/8	5	106-103	145.90
1-19/32	1.5938	9-7/8	16-7/8	5	106-104	144.80
1-39/64	1.6094	10	17	5	106-105	148.90
1-5/8	1.6250	10	17	5	106-106	90.40
1-41/64	1.6406	10-1/8	17-1/8	5	106-107	156.20
1-21/32	1.6562	10-1/8	17-1/8	5	106-108	155.10
1-43/64	1.6719	10-1/8	17-1/8	5	106-109	166.10
1-11/16	1.6875	10-1/8	17-1/8	5	106-110	166.10
1-45/64	1.7031	10-1/8	17-1/8	5	106-111	168.30
1-23/32	1.7188	10-1/8	17-1/8	5	106-112	165.00
1-47/64	1.7344	10-1/8	17-1/8	5	106-113	172.70
1-3/4	1.7500	10-1/8	17-1/8	5	106-114	107.80
1-25/32	1.7812	10-1/8	17-1/8	5	106-116	178.20
1-13/16	1.8125	10-1/8	17-1/8	5	106-118	183.70
1-27/32	1.8438	10-1/8	17-1/8	5	106-120	192.50
1-7/8	1.8750	10-3/8	17-3/8	5	106-122	123.20
1-29/32	1.9062	10-3/8	17-3/8	5	106-124	201.30
1-15/16	1.9375	10-3/8	17-3/8	5	106-126	205.70
1-31/32	1.9688	10-3/8	17-3/8	5	106-128	212.30
2	2.0000	10-3/8	17-3/8	5	106-130	167.20
2-1/32	2.0313	10-3/8	17-3/8	5	106-131	242.00
2-1/16	2.0625	10-1/4	17-3/8	5	106-132	244.20
2-3/32	2.0938	10-1/4	17-3/8	5	106-133	258.50
2-1/8	2.1250	10-1/4	17-3/8	5	106-134	258.50
2-5/32	2.1562	10-1/4	17-3/8	5	106-135	276.10
2-3/16	2.1875	10-1/4	17-3/8	5	106-136	280.50
2-7/32	2.2188	10-1/8	17-3/8	5	106-137	290.40
2-1/4	2.2500	10-1/8	17-3/8	5	106-138	206.80
2-5/16	2.3125	10-1/8	17-3/8	5	106-140	312.40
2-3/8	2.3750	10-1/8	17-3/8	5	106-142	324.50
2-7/16	2.4375	11-1/4	18-3/4	5	106-144	409.20
2-1/2	2.5000	11-1/4	18-3/4	5	106-146	424.60

**DEDUCT 40%
OFF LIST PRICES**

Unbelievable Prices

For a limited time only



MADE IN ITALY



TOOLING ANGLE HEADS



TA06P FIXED 90° RIGHT ANGLE HEADS

- Drill Size Cap. 6mm
- Tap Size Cap. M5
- R.P.M. - 8000
- Weight: 40 Taper 6kg



TA06P ER11		
Taper	Code No.	Price \$
CAT 40	384-002	10,197.00

TA10P FIXED 90° RIGHT ANGLE HEADS

- Drill Size Cap. 10mm
- Tap Size Cap. M8
- R.P.M. - 10,000
- Weight: 50 Taper 7.5kg



TA10P ER16		
Taper	Code No.	Price \$
CAT 50	384-022	7,072.00

CALL FOR YOUR COMPLETE CATALOGUE TODAY
Or visit www.sowatool.com



0-1" INDICATOR / CONTACT POINT SET COMBO

0-1 DIAL INDICATOR

- Reverse counter
- Stainless steel components
- Rotating bezel with clamp
- Lugback (1/4" hole)
- Interchangeable point
- Conforms to AGD 2 standards

\$21.75 NET

CODE NO. 500-157



SELECT-A-POINT KIT

The most useful accessory kit for all dial indicators - a complete set of 22 different points, increasing the versatility of your indicators.

- Fits all AGD 1, 2, 3, 4 drop style indicators, 4-48 threads

Travel Range (in)	Dial Reading (in)	Graduations (in)	Dial Colour	Code No.	Regular Price \$
1	0-50-100	.001	White	200-010	25.30

Description	Code No.	Regular Price \$
Select-a-Point Kit	200-820	8.20



INCREDIBLE COMBO!



0-6" x 150mm STM Digital Caliper
.0005" x 0.01 Code No. 200-645 Reg. list \$ 108.80

Sowa Premium Jobber Drill Set
135° Split point 29 pc set / folding metal case
Code No. 128-119 Reg list \$ 120.38



ORDER BY COMBO CODE NO. 500-008

\$115.00



Limited Supply




5C COLLET SET

Size

1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2
9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1
5C Collet Set 1/8-1" 325-310 REG. \$181.70

Sale Price \$108.60




R8 COLLET SET


Size

1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32
3/8, 13/32, 7/16, 15/32, 1/2, 9/16, 19/32, 5/8
21/32, 11/16, 23/32, 3/4
R8 Collet Set 1/8-3/4 325-300 REG. \$227.50

Sale Price \$136.50



28th Edition Machinery Handbook CD Rom



Code # 180-120
Sale Price \$141.60

Reg List \$236.20

Indicator Mag Base COMBO



200-010 0-1"
.001" 1" Travel Dial
Indicator Reg List \$25.30
+
225-705 Magnetic Base
Reg List \$32.90

Promo Code
500-131

Sale \$ 29.00

Pricing valid from October 1 to December 31 2008 or while quantities last



ISO9001:2000

TOOL & MACHINE CO. LTD.
500 Manitou Drive
Kitchener, Ontario
N2G 4B6

Western Canada Branch
9649-49th Ave
Edmonton, AB
T6E 5Z5

Toll Free: 1-800-265-8221
Phone: (519) 748-5750
Fax: (519) 748-9304
Email: sales@sowatool.com
web: www.sowatool.com



* C A D I S T * 6 *