

Step 1: Create a React App (if you don't have one)

Open your terminal and run:

```
npx create-react-app my-bootstrap-app
cd my-bootstrap-app
```

Step 2: Install Bootstrap

Use npm to install Bootstrap:

```
npm install bootstrap
```

Step 3: Import Bootstrap CSS

Open `src/index.js` and add this line at the top:

```
import 'bootstrap/dist/css/bootstrap.min.css';
```

This makes Bootstrap classes available throughout your app.

As shown below :-

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import './index.css';
import App from './App';
import reportWebVitals from './reportWebVitals';
import 'bootstrap/dist/css/bootstrap.min.css';

const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);

// If you want to start measuring performance in your app, pass a function
// to log results (for example: reportWebVitals(console.log))
// or send to an analytics endpoint. Learn more: https://bit.ly/CRA-vitals
reportWebVitals();
```

Step 4: Add a Bootstrap Button in a Component

Open `src/App.js` and replace the default code with:

```
import React from 'react';

function App() {
  return (
    <div className="container mt-5">
      <h1>My Bootstrap Button</h1>
      <button className="btn btn-success">Click Me</button>
    </div>
  );
}

export default App;
```

Explanation:

- `container mt-5` → Bootstrap classes for spacing.
 - `btn btn-success` → Bootstrap classes for a green button.
-


Step 5: Run the App

In your terminal:

```
npm start
```

Your browser will open `http://localhost:3000`, and you should see your green “Click Me” button styled by Bootstrap.

Output :-



My Bootstrap Button

Click Me