Bibliographie

A. Ahnesjö. Collapsed cone convolution of radiant energy for photon dose calculation in heterogeneous media. *Medical Physics*, 16(4) :577–92, 1989.

A. Ahnesjo, L. Weber, and P. Nilsson. Modeling transmission and scatter for photon beam attenuators. *Medical Physics*, 22(11 Pt 1) :1711–20, 1995.

J. O. Archambeau and R. M. Shymko. Tissue population configuration as a modifier of organ dose response. *International Journal of Radiation Oncology, Biology, Physics*, 15(3) :727–34, 1988.

M. Bardash, H. I. Amols, S. Kohn, M. K. Martel, C. S. Wuu, M. Sisti, and C. H. Chang. Rapid dose calculations for stereotactic radiosurgery. *Medical Physics*, 19(4) :965–70, 1992.

T. J. Bateman and E. K. Procter. Physical model for photon beams used on the general electric target radiotherapy treatment planning system. *Strahlentherapie und Onkologie*, 164(7) :415–8, 1988.

P. Bloch and R. Wallace. Computer generated scatter dose distributions for 6-MV radiotherapy photon beams. *Medical Physics*, 6(2) :149–52, 1979.

T. D. Bohm, P. M. Deluca, Jr., L. J. Cox, R. L. Maughan, D. T. Jones, and A. Lennox. Monte carlo calculations to characterize the source for neutron therapy facilities. *Medical Physics*, 26(5) :783–92, 1999.

T. Bortfeld. Optimized planning using physical objectives and constraints. [review] [63 refs]. *Seminars in Radiation Oncology*, 9(1) :20–34, 1999.

R. M. Cardinale, S. H. Benedict, Q. Wu, R. D. Zwicker, H. E. Gaballa, and R. Mohan. A comparison of three stereotactic radiotherapy techniques ; arcs vs. noncoplanar fixed fields vs. intensity modulation. *International Journal of Radiation Oncology, Biology, Physics*, 42(2) :431–6, 1998.

M. J. Day and E. G. Aird. The equivalent field method for dose determinations in rectangular fields. [review] [64 refs]. *British Journal of Radiology*, Suppl 25 : 138–51, 1996.

S. Dische, M. I. Saunders, C. Williams, A. Hopkins, and E. Aird. Precision in reporting the dose given in a course of radiotherapy [see comments]. *Radiotherapy & Oncology*, 29(3) :287–93, 1993.

L. Dong, A. Shiu, S. Tung, and K. Hogstrom. A pencil-beam photon dose algorithm for stereotactic radiosurgery using a miniature multileaf collimator. *Medical Physics*, 25(6) :841–50, 1998.

J. S. Elsberry. A technique for scatter dose calculation. *Radiologic Technology*, 51(1) :51–63, 1979.

J. C. Flickinger, B. E. Pollock, D. Kondziolka, and L. D. Lunsford. A dose-response analysis of arteriovenous malformation obliteration after radiosurgery [see comments]. *International Journal of Radiation Oncology, Biology, Physics*, 36(4) :873–9, Nov 1996.

M. Goitein, M. Abrams, D. Rowell, H. Pollari, and J. Wiles. Multi-dimensional treatment planning : Ii. beam's eye-view, back projection, and projection through CT sections. *International Journal of Radiation Oncology, Biology, Physics*, 9(6) :789–97, 1983.

P. Grandjean, K. Platoni, D. Lefkopoulos, L. Merienne, and M. Schlienger. Use of a general inverse technique for the conformational stereotactic treatment of complex intracranial lesions. *International Journal of Radiation Oncology, Biology, Physics*, 41(1) :69–76, 1998.

R. J. Hamilton, F. T. Kuchnir, P. Sweeney, S. J. Rubin, M. Dujovny, C. A. Pelizzari, and G. T. Chen. Comparison of static conformal field with multiple noncoplanar arc techniques for stereotactic radiosurgery or stereotactic radiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 33(5) : 1221–8, 1995.

M. P. Heilbrun, T. S. Roberts, M. L. Apuzzo, T. H. Wells, Jr., and J. K. Sabshin. Preliminary experience with brown-roberts-wells (brw) computerized tomography stereotaxic guidance system. *Journal of Neurosurgery*, 59(2) :217–22, 1983.

M. Hempel and W. Hinkelbein. Eye sequelae following external irradiation. [review] [27 refs]. *Recent Results in Cancer Research*, 130 :231–6, 1993.

ICRU-Report. *Determination of Absorbed Dose in a Patient Irradiated by Beams of X or Gamma Rays in Radiotherapy Procedures*, volume 24 of *ICRU Report*. International Commission on Radiation Units and Measurements, Maryland, USA, 1976.

ICRU-Report. *Stopping Powers for Electrons and Positrons*, volume 37 of *ICRU Report*. International Commission on Radiation Units and Measurements, Washington, DC, USA, 1984.

ICRU-Report. *Prescribing, Recording, and Reporting Photon Beam Therapy*, volume 50 of *ICRU Report*. International Commission on Radiation Units and Measurements, Maryland, USA, 1993.

ICRU-Report. *Prescribing, Recording, and Reporting Photon Beam Therapy (Supplement to ICRU Report 50)*, volume 62 of *ICRU Report*. International Commission on Radiation Units and Measurements, Maryland, USA, 1999.

L. Ingber. Simulated annealing : Practice versus theory. *J. Mathl Comput. Modelling*, 18(11) :29–57, 1993.

L. Ingber and B. Rosen. Genetic algorithms and very fast simulated reannealing : a comparison. *Mathematical and Computer Modelling*, 16(11) :87–100, 1992.

L. Ingmar and B. Karlsson. Prediction of complications in gamma knife radiosurgery of arteriovenous malformations. *Acta Oncologica*, 35(1) :49–55, 1996.

B. Karlsson. Gamma knife surgery of cerebral arteriovenous malformations. Isbn 91-628-2112-1, Kongl. Carolinska Medico Chirurgiska Institutet, Stockholm, 1996.

B. Karlsson, I. Lax, and M. Soderman. Factors influencing the risk for complications following gamma knife radiosurgery of cerebral arteriovenous malformations. *Radiotherapy & Oncology*, 43(3) :275–80, 1997a.

B. Karlsson, C. Lindquist, A. Johansson, and L. Steiner. Annual risk for the first hemorrhage from untreated cerebral arteriovenous malformations. *Minimally Invasive Neurosurgery*, 40(2) :40–6, 1997b.

B. Karlsson, C. Lindquist, and L. Steiner. Prediction of obliteration after gamma knife surgery for cerebral arteriovenous malformations. *Neurosurgery*, 40(3) : 425–30 ; discussion 430–1, 1997c.

P. Källman, A. Agren, and A. Brahme. Tumour and normal tissue responses to fractionated non-uniform dose delivery. [review] [36 refs]. *International Journal of Radiation Biology*, 62(2) :249–62, 1992.

C. F. Lam and J. G. Zhu. An efficient method for small field treatment dose calculation for stereotactic radiosurgery using a linac. *Medical Physics*, 25(5) : 676–82, 1998.

B. Larsson, L. Leksell, B. Rexed, P. Sourander, W. Mair, and B. Andersson. The high-energy proton beam as a neurosurgical tool. *Nature*, 1222-3, 1958.

C. L. Lawson and R. J. Hanson. *Solving Least Squares Problems*, chapter 23, 158–173. Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1974.

L. Leksell. The stereotaxic method and radiosurgery of the brain. *Acta Chirurgica Scandinavica*, 102 :316–9, 1951.

L. Leksell. Cerebral radiosurgery. i. gammathalanotomy in two cases of intractable pain. *Acta Chirurgica Scandinavica*, 134(8) :585–95, 1968.

L. Leksell, T. Herner, and Lidén K. Stereotactic radiosurgery of the brain. report of a case. *Fysiologiska Sällsk Lund Förth*, 25 :141, 1955.

L. Leksell, C. Lindquist, Jr. Adler, D. Leksell, B. Jernberg, and L. Steiner. A new fixation device for the leksell stereotaxic system. technical note. *Journal of Neurosurgery*, 66(4) :626–9, 1987.

D. C. Murray, P. W. Hoban, P. E. Metcalfe, and W. H. Round. 3-d superposition for radiotherapy treatment planning using fast fourier transforms. *Australasian Physical & Engineering Sciences in Medicine*, 12(3) :128–37, 1989.

S. G. Nash and A. Sofer. *Linear and Nonlinear Programming*, chapter 12, 396–400. The McGraw-Hill Companies, Inc., 1996.

A. Niemierko and M. Goitein. Random sampling for evaluating treatment plans. *Medical Physics*, 17(5) :753–62, 1990.

A. Niemierko and M. Goitein. Calculation of normal tissue complication probability and dose-volume histogram reduction schemes for tissues with a critical element architecture. *Radiotherapy & Oncology*, 20(3) :166–76, 1991.

B. Pike, E. B. Podgorsak, T. M. Peters, and C. Pla. Dose distributions in dynamic stereotactic radiosurgery. *Medical Physics*, 14(5) :780–9, 1987.

E. B. Podgorsak, G. B. Pike, A. Olivier, M. Pla, and L. Souhami. Radiosurgery with high energy photon beams : a comparison among techniques. [review] [22 refs]. *International Journal of Radiation Oncology, Biology, Physics*, 16(3) : 857–65, 1989.

W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery. *Numerical Recipes in C*, chapter 2, 59–70. Cambridge University Press, 1992a.

W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery. *Numerical Recipes in C*, chapter 10, 420–425. Cambridge University Press, 1992b.

A. T. Redpath. A beam model for three-dimensional radiotherapy planning. *British Journal of Radiology*, 68(816) :1356–63, 1995.

T. E. Schultheiss, C. G. Orton, and R. A. Peck. Models in radiotherapy : volume effects. *Medical Physics*, 10(4) :410–5, 1983.

R. L. Siddon, J. K. Dewyngaert, and B. E. Bjarngard. Scatter integration with right triangular fields. *Medical Physics*, 12(2) :229–31, 1985.

J. Stoer. On the numerical solution of constrained least-squares problems. *SIAM J. Numer. Anal.*, 8(2) :382–411, 1971.

P. Storchi and E. Woudstra. Calculation of the absorbed dose distribution due to irregularly shaped photon beams using pencil beam kernels derived form basic beam data. *Physics in Medicine & Biology*, 41(4) :637–56, 1996.

V. Sturm, O. Pastyr, W. Schlegel, H. Scharfenberg, H. J. Zabel, G. Netzeband, S. Schabbert, and W. Berberich. Stereotactic computer tomography with a modified riechert-mundinger device as the basis for integrated stereotactic neuroradiological investigations. *Acta Neurochirurgica*, 68(1-2) :11–7, 1983.

P. A. Tercier, P. Coucke, H. Fankhauser, R. O. Mirimanoff, A. Uske, and J. F. Valley. Transfer of information between angiographic films and CT images : a technique to control the drawing of target volumes. *Radiotherapy & Oncology*, 45(3) :263–9, 1997.

E. Touboul, A. Al Halabi, L. Buffat, L. Merienne, J. Huart, M. Schlienger, D. Lefkopoulos, H. Mammar, O. Missir, J. F. Meder, A. Laurent, and M. Housset.

Single-fraction stereotactic radiotherapy : a dose-response analysis of arteriovenous malformation obliteration. *International Journal of Radiation Oncology, Biology, Physics*, 41(4) :855–61, 1998.

K. Weaver, C. H. Siantar, W. Chandler, and R. M. White. A source model for efficient brachytherapy computations with monte carlo. *Medical Physics*, 23(12) :2079–84, 1996.

L. Weber, A. Ahnesjo, P. Nilsson, M. Saxner, and T. Knoos. Verification and implementation of dynamic wedge calculations in a treatment planning system based on a dose-to-energy-fluence formalism. *Medical Physics*, 23(3) :307–16, 1996.

H. R. Withers, J. M. Taylor, and B. Maciejewski. Treatment volume and tissue tolerance. *International Journal of Radiation Oncology, Biology, Physics*, 14(4) :751–9, 1988.

P. Xia, P. Geis, L. Xing, C. Ma, D. Findley, K. Forster, and A. Boyer. Physical characteristics of a miniature multileaf collimator. *Medical Physics*, 26(1) : 65–70, 1999.

E. D. Yorke, G. J. Kutcher, A. Jackson, and C. C. Ling. Probability of radiation-induced complications in normal tissues with parallel architecture under conditions of uniform whole or partial organ irradiation. *Radiotherapy & Oncology*, 26(3) :226–37, 1993.