


STYLE 870 HOMOGENEOUS U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

Style 870 u-seals are precision molded from Buna-N synthetic rubber. Style 870 u-seal dash numbers conform in size to Army-Navy specification AN6226.



PART NUMBERS

870 - 01
 Type of Seal A-N Dash Number

SEAL INFORMATION

MATERIAL	70 A BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	0 TO 500 PSI

Part Number	I.D.	O.D.	H.	List Price
870-006	1/8	1/4	1/16	\$.64
870-01	1/8	1/2	3/16	1.03
870-02	3/16	9/16	3/16	1.03
870-03	1/4	5/8	3/16	1.08
870-04	5/16	11/16	3/16	1.08
870-05	3/8	3/4	3/16	1.08
870-06	7/16	13/16	3/16	1.18
870-07	1/2	7/8	3/16	1.24
870-08	1/4	3/4	1/4	1.31
870-09	5/16	13/16	1/4	1.31
870-10	3/8	7/8	1/4	1.31
870-11	7/16	15/16	1/4	1.31
870-12	1/2	1	1/4	1.41
870-13	9/16	1-1/16	1/4	1.41
870-14	5/8	1-1/8	1/4	1.41
870-14V	5/8	1-1/8	1/4	14.72
870-15	11/16	1-3/16	1/4	1.41
870-16	3/4	1-1/4	1/4	1.50
870-17	13/16	1-5/16	1/4	1.50
870-18	7/8	1-3/8	1/4	1.50
870-19	15/16	1-7/16	1/4	1.50
870-20	1	1-1/2	1/4	1.56
870-21	1-1/16	1-9/16	1/4	1.60
870-22	1-1/8	1-5/8	1/4	1.60
870-23	1-3/16	1-11/16	1/4	1.60
870-24	1-1/4	1-3/4	1/4	1.60
870-25	1-1/4	1-7/8	5/16	1.73
870-26	1-3/8	2	5/16	1.84
870-27	1-1/2	2-1/8	5/16	1.90
870-28	1-5/8	2-1/4	5/16	1.92
870-29	1-3/4	2-3/8	5/16	1.95
870-30	1-7/8	2-1/2	5/16	2.01
870-31	2	2-5/8	5/16	2.08
870-32	2-1/8	2-3/4	5/16	2.16
870-33	2-1/4	2-7/8	5/16	2.21
870-34	2-3/8	3	5/16	2.34
870-35	2-1/2	3-1/8	5/16	2.47
870-36	2-1/2	3-1/4	3/8	2.55
870-37	2-5/8	3-3/8	3/8	2.67
870-38	2-3/4	3-1/2	3/8	2.71

Part Number	I.D.	O.D.	H.	List Price
870-39	2-7/8	3-5/8	3/8	\$ 2.78
870-40	3	3-3/4	3/8	2.85
870-41	1/8	3/8	1/8	1.03
870-42	3/16	7/16	1/8	1.03
870-43	1/4	1/2	1/8	1.03
870-44	5/16	9/16	1/8	1.03
870-45	3/8	5/8	1/8	1.08
870-46	7/16	11/16	1/8	1.14
870-47	1/2	3/4	1/8	1.14
870-48	5/8	1	3/16	1.41
870-49	3/4	1-1/8	3/16	1.41
870-50	7/8	1-1/4	3/16	1.50
870-51	1	1-3/8	3/16	1.50
870-52	1-1/8	1-1/2	3/16	1.52
870-53	1-1/4	1-5/8	3/16	1.52
870-60	3-1/4	4	3/8	4.04
870-65	4-1/4	5	3/8	6.65
870-80	7	8	1/2	27.13
870-90	11	12	1/2	40.00
870-95	13	14	1/2	66.28
870-134	2-1/2	3	1/4	2.27
870-9 X 10	9	10	1/2	60.93

SPECIAL SIZES


870-1-3/4 X 2-1/8	1-3/4	2-1/8	3/16	4.95
870-2 X 2-3/8	2	2-3/8	3/16	4.07
870-2.62 X 3.12	2-5/8	3-1/8	1/4	4.78
870-3.12 X 3.62	3-1/8	3-5/8	1/4	5.18
870-3.62 X 4.12	3-5/8	4-1/8	1/4	5.90
870-4.12 X 4.62	4-1/8	4-5/8	1/4	7.34
870-5.12 X 6	5-1/8	6	7/16	19.54
870-5.2 X 6	5-1/4	6	3/8	15.03
870-5.2 X 6 X .50	5-1/4	6	1/2	15.03
870-6 X 7 X .50	6	7	1/2	16.36
870-6.12 X 7	6-1/8	7	7/16	28.96
870-6.2 X 7 X .50	6-1/4	7	1/2	16.08

870 TRI-KIT150.00
 Refer to assortment kits on page 246 for additional information on this product.

STYLE HRU HOMOGENEOUS U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

Style HRU u-seals are precision molded from 80 Durometer Buna-N rubber. Sizes include those found in Army-Navy spec. AN6226 and narrow cross-section sizes found in J.I.C. cylinders and the popularly termed "Huva Cup".



EP = Ethylene Propylene
V = Fluorocarbon
VL = Fluorocarbon and o-ring loaded

PART NUMBERS

HRU 09 - 0.12 - 09
Type of Seal Cross Section Inside Diameter Height

SEAL INFORMATION

MATERIAL	80 A BUNA-N RUBBER 90 A FLUOROCARBON
TEMPERATURE RANGE	BUNA-N: -40° TO +250° F FC: -20° TO +400° F
PRESSURE RANGE	0 TO 1,000 PSI

Part Number I.D. O.D. H. List Price
3/32" C/S

HRU09-0.12-09	1/8	5/16	3/32	\$ 1.40
HRU09-0.18-09	3/16	3/8	3/32	1.40
HRU09-0.25-09	1/4	7/16	3/32	1.40
HRU09-0.25-09V	1/4	7/16	3/32	12.79
HRU09-0.31-09	5/16	1/2	3/32	1.40

HRU09-0.43-09	7/16	5/8	3/32	1.40
HRU09-0.43-09EP	7/16	5/8	3/32	2.92
HRU09-0.50-09	1/2	11/16	3/32	1.40
HRU09-0.56-09	9/16	3/4	3/32	1.40
HRU09-0.62-09	5/8	13/16	3/32	1.40

1/8" C/S

HRU12-0.18-12	3/16	7/16	1/8	1.40
HRU12-0.25-12	1/4	1/2	1/8	1.40
HRU12-0.37-12	3/8	5/8	1/8	1.40
HRU12-0.43-12	7/16	11/16	1/8	1.40
HRU12-0.50-12	1/2	3/4	1/8	1.40

HRU12-0.50-12V	1/2	3/4	1/8	5.16
HRU12-0.56-12	9/16	13/16	1/8	1.40
HRU12-0.62-12	5/8	7/8	1/8	1.40
HRU12-0.62-12V	5/8	7/8	1/8	6.33
HRU12-0.62-12VL	5/8	7/8	1/8	15.82

HRU12-0.68-12	11/16	15/16	1/8	1.40
HRU12-0.75-12	3/4	1	1/8	1.40
HRU12-0.75-12V	3/4	1	1/8	8.72
HRU12-0.81-12	13/16	1-1/16	1/8	1.50
HRU12-0.87-12	7/8	1-1/8	1/8	1.50

HRU12-0.87-12V	7/8	1-1/8	1/8	9.06
HRU12-1.00-12	1	1-1/4	1/8	1.50
HRU12-1.00-12V	1	1-1/4	1/8	9.50
HRU12-1.00-12VL	1	1-1/4	1/8	16.64
HRU12-1.12-12	1-1/8	1-3/8	1/8	1.55

HRU12-1.25-12	1-1/4	1-1/2	1/8	1.76
HRU12-1.37-12	1-3/8	1-5/8	1/8	1.55
HRU12-1.50-12	1-1/2	1-3/4	1/8	1.55
HRU12-1.75-12	1-3/4	2	1/8	1.55
HRU12-2.00-12	2	2-1/4	1/8	1.55

5/32" C/S

HRU15-0.50-15	1/2	13/16	5/32	1.55
---------------	-----	-------	------	------

Part Number I.D. O.D. H. List Price
5/32" C/S

HRU15-0.68-15	11/16	1	5/32	\$ 1.61
HRU15-0.75-15	3/4	1-1/16	5/32	1.61
HRU15-0.93-15	15/16	1-1/4	5/32	1.61
HRU15-1.00-15	1	1-5/16	5/32	1.65
HRU15-1.00-15V	1	1-5/16	5/32	10.66

HRU15-1.06-15	1-1/16	1-3/8	5/32	1.67
HRU15-1.18-15	1-3/16	1-1/2	5/32	1.73
HRU15-1.18-15V	1-3/16	1-1/2	5/32	11.20
HRU15-1.25-15	1-1/4	1-9/16	5/32	1.84
HRU15-1.37-15	1-3/8	1-11/16	5/32	1.95

HRU15-1.37-15V	1-3/8	1-11/16	5/32	12.25
HRU15-1.43-15	1-7/16	1-3/4	5/32	1.95
HRU15-1.50-15	1-1/2	1-13/16	5/32	2.00

3/16" C/S

HRU18-0.25-18	1/4	5/8	3/16	1.48
HRU18-0.62-18	5/8	1	3/16	1.59
HRU18-0.75-18	3/4	1-1/8	3/16	1.59
HRU18-1.00-18	1	1-3/8	3/16	1.68
HRU18-1.25-18	1-1/4	1-5/8	3/16	1.68

HRU18-1.37-18	1-3/8	1-3/4	3/16	1.85
HRU18-1.37-18V	1-3/8	1-3/4	3/16	16.64
HRU18-1.50-18	1-1/2	1-7/8	3/16	1.85
HRU18-1.62-18	1-5/8	2	3/16	1.95
HRU18-1.62-18V	1-5/8	2	3/16	13.10

HRU18-1.62-18VL	1-5/8	2	3/16	22.53
HRU18-1.75-18	1-3/4	2-1/8	3/16	1.95
HRU18-1.75-18V	1-3/4	2-1/8	3/16	13.65
HRU18-1.87-18	1-7/8	2-1/4	3/16	1.95
HRU18-2.00-18	2	2-3/8	3/16	2.11

HRU18-2.00-18V	2	2-3/8	3/16	14.00
HRU18-2.12-18	2-1/8	2-1/2	3/16	2.11
HRU18-2.12-18V	2-1/8	2-1/2	3/16	14.00
HRU18-2.37-18	2-3/8	2-3/4	3/16	2.11
HRU18-2.50-18	2-1/2	2-7/8	3/16	2.97

HRU18-2.62-18	2-5/8	3	3/16	2.63
HRU18-2.87-18	2-7/8	3-1/4	3/16	2.78
HRU18-3.00-18	3	3-3/8	3/18	1.75
HRU18-3.25-18	3-1/4	3-5/8	3/16	4.84
HRU18-3.37-18	3-3/8	3-3/4	3/16	4.92

STYLE HRU HOMOGENEOUS U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

Part Number I.D. O.D. H. List Price

7/32" C/S

HRU21-2.50-21	2-1/2	2-15/16	7/32	\$ 2.90
HRU21-2.50-21V	2-1/2	2-15/16	7/32	15.40
HRU21-2.56-21	2-9/16	3	7/32	3.05
HRU21-2.75-21	2-3/4	3-3/16	7/32	3.36
HRU21-2.81-21	2-13/16	3-1/4	7/32	3.52

HRU21-2.81-21V	2-13/16	3-1/4	7/32	16.00
HRU21-3.00-21	3	3-7/16	7/32	4.31
HRU21-3.00-21V	3	3-7/16	7/32	17.22
HRU21-3.06-21	3-1/16	3-1/2	7/32	4.92
HRU21-3.31-21	3-5/16	3-3/4	7/32	5.42

1/4" C/S

HRU25-0.93-25	15/16	1-7/16	1/4	2.00
HRU25-1.37-25	1-3/8	1-7/8	1/4	2.91
HRU25-1.75-25	1-3/4	2-1/4	1/4	3.05
HRU25-2.00-25	2	2-1/2	1/4	3.36
HRU25-2.50-25	2-1/2	3	1/4	3.53

HRU25-2.75-25	2-3/4	3-1/4	1/4	3.72
HRU25-3.50-25	3-1/2	4	1/4	3.68
HRU25-3.50-25V	3-1/2	4	1/4	17.56
HRU25-3.75-25	3-3/4	4-1/4	1/4	3.86
HRU25-4.00-25	4	4-1/2	1/4	3.99

HRU25-4.00-25V	4	4-1/2	1/4	22.00
HRU25-4.00-25-90D	4	4-1/2	1/4	3.99
HRU25-4.50-25	4-1/2	5	1/4	4.39
HRU25-4.50-25V	4-1/2	5	1/4	24.78
HRU25-4.75-25	4-3/4	5-1/4	1/4	7.82

HRU25-5.50-25	5-1/2	6	1/4	8.40
HRU25-5.50-37	5-1/2	6	3/8	8.40

9/32" C/S

HRU28-4.43-28	4-7/16	5	9/32	7.93
HRU28-4.43-28V	4-7/16	5	9/32	25.66
HRU28-4.56-28	4-9/16	5-1/8	9/32	18.56
HRU28-5.00-28	5	5-9/16	9/32	15.38
HRU28-5.00-28V	5	5-9/16	9/32	28.44

Part Number I.D. O.D. H. List Price

9/32" C/S

HRU28-5.43-28	5-7/16	6	9/32	\$ 9.10
HRU28-5.43-28V	5-7/16	6	9/32	31.16
HRU28-6.43-28	6-7/16	7	9/32	6.14
HRU28-6.43-28V	6-7/16	7	9/32	36.65

5/16" C/S

HRU31-2.87-31	2-7/8	3-1/2	5/16	6.02
HRU31-4.37-31	4-3/8	5	5/16	5.51
HRU31-5.37-31	5-3/8	6	5/16	8.25
HRU31-5.37-31V	5-3/8	6	5/16	35.78
HRU31-5.50-31	5-1/2	6-1/8	5/16	10.85

HRU31-5.50-31V	5-1/2	6-1/8	5/16	47.00
HRU31-6.37-31	6-3/8	7	5/16	13.08
HRU31-6.37-31V	6-3/8	7	5/16	49.58
HRU31-7.37-31	7-3/8	8	5/16	16.17
HRU31-7.37-31V	7-3/8	8	5/16	76.00

11/32" C/S

HRU34-9.31-34	9-5/16	10	11/32	22.18
HRU34-9.31-34V	9-5/16	10	11/32	96.48

3/8" C/S

HRU37-2.50-37	2-1/2	3-1/4	3/8	3.97
HRU37-2.75-37	2-3/4	3-1/2	3/8	4.16
HRU37-9.25-37	9-1/4	10	3/8	22.58
HRU37-11.25-37	11-1/4	12	3/8	38.35

13/32" C/S

HRU40-13.18-40	13-3/16	14	13/32	28.64
----------------	---------	----	-------	-------


1/2" C/S

HRU50-9.00-50	9	10	1/2	37.00
HRU50-11.00-50	11	12	1/2	48.35
HRU50-11.00-50V	11	12	1/2	79.83

STYLE HSU HOMOGENEOUS U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

Style HSU u-seals are precision molded from 90 Durometer Buna-N rubber or 90 A Fluorocarbon (suffix "V") — 90 Duro Rubber for abrasion resistance and Fluorocarbon for heat resistance. These seals are commonly found in industrial cylinders, as piston, rod and cushion seals.



SEAL INFORMATION

MATERIAL	90 A BUNA-N RUBBER 90A FLUOROCARBON
TEMPERATURE RANGE	BUNA-N = -40° TO +250° F FC = -20° TO +400° F
PRESSURE RANGE	0 TO 1,250 PSI W/O BACK-UP 0 TO 2,200 PSI W/BACK-UP

Part Number I.D. O.D. H. List Price

1/8" C/S

HSU12-0.75-12-90D3/411/8\$ 1.40
HSU12-0.75-12-90DV3/411/89.00

5/32" C/S

HSU15-1.18-15-90D1-3/161-1/25/321.73
HSU15-1.18-15-90DV1-3/161-1/25/3210.62
HSU15-1.25-15-90D1-1/41 9/165/321.84
HSU15-1.25-15-90DV1-1/41 9/165/3215.00

3/16" C/S

HSU18-1.62-18-90D1-5/823/161.95
HSU18-1.62-18-90DV1-5/823/1627.33
HSU18-2.12-18-90D2-1/82-1/23/162.11
HSU18-2.12-18-90DV2-1/82-1/23/1629.05

7/32" C/S

HSU21-2.81-21-90D2-13/163-1/47/323.52
HSU21-2.81-21-90DV2-13/163-1/47/3228.14

1/4" C/S

HSU25-3.50-25-90D3-1/241/43.68
HSU25-3.50-25-90DV3-1/241/437.44
HSU25-4.50-25-90D4-1/251/44.39
HSU25-4.50-25-90DV4-1/251/424.78

.280" C/S

HSU28-4.43-28-90D4-7/1659/327.93
HSU28-4.43-28-90DV4-7/1659/3238.12
HSU28-5.43-28-90D5-7/1669/329.10
HSU28-5.43-28-90DV5-7/1669/3231.17
HSU28-6.43-28-90D6-7/1679/329.14
HSU28-6.43-28-90DV6-7/1679/3256.00

Part Number I.D. O.D. H. List Price

5/16" C/S

HSU31-5.37-31-90D5-3/865/16\$ 8.25
HSU31-5.37-31-90DV5-3/865/1640.09
HSU31-6.37-31-90D6-3/875/1613.08
HSU31-6.37-31-90DV6-3/875/1649.58
HSU31-7.37-31-90D7-3/885/1616.17

HSU31-7.37-31-90DV7-3/885/1679.34

11/32" C/S

HSU34-9.31-34-90D9-5/161011/3222.18
HSU34-9.31-34-90DV9-5/161011/3296.48

3/8" C/S

HSU37-11.25-37-90D11-1/4123/838.35
HSU37-11.25-37-90DV11-1/4123/8115.37

13/32" C/S

HSU40-13.18-40-90D13-3/161413/3220.64
HSU40-13.18-40-90DV13-3/161413/32156.33


1/2" C/S

HSU50-11.00-50-90D11121/248.35
HSU50-11.00-50-90DV11121/2156.33
HSU50-13.00-50-90D13141/250.00
HSU50-13.00-50-90DV13141/2197.76

STYLE HMU POLYURETHANE U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

The HMU style multi-lip rod u-seal combines the pressure-compensating, uni-directional characteristics of a u-seal with the multi-lip sealing effectiveness of compression-type stacked-packings. Made from premium materials, the HMU utilizes several sealing lip edges for dry rod performance while minimizing friction. The multi-lip design maintains a critical sealing edge even though increasing pressure moves the line of contact down towards the heel.



SEAL INFORMATION	
MATERIAL	92 A URETHANE
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	0 TO 5,000 PSI


Part Number	I.D.	O.D.	H.	List Price
1/8" C/S				
HMU12-0.50-21U	1/2	3/4	7/32	\$ 9.00
HMU12-0.62-21U	5/8	7/8	7/32	9.27
5/32" C/S				
HMU15-1.00-21U	1	1-5/16	7/32	11.34
HMU15-1.37-24U	1-3/8	1.68	0.24	13.39
3/16" C/S				
HMU18-1.75-27U	1-3/4	2-1/8	0.27	15.94
HMU18-2.00-27U	2	2-3/8	0.27	18.49

Part Number	I.D.	O.D.	H.	List Price
7/32" C/S				
HMU21-2.50-30U	2-1/2	2.93	0.30	19.51
HMU21-3.00-30U	3	3-7/16	0.30	20.53
1/4" C/S				
HMU25-3.50-33U	3-1/2	4	0.33	\$ 24.41
HMU25-4.00-33U	4	4-1/2	0.33	27.29
HMU25-4.50-33U	4-1/2	5	0.33	30.19
9/23" C/S				
HMU28-5.00-35U	5	5.62	0.355	33.09
5/16" C/S				
HMU31-5.50-38U	5-1/2	6.12	0.38	36.66

STYLE HMU HOMOGENEOUS U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

The HMU style multi-lip rod u-seal combines the pressure-compensating, uni-directional characteristics of a u-seal with the multi-lip sealing effectiveness of compression-type stacked-packings. Made from premium materials, the HMU utilizes several sealing lip edges for dry rod performance while minimizing friction. The multi-lip design maintains a critical sealing edge even though increasing pressure moves the line of contact down towards the heel.



SEAL INFORMATION

MATERIAL	80 A BUNA-N RUBBER 90 A FLUOROCARBON
TEMPERATURE RANGE	BUNA-N: -40° TO +250° F FC: -20° TO +400° F
PRESSURE RANGE	BUNA-N 0 - 1,000 PSI FLUORO. 0 - 2,200 PSI

Part Number I.D. O.D. H. List Price

1/8" C/S

HMU12-0.62-15N5/87/85/32\$ 4.88
HMU12-0.62-15V5/87/85/3217.60

5/32" C/S

HMU15-1.00-18N11-5/163/164.66
HMU15-1.00-18V11-5/163/168.95
HMU15-1.37-18N1-3/81.683/166.23
HMU15-1.37-18V1-3/81.683/1618.51

Part Number I.D. O.D. H. List Price

3/16" C/S


HMU18-1.75-21N1-3/42-1/87/32\$ 6.86
HMU18-1.75-21V1-3/42-1/87/3223.32
HMU18-2.00-21N22-3/87/328.25
HMU18-2.00-21V22-3/87/3226.65

7/32" C/S

HMU21-2.50-24N2-1/22.93249.30
HMU21-2.50-24V2-1/22.932431.35
HMU21-3.00-24N33-7/162411.16
HMU21-3.00-24V33-7/162437.61

STYLE 872 NEO-FAB U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!
Constructed of rubberized cotton fabric, these seals provide an excellent low friction replacement for leather u-seals. "F" suffix provides a filler ring.



PART NUMBERS
UF 25 - 2.00 - 37
Type of Seal Cross Section Inside Diameter Height

SEAL INFORMATION	
MATERIAL	COTTON FABRIC AND RUBBER
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	0 TO 5,000 PSI

Part Number	I.D.	O.D.	H.	List Price
1/4" C/S				
UF25-2.00-37	2	2-1/2	3/8	\$ 5.35
UF25-2.50-37	2-1/2	3	3/8	5.35
UF25-3.00-37	3	3-1/2	3/8	6.50
3/8" C/S				
UF37-1.75-37	1-3/4	2-1/2	3/8	5.79
UF37-2.25-37	2-1/4	3	3/8	6.56
UF37-2.25-50	2-1/4	3	1/2	8.06
UF37-2.50-37	2-1/2	3-1/4	3/8	8.53
UF37-2.75-37	2-3/4	3-1/2	3/8	10.00
UF37-3.00-37	3	3-3/4	3/8	8.59
UF37-3.25-37	3-1/4	4	3/8	8.90
UF37-3.25-50	3-1/4	4	1/2	9.37
UF37-3.75-50	3-3/4	4-1/2	1/2	10.19
UF37-4.25-50	4-1/4	5	1/2	11.45
UF37-5.25-50	5-1/4	6	1/2	14.42
UF37-6.25-50	6-1/4	7	1/2	14.89
UF37-7.25-50	7-1/4	8	1/2	30.40

Part Number	I.D.	O.D.	H.	List Price
7/16" C/S				
UF43-4.12-43	4-1/8	5	7/16	\$ 19.50
1/2" C/S				
UF50-3.00-50	3	4	1/2	20.08
UF50-4.00-50	4	5	1/2	20.52
UF50-4.00-50F	4	5	1/2	22.66
UF50-4.00-75F	4	5	3/4	24.54
UF50-5.00-50	5	6	1/2	29.00
UF50-5.00-75	5	6	3/4	29.00
UF50-5.00-75F	5	6	3/4	29.58
UF50-6.00-75F	6	7	3/4	49.94
UF50-9.00-62	9	10	5/8	54.24
UF50-11.00-75	11	12	3/4	59.23