

1 2 3 4 5 6 7 8

A

**Produce Capabilities : U-Yoke / Pot Yoke**

- A. (Diameter of U-Yoke) : 30mm up to 100mm .
- B. (In-side - Diameter of U-Yoke) : 12mm up to 90mm .
- C. (High of U-Yoke) : 5mm up to 70mm .
- D. (Thickness of Piece) : 2mm up to 30mm .
- E. (Depth of U-Yoke) : According to customer design.

B

**Finished :**

- Entire surface shot blasting
- CNC machining

C

**Material :**

- Low carbon Steel / SWRCH6A

D



**E-Plating :**

- Galvanizing
- Barrel Zinc Plating
- Hanging Zinc Plating
- Cationic Electro-Deposition Coating (CED)
- Trivalent/Cr3+ Color :Golden/Yellow, Sliver/White, Black ( CED)



E

**Environmental Standard:**

RoHS  
 SONY SS-00259 Standard  
 JVC green procurement standard



F

						Finished	Material	Item Name U-YOKE	Rev. 1.0
				Drg. Standard ISO-1302	Scale None	Diametion Millimeter	Date Jun. 2009	Drawing No. <b>AXXXXX</b>	Sheet 1/4
				Drawing by M. S. Ni	Check by G. M. Lee	Approved C. C. Lee	<b>Million Interwork Sdn. Bhd.</b>		A3
Rev. No.	Revision Note	Date	Signature						

1 2 3 4 5 6 7 8

A

B

C

D

E

F

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

A

**Produce Capabilities : U-Yoke / Pot Yoke**

- A. (Diameter of U-Yoke) : 30mm up to 100mm .
- B. (In-side - Diameter of U-Yoke) : 12mm up to 90mm .
- C. (High of U-Yoke) : 5mm up to 70mm .
- D. (Thickness of Piece) : 2mm up to 30mm .
- E. (Depth of U-Yoke) : According to customer design.

B

**Finished :**

- Entire surface shot blasting
- CNC machining

C

**Material :**

- Low carbon Steel / SWRCH6A

D



**E-Plating :**

- Galvanizing
- Barrel Zinc Plating
- Hanging Zinc Plating
- Cationic Electro-Deposition Coating (CED)
- Trivalent/Cr3+ Color :Golden/Yellow, Sliver/White, Black ( CED)

E

**Environmental Standard:**

RoHS  
 SONY SS-00259 Standard  
 JVC green procurement standard



F

						Finished	Material	Item Name	Rev.
								U-YOKE	1.0
				Drg. Standard	Scale	Diametion	Date	Drawing No.	Sheet
				ISO-1302	None	Millimeter	Jun. 2009	<b>BXXXXX</b>	1/4
				Drawing by	Check by	Approved	<b>Million Interwork Sdn. Bhd.</b>		<b>A3</b>
				M. S. Ni	G. M. Lee	C. C. Lee			
Rev. No.	Revision Note			Date	Signature				

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

A

**Produce Capabilities : U-Yoke / Pot Yoke**

- A. (Diameter of U-Yoke) : 30mm up to 100mm .
- B. (In-side - Diameter of U-Yoke) : 12mm up to 90mm .
- C. (High of U-Yoke) : 5mm up to 70mm .
- D. (Thickness of Piece) : 2mm up to 30mm .
- E. (Depth of U-Yoke) : According to customer design.

B

**Finished :**

- Entire surface shot blasting
- CNC machining

C

**Material :**

- Low carbon Steel / SWRCH6A

D

**E-Plating :**



- Galvanizing
- Barrel Zinc Plating
- Hanging Zinc Plating
- Cationic Electro-Deposition Coating (CED)
- Trivalent/Cr3+ Color :Golden/Yellow, Sliver/White, Black (CED)

E

**Environmental Standard:**

RoHS  
 SONY SS-00259 Standard  
 JVC green procurement standard

F



Rev. No.	Revision Note	Date	Signature

		Finished	Material	Item Name	Rev.
		Diameter	Date	U-YOKE	1.0
Drg. Standard	Scale	Millimeter	Jun. 2009	Drawing No.	Sheet
ISO-1302	None			<b>CXXXXX</b>	1/4
Drawing by	Check by	Approved	<b>Million Interwork Sdn. Bhd.</b>		<b>A3</b>
M. S. Ni	G. M. Lee	C. C. Lee			

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

A

B

C

D

E

F

1 2 3 4 5 6 7 8

A  
B  
C  
D  
E  
F

**Produce Capabilities : U-Yoke / Pot Yoke**

- A. (Diameter of U-Yoke) : 30mm up to 100mm .
- B. (In-side - Diameter of U-Yoke) : 12mm up to 90mm .
- C. (High of U-Yoke) : 5mm up to 70mm .
- D. (Thickness of Piece) : 2mm up to 30mm .
- E. (Depth of U-Yoke) : According to customer design.

**Finished :**

- Entire surface shot blasting
- CNC machining

**Material :**



- Low carbon Steel / SWRCH6A

**E-Plating :**

- Galvanizing
- Barrel Zinc Plating
- Hanging Zinc Plating
- Cationic Electro-Deposition Coating (CED)
- Trivalent/Cr3+ Color :Golden/Yellow, Sliver/White, Black (CED)

**Environmental Standard:**

RoHS  
SONY SS-00259 Standard  
JVC green procurement standard



Rev. No.	Revision Note	Date	Signature

		Finished	Material	Item Name	Rev.
Drg. Standard	Scale	Diametion	Date	Drawing No.	Sheet
ISO-1302	None	Millimeter	Jun. 2009	<b>DXXXXX</b>	1/4
Drawing by	Check by	Approved	<b>Million Interwork Sdn. Bhd.</b>		<b>A3</b>
M. S. Ni	G. M. Lee	C. C. Lee			


1 2 3 4 5 6 7 8

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

A

**Produce Capabilities : U-Yoke / Pot Yoke**

- A. (Diameter of U-Yoke) : 30mm up to 100mm .
- B. (In-side - Diameter of U-Yoke) : 12mm up to 90mm .
- C. (High of U-Yoke) : 5mm up to 70mm .
- D. (Thickness of Piece) : 2mm up to 30mm .
- E. (Depth of U-Yoke) : According to customer design.



B

**Finished :**

- Entire surface shot blasting
- CNC machining

C


**Material :**

- Low carbon Steel / SWRCH6A

D

**E-Plating :**

- Galvanizing
- Barrel Zinc Plating
- Hanging Zinc Plating
- Cationic Electro-Deposition Coating (CED)
- Trivalent/Cr3+ Color :Golden/Yellow, Sliver/White, Black (CED)



E

**Environmental Standard:**

RoHS  
 SONY SS-00259 Standard  
 JVC green procurement standard

F

						Finished	Material	Item Name	Rev.
								U-YOKE	1.0
				Drg. Standard	Scale	Diametion	Date	Drawing No.	Sheet
				ISO-1302	None	Millimeter	Jun. 2009	<b>EXXXXX</b>	1/4
				Drawing by	Check by	Approved	<b>Million Interwork Sdn. Bhd.</b>		<b>A3</b>
Rev. No.	Revision Note	Date	Signature	M. S. Ni	G. M. Lee	C. C. Lee			

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

A

B

C

D

E

F