

# Requirements Specification Document

**Abstract:** This is the requirements document for the case study that will be used throughout the book. The system to be developed is for scheduling the courses in a computer science department, based on the input about classrooms, lecture times, and time preferences of the different instructors. Different conditions have to be satisfied by the final schedule. This document follows the IEEE standard for a requirements specification document, with some variations.

## 1. Introduction

### 1.1. Purpose

The purpose of this document is to describe the external requirements for a course scheduling system. It also describes the interfaces for the system.

### 1.2. Scope

This document is the only one that describes the requirements of the system. It is meant for use by the developers and will be the basis for validating the final delivered system. Any changes made to the requirements in the future will have to go through a formal change approval process. The developer is responsible for asking for clarifications, where necessary, and will not make any alterations without the permission of the client.

### **1.3. Definitions, Acronyms, Abbreviations**

Not applicable.

### **1.4. References**

Not applicable.

### **1.5. Developer's Responsibilities Overview**

The developer is responsible for (a) developing the system, (b) installing the software on the client's hardware, (c) conducting any user training that might be needed for using the system, and (d) maintaining the system for a period of one year after installation.

## **2. General Description**

### **2.1. Product Functions Overview**

In the computer science department there are a set of classrooms. Every semester the department offers courses, which are chosen from the set of department courses. A course has expected enrollment and could be for graduate students or undergraduate students. For each course, the instructor gives some time preferences for lectures.

The system is to produce a schedule for the department that specifies the time and room assignments for the different courses. Preference should be given to graduate courses, and no two graduate courses should be scheduled at the same time. If some courses cannot be scheduled, the system should produce a "conflict report" that lists the courses that cannot be scheduled and the reasons for the inability to schedule them.

### **2.2. User Characteristics**

The main users of this system will be department secretaries, who are somewhat literate with computers and can use programs such as editors and text processors.

### **2.3. General Constraints**

The system should run on Sun 3/50 workstations running UNIX 4.2 BSD.

### **2.4. General Assumptions and Dependencies**

Not applicable.

### 3. Specific Requirements

#### 3.1. Inputs and Outputs

The system has two file inputs and produces three types of outputs. These are described here.

*Input\_file\_1*: Contains the list of room numbers and their capacity; a list of all the courses in the department catalog; and the list of valid lecture times. The format of the file is:

```
"rooms"
  room1 ":" cap1
  room2 ":" cap2
  :
  ","
"courses"
  course1 "," course2 "," course3 "," ... ","
"times"
  time1 "," time2 "," time3 ";
```

where room1 and room2 are room numbers with three digits, with a maximum of 20 rooms in the building; cap1 and cap2 are room capacities within the range [10, 300]; course1, course2 are course numbers, which are of the form “csddd,” where *d* is a digit. There are no more than 30 courses. time1 and time2 are valid lecture times of the form “MWFd” or “MWFdd” or “TTd” or “TTd:dd” or “TTdd:dd”. There are no more than 15 such valid lecture times. An example of this file is:

```
rooms
  101 : 25
  115 : 50
  200 : 250 ;
courses
  cs101, cs102, cs110, cs120, cs220, cs412, cs430, cs612, cs630 ;
times
  MWF9, MWF10, MWF11, MWF2, TT9, TT10:30, TT2, TT3:30 ;
```

*Input\_file\_2*: Contains information about the courses being offered. For each course, it specifies the course number, expected enrollment, and a number of lecture time preferences. A course number greater than 600 is a post-graduate course; the rest are undergraduate courses. The format of this file is:

```
"course  enrollment      preferences"
  c#1      cap1          pre1 "," pre2 "," pre3 ...
  c#2      cap2          pre1 "," pre2 "," pre3 ...
  :
```

where *c#1* and *c#2* are valid course numbers; *cap1* and *cap2* are integers in the range [3..250]; and *pre1*, *pre2*, and *pre3* are time preferences of the instructor (a maximum of 5 preferences are allowed for a course). An example of this file is

course	enrollment	preferences
cs101	180	MWF9, MWF10, MWF11, TT9
cs412	80	MWF9, TT9, TT10:30
cs612	35	
cs630	40	

*Output\_1*: The schedule specifying the class number and time of all the schedulable courses. The schedule should be a table having the lecture times on the *x*-axis and classroom numbers on the *y*-axis. For each slot (i.e., lecture time, classroom) the course scheduled for it is given; if no course is scheduled the slot should be blank.

*Output\_2*: List of courses that could not be scheduled and why. For each preference, the reason for inability to schedule should be stated. An example is:

cs612: Preference 1: Conflict with cs600.  
Preference 2: No room with proper capacity.

*Output\_3*: Error messages. At the minimum, the following error messages are to be given:

- e1. Input file does not exist.
- e2. Input-file-1 has error
  - e2.1. The course number has wrong format
  - e2.2. Some lecture time has wrong format.
  - e2.3. Classroom number has wrong format.
  - e2.4. Classroom capacity out of range.
- e3. Input-file-2 has error
  - e3.1. No course of this number.
  - e3.2. No such lecture time.
- e4. More than permissible courses in the file; later ones ignored.
- e5. There are more than permissible preferences; later ones are ignored.

### 3.2. Functional Requirements

1. Determine the time and room number for the courses such that the following constraints are satisfied:
  - (a) No more than one course should be scheduled at the same time in the same room.
  - (b) The classroom capacity should be more than the expected enrollment of the course.
  - (c) Preference is given to post-graduate courses over undergraduate courses for scheduling.

- (d) The post-graduate (undergraduate) courses should be scheduled in the order they appear in the input file, and the highest possible priority of an instructor should be given. If no priority is specified, any class and time can be assigned. If any priority is incorrect, it is to be discarded.
- (e) No two post-graduate courses should be scheduled at the same time.
- (f) If no preference is specified for a course, the course should be scheduled in any manner that does not violate these constraints.

**Inputs:** Input\_file\_1 and Input\_file\_2.

**Outputs:** Schedule.

2. Produce a list of all courses that could not be scheduled because some constraint(s) could not be satisfied and give reasons for unschedulability.

**Inputs:** Input\_file\_1, and Input\_file\_2.

**Outputs:** *Output\_2*, i.e., list of unschedulable courses and preferences and why.

3. The data in input\_file\_2 should be checked for validity against the data provided in input\_file\_1. Where possible, the validity of the data in input\_file\_1 should also be checked. Messages should be given for improper input data, and the invalid data item should be ignored.

**Inputs:** Input\_file\_1 and Input\_file\_2.

**Outputs:** Error messages.

### 3.3. External Interface Requirements

**User Interface:** Only one user command is required. The file names can be specified in the command line itself or the system should prompt for the input file names.

### 3.4. Performance Constraints

[1]. For input\_file\_2 containing 20 courses and up to 5 preferences for each course, the reports should be printed in less than 1 minute.

### 3.5. Design Constraints

#### 3.5.1. Software Constraints

The system is to run under the UNIX operating system.

#### 3.5.2. Hardware Constraints

The system will run on a Sun workstation with 16 MB RAM, running UNIX. It will be connected to an 8-page-per-minute printer.

### **3.6. Acceptance Criteria**

Before accepting the system, the developer must demonstrate that the system works on the course data for the last 4 semesters. The developer will have to show through test cases that all conditions are satisfied.